




## WWP 45

With an hourly pump capacity of up to 45 m<sup>3</sup> of water, the WWP 45 waste water pump impresses with a powerful petrol engine in applications where there is no external power supply.



1



2



3



4

### 1 Developed for tough applications

- A robust tubular steel frame reliably protects the machine against damage.
- Also easily processes coarse particles up to a size of 30 millimetres.

### 2 Very powerful


- Uninterrupted pumping of up to 100 m
- For the quick pumping of very large water volumes (750 l/min or 45 m<sup>3</sup>/h).

### 3 Wide range of application

- Fast loading of HD/HDS trailers or IB containers.
- Can be used for pumping out excavation pits, underground car parks or underpasses.

### 4 Ease of use

- Powerful EU STAGE V petrol engines with pull start and manual choke.
- High mobility and simple transport thanks to compact size and low weight.



## WWP 45

- Recoil start with manual choke
- Compact dimensions and low weight
- Robust cage frame


### Technical data

Flow rate	m³/h	<= 45
Max. suction height	m	7
Max. delivery head	m	25
Max. particle size	mm	max. 30
Motor type		Petrol
Cubic capacity	cm³	196
Motor rating	kW / hp	5.1 / 6.9
Tank capacity	l	3.6
Dimensions (L × W × H)	mm	629 × 425 × 445
Weight	kg	35.7 / 36 / 40

### Equipment

Manual choke		■
Oil dipstick		■
Suction basket		■
Hose clamp	piece(s)	3
Hose coupling	piece(s)	2

■ Included in the scope of supply.



		Order no.						Price	Description	
<b>Machine accessories</b>										
Suction hose (5m)	1	2.645-340.0								<input type="checkbox"/>
Drain hose (10m)	2	2.645-341.0								<input type="checkbox"/>
Add-on kit Premium accessories	3	2.852-735.0							For the simple and professional connection of hoses to our WWP 45 waste water pump: the premium accessories package with hose connectors, hinge bolt clamps and hose coupling wrench.	<input type="checkbox"/>
Claw coupling Storz-B-d75	4	6.395-194.0								<input type="checkbox"/>
Claw coupling Storz-B-3"l	5	6.395-197.0								<input type="checkbox"/>
Hinge bolt clamp two parts 75-83	6	6.667-903.0								<input type="checkbox"/>
Key C- und B- Kupplung	7	6.815-136.0								<input type="checkbox"/>

☐ Available accessories.