

## **INSIDE**



7W COB Rechargeable Worklight	20
3W COB Rechargeable Worklight	21
5W COB Rechargeable Worklight	22
10W COB Rechargeable Worklight	24
10W COB Rechargeable Worklight with Bluetooth Speaker	26
3W COB Rechargeable Pen Light	28
5W COB Heavy Duty Rechargeable Worklight	29
30W SMD Site Lamp	30
60W SMD Site Lamp	31
9W LED Rechargeable Worklight	32
15W LED Worklight	33
18W LED Rechargeable Worklight	34
20W COB Folding Worklight	35



3W COB Pocket Flashlight	40
5W SMD Rechargeable Pocket Flashlight	41
3W LED Slim Pen Light	42
5W LED Flashlight With UV & Laser	44
Telescopic Magnetic Pick-Up Light	46
7W LED Waterproof Spotlight	48

Ш	HEAD LAMPS	
1W LED Re	chargeable Head Lamp	50
3W COB Re	echargeable Head Lamp with Sens	sor 51
3W LED He	eadlamp With Sensor	52
3W COB H	ead Lamp	53



V	LIGHT BARS	A
36W LED L	ight Bar	64
72W LED L	ight Bar	65
120W LED	Light Bar	66

### **TERMS & CONDITIONS**

2W COB Retractable Worklight

**3W LED Inspection Lamp** 

Intellectual Property: The intellectual property of this catalogue is assigned to all countries of the world. Reproduction, full and/or partial adaptation of it's content (content, images, diagrams, icons, specifications, tables etc.) by any means without prior written permission from GROZ entails a violation of GROZ ENGINEERING TOOLS's copyrights and constitutes an act of unfair competition

36

37

**Technical Data:** All drawings, weights, dimensions, the descriptions & illustrations contained in the company's catalogues are only approximate and intended merely to give a general description of the goods described therein.


**Specifications:** The information contained in this catalogue is as accurate as possible and complies, as far as possible with existing regulations at the time of it's publication - January 2019. We therefore reserve the right to make modifications in line with modifications to regulations and/ or product specifications, drawings, illustrations for continual improvement. Buyers must ensure that goods are suitable for the purpose intended. Imperial dimensions shown as equivalents to metric and vice-versa are approximate.

**Delay in Delivery:** Delay in completion of work, delivery or in case of a contract for delivery by installments, delay in delivery of an installment shall not give rise to any liability upon the company whether or not any time of date is given in this respect and shall not entitle the customer to terminate the contract.

Liability: All goods are guaranteed to do the work for which they are designed. If the goods or any part thereof are defective solely as a result of faulty materials or workmanship of the company, the company's liability shall be limited, at it's discretion either to replacing such goods or the defective parts. But no such liability shall arise unless notification of any defect is received by the company in writing within 90 days from the receipt of goods by the buyer and the allegedly defective goods are thereafter returned to the company carriage paid with appropriate pre-notification.

**Indemnity:** The customer shall indemnify the company against all claims in respect of any loss, injury or damage sustained by a third party arising from the sales of the goods to the buyer how so ever caused and also against all actions, proceedings, costs, claims, demands and expenses made, brought or claimed against the company in respect of the infringement of any patent, trademark or registered design.

### www.groz-tools.com





# **30W COB**Rechargeable Worklight

LED-670

**LED-670T** 

(€ RoHs IK07

# Universal dual power worklight for endless applications both indoors & outdoors

### 30W COB Worklight

Featuring COB technology the GROZ LED/670 delivers extremely high output with uniform and even illumination

### **Light Output**

Single button controlled variable output. Simply push button to change from 50% to full 100% intensity

POWER SOURCE	INTENSITY	LUMEN	RUN TIME
LI-ION	100%	2800	2 hours
BATTERY	50%	1400	4 hours
AC SUPPLY	100%	2800	-

### **Cool Light**

Finned design reduces heating up of light

### **Sturdy Construction**

### a. IP 54 Rated

Protected against dust and effects of water spray from any direction

### b. IK 07 Rated

Impact-proof construction

- c. Corrosion resistant aluminium die cast housing in premium powder coated finish
- d. Rubberised edge guards make the light resistant to shocks and vibrations - common in any working environment

### Versatile Use

Can be used as:

- a. Free standing worklight with mounting bracket
- b. On magnetic base removable magnetic base can be attached onto any metallic surface leaving both hands free
- c. On tripod stand to light overhead work or minimise shadows when directing the light downwards.

### **Charge Your Phone**

Rechargeable and removable battery pack also doubles as a power bank

Easy Set-up and instant illumination makes it ideal for use as a temporary light on construction sites, in general maintenance workshops etc.

### **Charge Time**

3 hours



**LED-670T** 

Telescopic Tripod

Stand Mounting

1m - 1.68m


(39-1/2" - 66")






to cast light as required

**FEATURES** 






### **DUAL POWER SOURCE**



RECHARGEABLE BATTERY 7.4V 4400 mAh







Rechargeable & removable battery pack can also be used as a power bank



AC POWERED 220V AC, 50Hz 115 V AC, 60Hz



Powered with AC Supply

### ORDERING INFORMATION

CAT	ORD	DESCRIPTION	SIZE (L	×H×D)	вох
NR.	NR.		(INCH)	(MM)	QTY.
LED/670	55050	Worklight	9.5 x 10 x 5	24 x 26 x 13	4
LED/670T	55077	Worklight mounted on tripod	46 × (48 to 75-1/2) × 46	117 × (122 - 192) × 117	4



4



### **Duo-Play Super Power Rechargeable Floodlight**

LED-680

**LED-680T** 

(€ RoHs IK07

### 4500 lumens of powerful multi-directional flooding output

### **Light Output**

Twin heads deliver high quality, uniform illumination upto 4500 Lumens

Single button controlled multiple settings for optimized control over output and run-time

	MODE-1	MODE-2	MODE-3	MODE-4
INTENSITY	25%	50%	75%	100%
LUMENS	750	1500	3000	4500
RUN TIME	12 hours	6 hours	3.5 hours	2 hours

### **Sturdy Construction**

a. IP54 Rated

Protected against dust and effects of water spray from any direction

### b. IK 07 Rate

Impact-proof nylon body and handle with sturdy polycarbonate lens will stand-upto tough jobsite conditions

### **Versatile Use**

Can be used as


- 1. Compact and portable, free standing floodlight bright enough to light up large areas
- 2. On tripod stand to light overhead work and minimize shadows when directing the light downwards

Replaceable battery back gives infinite life to the worklight. Light has a working life upto 100,000 hours of use

**Charging of Battery** 100-240V to 20V 1.1A charger(included)

### 3.5 hours

### **Power Source**



RECHARGEABLE **BATTERY** 14.8V 5200 mAh



### 180° Horizontal



TURN, TWIST TO FOCUS AS REQUIRED

90° Vertical

**LED-680T** 

Telescopic Tripod Stand Mounting

> 0.7m - 1.7m (27-1/2" - 67")



Duo Play



Impact Resistant



Twin heads deliver high quality illumination, lighting up two areas simultaneously

### SUPER HEAVY DUTY POWER TOOL BATTERY PACK



14.8V 5200mAh Li-ion Super Heavy Duty Power Tool Battery Pack




**Battery Level Indication on battery** pack va 5 LED battery level indicator. Each Led indicates 20% charge




In-Built Power Bank in battery pack to charge mobile devices

### **FEATURES**



CAT	ORD	DESCRIPTION SIZ		DESCRIPTION	SIZE (L:	×H×D)
NR.	NR.		(INCH)	(MM)		
LED/680	55089	Floodlight	11-3/16 × 7 × 5-1/8	288 × 176 × 131		
LED/680T	55090	Floodlight complete with tripod	-	-		





### **Heavy Duty Rechargeable COB Worklight**

LED-550

**LED-560** 

Powerful rechargeable COB worklight designed for the professional user

### Available in two versions

a. LED-550

10W COB b. LED-560 20W COB

### **COB Worklight**

Featuring the COB technology these lights deliver extremely high output with uniform and even illumination

### **Light Output**

Single button controlled variable output. Simply push button to change from 50% intensity to full 100% power

WATTS 10W COB	20W COB
	2017 COD
BATTERY 3.7V, 4400mAh Li-	ion 7.4V, 4400 mAh Li-ion

INTENSITY	100%	50%	100%	50%
LUMEN	1000	500	2000	1000
RUN TIME	3 hours	6 hours	3 hours	6 hours
CHARGING TIME	5 hours	5 hours	5 hours	5 hours

### **Sturdy Construction**

a. IP 54 Rated

Protected against dust and effects of moisture from any direction

- b. IK 07 Rated
- Impact proof construction c. Corrosion resistant aluminium die cast housing in premium powder coated finish with rubberised edge guards make it resistant to shocks and vibration - common in any working environment

### **Versatile Use**

Can be used as:

- a. Free standing worklight with mounting bracket that can be rotated 180° to cast light in several directions as per need
- b. Directly attached to any metallic surface using the magnetic base plate. The magnetic base plate can be easily removed
- c. Hung from a scaffolding bracket Handle is designed for direct mounting on the scaffolding bracket leaving both hands free for any other

Complete with USB cable & magnet holder


### **Charging of Battery**

Battery can be recharged using standard USB cable provided with the light

### **Charge you Mobile Devices**

USB output port for use as power bank





RECHARGEABLE




3.7V 4400 mAh





### **FEATURES**





### Rubberised plastic corner protectors Powerful COB light Aluminium die cast body **GROZ LED-560** 20W COB RECHARGEABLE

### (€ RoHs IK07



Use magnetic base to attach to any metallic surface



Mounting bracket can be rotated 180°





USB

CHARGED

Impact Resistant Construction

carry




**Hands Free Working** Light can be attached onto any metallic surface using removable magnetic base



Battery pack doubles up as a power bank Compact size making it easy to - Charge your phone while you work!

### **ORDERING INFORMATION**

CAT ORD NR. NR.	ORD	DESCRIPTION	SIZE (L×H)		вох
		(INCH)	(MM)	QTY.	
LED/550	55046	10W COB	6-11/16 × 5	170 × 125	10
LED/560	55047	20W COB	7-9/32 × 5-1/2	185 × 140	8



8



**360° Swivel** Rechargeable Slim Worklight

LED-370

# Super slim worklight for all difficult to reach areas, tight and cluttered workspaces with utmost ease

### **6W COB Light**

Featuring COB technology, the Groz LED/370 is an integrated

- a. 6W Worklight
- b. 1W Top Torch

### **Light Output**

Super slim light offers high quality output as both worklight and spotlight.

Smart design ensures user controlled output. Adjust light intensity from 0-600 lumen by simply rotating the knob as per need

### **Sturdy Construction**

- a. IP 54 Rated
- Protected against dust and effects of water spray from any direction
- b. IK 07 Rated
- Impact Proof Construction ABS body
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Nylon hook with ratcheting mechanism can be rotated full 360° for convenient placement of light as required

### **Patented Design**

Unique & innovative 360° swivel & tilt mechanism. Stainless steel ball joint mechanism allows

- a. Swivelling of light full 360°
- b. Tilt


### **Hands Free Operation**

Three rubber covered magnets at the rear end to affix light on any metallic surface leaving both hands free

### **Power Source**



RECHARGEABLE BATTERY 3.7V 2600 mAH



USB CHARGED

### **Charging of Battery**

Battery can be recharged using in-built micro USB charging port protected by rubber bezel

Comes with 5V braided USB cable

### **Charge Time**

1 hours

### ORDERING INFORMATION

CAT	ORD	SIZE (L×H×D)		вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/370	55042	15-11/32 × 1-37/64 × 1-3/8	390 × 40 × 35	15






### (€ RoHs IK07



Adjust the light intensity via simple to use rotating knob

	WORK	KLIGHT	ТОР	TORCH
	LUMEN	RUN TIME	LUMEN	RUN TIME
FULL INTENSITY	600	1.5 hours	120	10 hours








Rotating Hook with Ratcheting Mechanism

### **FEATURES**

MAX. LUMEN	WATER & DUST	BEAM	OPERATING
MAX. LUMEN	PROOF RATING	ANGLE	TEMPERATURE
600	IP54	120°	-10°C TO +40°C (14°F TO 104°F)

# BRING IN THE LIGHT!









### 360° Swivel **Rechargeable Worklight**

LED-360

### Multi-function, powerful worklight & spotlight in one

Featuring SMD technology, the GROZ LED/360 worklight is powered by 7 SMD. Top torch is powered by 3W LED

### **Light Output**

High quality output in multiple modes

	HIGH IN	NTENSITY	LOW II	NTENSITY
	LUMEN	RUN TIME	LUMEN	RUN TIME
WORKLIGHT	400	3 hours	200	7 hours
TOP TORCH	120 lumen with a run time of 8 hours			

### **Sturdy Construction**

### a. IP 54 Rated

Protected against dust and effects of water spray from any direction

### b. IK07 Rated

Impact proof ABS body

- c. Sturdy polycarbonate lens to with stand the  $\,$ toughest of job site conditions
- d. Nylon hooks with ratcheting mechanism can be rotated full 360° for convenient placement of light

### **Patented Design**

Unique & innovative 360° swivel & tilt mechanism. Stainless steel ball joint mechanism allows

a. Swivelling of light full 360°

b. Tilt


### **Hands Free Operation**

Three magnets; two on the rear of the light & one on the end, can be attached to any metallic surface leaving both hands free

### **Power Source**



RECHARGEABLE **BATTERY** 3.7V 2200 mAh



CHARGED

### **Charging of Battery**

Battery can be recharged using 1m long 5V micro USB cable provided with the light

### **Charge Time**

4 hours

### **Ideal For**

Use in automotive repairs, machinery repairs


### **ORDERING INFORMATION**

CAT	ORD	SIZE	вох	
NR.	NR.	(INCH)	(MM)	QTY.
LED/360	55037	10 × 2-9/32 × 1-57/64	254 × 58 × 48	12

### (€ RoHs IK07









SCAN TO

2 fold out 360° swivelling hooks for easy installation

### **FEATURES**

MAX. LUMEN	BEAM	WATER & DUST	OPERATING
	ANGLE	PROOF RATING	TEMPERATURE
400	120°	IP54	-10°C TO +40°C (14°F TO 104°F)

# GROZ

### **36W SMD Rechargeable Site Lamp**

Multi-mode super bright 36W 72 SMD site

### **Light Output**

Single button controlled high quality output in multiple modes

	HIGH INTENSITY		LOW INTENSITY	
LUMEN	3000	1500	750	
RUN TIME	1.5 hours	2.5 hours	5 hours	


### **Sturdy Construction**

- a. IP65 Rated
- Protected against dust and effects of low pressure water jets from any direction
- b. Corrosion resistant aluminium die cast construction in premium powder coated
- c. Impact proof ABS frame
- d. Tempered glass lens
- e. Steel handle with foam grip for comfort in
- f. Sturdy steel stand for balance positioning in the toughest of job site conditions

### **Patented Design**

Unique & innovative 360° swivel & tilt mechanism. Stainless steel ball joint mechanism allows

a. Swivelling of light full 360°



RECHARGEABLE **BATTERY** 7.4V 4400 mAH

### Charging of Battery

Battery can be recharged using dual voltage 100V-240V AC charger, provided with the

### **Charge Time**

4.5 hours





Tilt & Swivel to 360°

3 LED battery level indicator 5V 2.1 Amp USB output port for use as power bank


info@groz-tools.com

### **FEATURES**

MAX. LUMEN	WATER & DUST PROOF RATING	BEAM ANGLE	BEAM DISTANCE	OPERATING TEMPERATURE
3000	IP65	120°	45M (147')	-10°C TO 40°C (14°F TO 104°F)

### **ORDERING INFORMATION**

CAT	ORD SIZE (L×H×D)			вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/660	55043	8.7 × 8.7 × 12.2	223 × 223 × 309	8



**LED-660** 

12 www.groz-tools.com Button

USB

### **15W COB Rechargeable Under-hood Light**

### (€ RoHs



The new super bright under-hood light for powerful illumination of the entire engine bay. Shines brighter, grips stronger & outlasts most other lights!

### 15W COB Under-hood Light

3 powerful COB lamps of 5W each

### **Light Output**

Single button, user controlled light output for maximized operating time. Choose between three light settings-high, medium & low

	HIGH INTENSITY	MEDIUM INTENSITY	LOW INTENSITY
NR. OF LAMPS USED	3	2	1
LUMEN	1000	700	350
RUN TIME		4.5-5.5 hours	6.5-7.5 hours


### **Sturdy Construction**

- a. Aluminium extruded body with ABS coating. Built to withstand the toughest of job site conditions
- b. Soft padded aluminium hooks resist wear and provide scratch proof grip. Large gripping surface provides larger contact for better positioning when mounting the light under-hood, undercarriage or elsewhere
- c. 3 light bulbs with sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Fully adjustable light head: bulbs can be rotated 40° to provide the optimum light angle depending upon job need


### **Expandable Length**

47 - 69 inch (1200 mm - 1750 mm) This covers wide cars & trucks, making it a perfect choice for mechanics working in automotive shops or fleet maintenance

### **Power Source**



RECHARGEABLE **BATTERY** 3.7V 5200 mAh



USB CHARGED


### **Charging of Battery**

Battery can be recharged using in-built USB charging port protected by rubber bezel

Complete with USB cable and AC Power Adaptor

### **Charging Time**

### **FEATURES**









Soft padded aluminium hooks for scratch proof grip



USB charging port with LED charge indicators





Light bulbs pivot independently to direct light as needed

### **ORDERING INFORMATION**

CAT	ORD	SIZE (I	×H×D)	вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/351	55084	47 × 3 × 2-3/8	1210 × 75 × 60	1

15 www.groz-tools.com info@groz-tools.com

LED-351



### 10W COB Rechargeable Inspection Light with Wireless Charging

LED-375

### 10 W COB Light

Featuring COB Technology, The GROZ LED 375 is an integrated

a. 10W COB worklight

b. 2W SMD top torch

### **Light Output**

High quality light output in multiple modes

3 414 43	5		- 1				
	1	IGH NSITY		DIUM :NSITY		OW NSITY	RED HAZARD FLASHER
	LUMEN	RUN TIME	LUMEN	RUN TIME	LUMEN	RUN TIME	
WORKLIGHT	1000	1.5 hours	500	2.5 hours	250	5 hours	-
TOP TORCH		170 lumen with a run time of 8 hours			•		

### **Sturdy Construction**

a. IP65 Rated

Protection against dust and effects of pressure jets from any direction

b. IKO7 Rated Impact-proof construction High impact-proof ABS body

Sturdy polycarbonate lens to withstand the toughest of jobs site conditions

Nylon hook with 360° Rotating action for convenient placement of light

### **Swivelling Magnetic Base:**


The base can rotate upto 180° to adjust to the required angle

Strong magnet on the base makes it easy to mount onto any metallic surface for hands free use.

RECHARGEABLE

### **Power Source**

LITHILIM-ION



### **Dual Battery Charging Options**

- Charge wirelessly by using induction charging technology, the docking station can be mounted on the wall using nail or latch onto any metallic surface using magnets on the back
- 2. Can also additionally be charged using **micro USB cable** provided with the light.

### **Charging Time**

5 hours

Ideal for use in Workshops, Maintenance room etc.

### **ORDERING INFORMATION**

CAT	ORD
NR.	NR.
LED/375	55085





### **FEATURES**

MAX. LUMEN	WIRELESS CHARGING	BEAM ANGLE	WATER & DUST PROOF RATING	OPERATING TEMPERATURE
1000	<b>(1)</b>	50°	IP65	-10°C TO +40°C (14°F TO 104°F)

### NEW!

### (€ RoHs IK07

### **BATTERY CHARGING OPTIONS**



WITH WIRELESS (INDUCTION) CHARGER

Can be mounted on metallic surfaces or hung on the wall using nails or hooks



WITH MICRO USB CABLE
USB charging port with LED charge indicators

### SWIVELLING MAGNETIC BASE



The base can rotate upto 180° to adjust to the required angle

info@groz-tools.com

16

www.groz-tools.com



### 12+1 SMD Slim Folding Inspection Light

LED-180

# The new ultra thin & compact inspection light for difficult to reach & narrow workspaces

Worklight, inspection light and spotlight all in one

### 12+1 SMD Light

- a. Powerful 12 SMD light bar with a spread of upto 120°
- b. 1W SMD Top torch for focused illumination

### **Light Output**

Super slim light offers high quality output as both worklight and spotlight

Smart design ensures user controlled output. Adjust light intensity from 0-400 lumen by simply rotating the knob as per need

### **Sturdy Construction**

- a. Impact proof ABS body
- b. Sturdy polycarbonate lens to withstand the toughest of job site conditions

### **Compact Folding Design**

Fully folded the lamp is reduced to a pocket sized worklight


### **Hands Free Operation**

Three super strong magnets on sides and rear end help affix the light on any metallic surface leaving both hands free

### **Power Source**



RECHARGEABLE BATTERY 3.7V 2000 mAh



USB CHARGED

### **Charging of Battery**

In-built micro USB charging port protected by rubber bezel

Comes complete with 5V braided USB cable

# (€ RoHs IK07





# Slide the knob upwards to increase the intensity of light RUN TIME 3 hours (at full intensity) 88 hours (at lowest intensity)

Adjust light intensity via simple to use rotating knob

	INSPECTION LIGHT / WORKLIGHT		SPOTLIGHT				CHARGE TIME
	LUMEN	RUN TIME	LUMEN	RUN TIME			
FULL INTENSITY	400	3 hours	70	8 hours	4 hours		



180° rotating light bar folds back to a compact pocket size worklight



Hanging Hook

6.1" (155 mm)

### ORDERING INFORMATION

CAT	ORD	SIZE (L×H×D)		
NR.	NR.	(INCH)	(MM)	QTY.
LED/180	55045	11-51/64 × 1-49/64 × 1-21/64	300 × 45 × 34	50

### **FEATURES**

MAX. LUMEN	BEAM ANGLE	OPERATING TEMPERATURE
1400	120°	-10°C TO +40°C (14°F TO 104°F)

# BRING IN THE LIGHT!







### **7W COB Rechargeable Worklight**

**LED-345** 

### **7W COB LED Worklight**

Featuring the COB LED technology the GROZ LED/345 delivers bright and high output per square inch with even illumination

### **Battery Powered Input**

Light works on rechargeable 3.7V, 4400 mAh lithium ion battery

In-built overcharge/discharge control with automatic cut-off enhances battery life & performance

### **Light Output**

Single button controlled variable output with a maximum output of 650 lumen flood beam

MODES	HIGH INTENSITY	MEDIUM INTENSITY	LOW INTENSITY
LUMEN	650	400	200
RUN TIME	4 hours	6 hours	11 hours

### Construction

Lightweight yet rugged aluminium tubing with TPR grip makes it impact resistant

### Hands free usage

Attach light to any metallic surface leaving both hands free

2 ratcheting hooks with 360° swivel movement

### **Recharging of Battery**

Battery can be recharged using standard 1m long USB cable

### **Charge Time**

6 hours

Charging level indicators clearly marked


a. GREEN: Full Charge

b. RED: Charging in process

### **Power Source**



RECHARGEABLE **BATTERY** 3.7V 4400 mAH



CHARGED

# $\epsilon$ Rotating hook With ratchet Movement adjusts To different angles Aluminium tubing Strong magnet attaches to most metal surfaces Dia 2" (50 mm) Rotating Hook with ratchet adjusts to different angles

### **ORDERING INFORMATION**

CAT ORD		SIZE (L×H×D)	вох	
NR.	NR.	(INCH)	(MM)	QTY.
LED/345	55040	18 × 3-3/16 × 2-49/64	458 × 81 ×70	10

### **FEATURES**

MAX. LUMEN	OPERATING TEMPERATURE	BEAM ANGLE
650	-10°C TO 40°C (-23°F TO 104°F)	120°

# GROZ

### **3W COB Rechargeable Worklight**

### COB Worklight

Featuring COB technology the worklight delivers extremely high output with uniform and even illumination

Multi-function, powerful worklight & top torch

Top Torch is powered by 1W LED

### **Light Output**

High quality output of 160 lumen by main light & focused illumination of 60 lumen by top torch


### **Durable Construction**

- a. Impact proof & water resistant ABS body with rubber coating
- b. 360° rotating hook to suspend light leaving both hands free
- c. Integrated pocket/belt clip to conveniently store and carry light wherever you go
- d. Swivelling magnetic stand swivels up to 180° to adjust to required angle


### **Hands Free Operation**

- a. Swivelling stand with super strong magnets to position light on any metallic surface
- b. Magnet on clip can also be used to affix light on any metal surface

### **Power Source**



RECHARGEABLE **BATTERY** 3.7V 1200 mAh



USB CHARGED

### **Charging of Battery**

Battery can be recharged using a micro USB cable provided with the light. Micro USB port is protected by rubber bezel

### **Charge Time**

2.5 - 3 hours; charge display via 5 green LED's, each showing 20% charge





360°



Pocket / Belt Clip

# (€ RoHs

**LED-390** 

3W LED



### **Multiple Mode Output**

	DESCRIPTION	
1ST PRESS	Top torch switches On	
2ND PRESS	S Main worklight switches On	
3RD PRESS	All lights switch Off	

FLATORES		
MAX. LUMEN	RUN TIME	BEAM ANGLE
160	2.5-3 H	120°
OPERA TEMPER		
-10°C TC		

CAT	ORD	SIZE (L×H×D	))	ВОХ
NR.	NR.	(INCH)	(MM)	QTY
LED/390	55059	6-7/64 × 1-37/64 × 1-11/64	155 × 40 × 30	50



### **5W COB Rechargeable Worklight**

LED-395

### Multi-function, powerful worklight & top torch

### **COB Worklight**

Featuring COB technology the worklight delivers extremely high output with uniform and even illumination

Top Torch is powered by 3W LED

### **Light Output**

High quality output, both as a worklight & top

Smart design ensures user controlled output. Adjust light intensity of worklight and top torch by pressing on the increase (+) or decrease (-)

Built-in memory function starts the light at the same intensity as when it was switched off

### **Durable Construction**

- a. Impact proof & water resistant ABS body with rubber coating
- b. 360° rotating hook to suspend light leaving both hands free
- c. Integrated pocket/belt clip to conveniently store and carry light wherever you go. Clip also has a magnet to attach light to any metallic surface
- d. Swivelling Stand: Can be rotated full 180° to position light as needed


### **Hands Free Operation**

- a. Swivelling stand with super strong magnets to position light on any metallic surface
- b. Magnet on clip can also be used to affix light on any metal surface

### **Power Source**



RECHARGEABLE **BATTERY** 3.7V 2000 mAh



USB CHARGED

### **Charging of Battery**

Battery can be recharged using a micro USB cable provided with the light. Micro USB port is protected by rubber bezel

### **Charge Time**

2.5 - 3.5 hours (indicated via LED display). Charge display via 5 LED's, each showing 20%

### **Charge You Mobile Device**

USB output port for use as power bank

### **ORDERING INFORMATION**

CAT	ORD	SIZE		вох
NR. NR	NR.	(INCH)	(MM)	QTY.
LED/395	55060	7-9/32 × 2-3/8 × 1-17/64	185 × 60 × 32	50



**Multiple Mode Output** 

MAX. LUMEN

350

**1ST PRESS** Top torch switches On

DESCRIPTION

# Charge indicator: 5 green LED's. each showing 20% charge Power button Intensity control buttons (+) & (-) for worklight & top torch

### (€ RoHs



	WORK	LIGHT		ORCH
	LUMEN	RUN TIME	LUMEN	RUN TIME
FULL INTENSITY	350	2.5 - 3.5 hours	180	3.5 - 4.5 hours











-10°C TO +50°C (14°F TO 122°F)

Swivelling Magnetic Stand: The base can swivel upto  $180^{\circ}$  to adjust to the required angle. The magnetic end helps affix the light for hands free use

180°



**Rotating Hook** 



Pocket / Belt Clip

22

info@groz-tools.com



### **10W COB Rechargeable Worklight**

### Multi-function, powerful worklight & top torch

### **COB Worklight**

Featuring COB technology the worklight delivers extremely high output with uniform and even

Top Torch is powered by 3W LED

High quality output, both as a worklight & top torch

Smart design ensures user can control the output. Adjust light intensity of worklight and top torch by pressing ON/OFF buttons continuously


### **Durable Construction**

- a. Impact proof & water resistant ABS body with rubber coating
- b. Integrated pocket/belt clip to conveniently store and carry light wherever you go. Clip also has a magnet to attach light to any metallic
- d. Swivelling Stand: Can be rotated full 180° to position light as needed


### **Hands Free Operation**

- a. Swivelling stand with super strong magnet to position light on any metallic surface
- b. Magnet on clip can also be used to affix light on any metal surface

### **Power Source**



RECHARGEABLE BATTERY 3.7V 2000 mAh



USB CHARGED

### **Charging of Battery**

Battery can be recharged using Micro USB cable provided with the light. USB port is protected by rubber bezel

3 - 3.5 hours (indicated via LED display). LED Charging shown with display in percentage

### **Charge You Mobile Device**

USB output port for use as power bank


### **ORDERING INFORMATION**

CAT	ORD	SIZE		
NR.	NR.	(INCH)	(MM)	
LED/396	55088	6-21/32 × 1-47/64 × 1-11/32	169×44×34	





### (€ RoHs IK10



Swivelling Magnetic Stand: The base can swivel upto 180° to adjust to the required angle. The magnetic end helps affix the light for hands free use







USB output port to charge mobile devices

### **Working Mode**

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS
	TOP TORCH	WORKLIGHT	CONTINUOUS RED LIGHT	RED SOS FLASHING
LUMEN	150	500		
RUN TIME	3-3.5 hours	2-3 hours		

Aluminium

better heat

dissipation

Magnetic on

LCD display to show charge levels

in % of Battery

Power

back for

### **FEATURES**

MAX. LUMEN	WATER & DUST	BEAM	OPERATING
	PROOF RATING	ANGLE	TEMPERATURE
3500 X	IP44	270°	-10°C TO +50°C (14°F TO 122°F)





www.groz-tools.com info@groz-tools.com



# 10W COB Rechargeable Worklight with Bluetooth Speaker

**LED-397** 

### Multi-function, powerful worklight & top torch with a powerful speaker

### **COB Worklight**

Featuring COB technology the worklight delivers extremely high output with uniform and even illumination

Top Torch is powered by 3W LED

### **Light Output**

High quality output in multiple modes

User controlled output by pressing the increase (+) or decrease (-) buttons

### **Powerful Bluetooth Speaker**

Superior sound quality bluetooth speaker range upto 10 meter (32') for endless music at work

Press and hold the ON button for switching on the Bluetooth connect to "BT500" from your phone


### **Durable Construction**

Impact proof & water resistant ABS body with rubber coating

### **Hands Free Operation**

180° Swivelling stand with super strong magnets to position light on any metallic surface

### **Power Source**



RECHARGEABLE BATTERY 3.7V 2400 mAh



USB CHARGED

### **Charging of Battery**

Fast Charge using Type C USB cable provided with the light. USB port protected by rubber bezel

### **Charge Time**

2 - 2.5 hours (indicated via LED display showing charge level in percentage)

### **Charge You Mobile Device**

USB output port for use as power

### **Working Mode**

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS
	TOP TORCH	WORKLIGHT	CONTINUOUS RED LIGHT	RED FLASHING
LUMEN	200	500		000
RUN TIME	3-3.5 hrs	2.5-3 hrs		


### **ORDERING INFORMATION**

CAT	ORD	SIZE	
NR.	NR.	(INCH)	(MM)
LED/397	55092	6-9/64 × 2-23/32 × 1-7/32	156×69×31





### **FEATURES**





# ( RoHs



Enjoy endless music at work



Swivelling Magnetic Stand: The base can swivel upto 180° to adjust to the required angle. The magnetic end helps affix the light for hands free use



To activate Bluetooth, press and hold the ON button for switching on the Bluetooth mode and connect to "BT500" from your phone



USB output port to charge



www.groz-tools.com



# **3W COB**Rechargeable Pen Light

LED-335

### Super bright, dual function portable worklight & top torch

### **3W COB Light**

Featuring COB technology, the GROZ LED/335 is an integrated 3W COB worklight & 1W LED top torch

### **Light Output**

High quality output in different modes

	MAIN LIGHT		TOP TORCH	
	LUMEN RUN TIME		LUMEN RUN TIME	
FULL INTENSITY	180	1.5-2 hours	65	2-2.5 hours

### **Light Weight & Durable Construction**

- a. Impact proof & water resistant ABS body with rubber coating
- Integrated Pocket Clip: Can be hooked onto a pocket /belt for easy mobility & hands free operation. Clip is adjustable up to 120° for directing light in desired direction


### **Hands Free Use**

Magnet on clip can be used to affix light on any metal surface

### **Power Source**



RECHARGEABLE BATTERY 3.7V 800 mAh



USB CHARGED

### **Charging of Battery**

Battery can be recharge using a micro USB cable provided with the light. Micro USB port is protected by plastic bezel

### **Charge Time**

2.5 - 3.5 hours

### **FEATURES**

MAX. LUMEN	BEAM ANGLE	OPERATING TEMPERATURE
180	120°	-10°C TO +50°C (14°F TO 122°F)

### ORDERING INFORMATION

CAT	ORD	SIZE (L×H	вох	
NR.	NR.	(INCH)	(MM)	QTY.
LED/335	55057	7-9/32 × 1-25/64 × 13/16	185 × 35 × 20	50





85° Adjustable Pocket Clip with magnet to hook onto any magnetic surface





16

# **5W COB Heavy Duty Rechargeable Worklight**

LED-380

On/Off

Pocket/

Aluminium

Textured

rubber arip

Dia. 1"

(27 mm)

### Portable worklight - ideal for outdoor applications

### **5W COB LED Worklight**

Featuring COB LED technology the GROZ LED/380 delivers bright and high output per square inch with even illumination

### **Light Output**

Single button controlled output

	TYPE	RUN TIME
1st Press	White floodlight	4 hours
2nd Press	Red light	4 hours
3rd Press	Red Hazard flasher	10 hours

### **Durable Construction**

Light weight yet sturdy aluminium tubing with TPR grip makes the light impact resistant

### **Power Source**



RECHARGEABLE BATTERY 3.7V 2200 mAh



USB CHARGED

### **Unique Battery Charging Options**

- a. Magnetic docking station with USB cable
- b. USB cable with magnetic button charger

### **Hands Free Usage**

Super strong magnet on light base makes it convenient to mount light on any metallic surface leaving both hands free

### **Charge Time**

4.5 hours

### **FEATURES**

MAX. LUMEN	OPERATING TEMPERATURE
¥400 K	-10°C TO 40°C (14°F TO 104°F)

### BATTERY CHARGING OPTIONS



Magnetic docking station charger



Magnetic button USB cable

### **ORDERING INFORMATION**

OKDEKIN	o har ok	MATION		
CAT	ORD	SIZ	E	вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/380	55058	7-51/64 × 1-1/16 × 1-3/16	198 × 27 × 30	36

28 www.groz-tools.com 29



# **30W SMD Site Lamp**

**LED-602** 

### **30W SMD Site Lamp**

Powerful 28 SMD's

### **Light Output**

High quality output of 2100 lumen for maximum coverage of workspace

### **Cool Light**

Finned design reduces heating up of light

### **Sturdy Construction**

### a. IP 65 Rated


- Protected against dust and effects of pressure jets from any direction
- b. Corrosion resistant aluminium diecast housing in premium powder coated finish
- c. High impact polycarbonate lens to withstand harsh job site conditions
- d. Complete with 4m long power cord

### **Easily Portable**

Free standing steel stand with cushion grip and adjustable bracket makes it convenient to move light as required in the workspace

Easy Set-up and instant illumination

### **Power Source**




AC POWERED 220V AC, 50Hz 110V AC, 60Hz

### **Ideal For**

Use as a temporary light on construction sites, in general maintenance workshops etc.

### **FEATURES**





### .LD-002

### (€ RoHs





### ORDERING INFORMATION

-20°C TO 45°C

(-4°F TO 113°F)

CAT	ORD	PLUG	SIZE (L×H×D)		вох
NR.	NR.	TYPE	(INCH)	(MM)	QTY.
LED/602/US	55075	US Pin	9-1/16 × 14-3/16 × 8	230 × 360 × 205	8
LED/602/EU	55069	EU Pin	9-1/16 × 14-3/16 × 8	230 × 360 × 205	8

# **GROZ**

18

### 60W SMD Site Lamp

### 60W SMD Site Lamp

2 Powerful 28 SMD lights

### **Light Output**

High quality output of 4200 lumen for maximum coverage of workspace


### **Cool Light**

Finned design reduces heating up of light

### **Sturdy Construction**

- a. IP 65 Rated
- Protected against dust and effects of pressure jets from any direction
- Corrosion resistant aluminium die cast housing in premium powder coated finish
- c. Portable Tripod
  Telescopic stand can be extended
  from 0.8m 1.72m (31 67 inch)
  to light overhead work or minimise
  shadows when casting light
  downwards
- d. Complete with 4m long power cord

### **Power Source**




AC POWERED 220V AC, 50Hz 110V AC, 60Hz


### Ideal For

Easy Set-up and instant illumination makes it ideal for use as a temporary light on construction sites, in general maintenance workshops etc.



### **FEATURES**





**LED-612** 

CAT	ORD PLUG		SIZE (L	SIZE (L×H×D)	
NR.	NR.	TYPE	(INCH)	(MM)	QTY.
LED/612/US	55076	US Pin	37 × 68-3/32 × 37	940 × 1730 × 940	2
LED/612/EU	55070	EU Pin	37 × 68-3/32 × 37	940 × 1730 × 940	2



# 9W LED Rechargeable Worklight

**LED-640** 

**LED-650** 

### 9W Rechargeable Worklight

### **Light Output**

High quality & uniform output of 500 lumen

### **Dual Colour Output**

- White
- Amber

### Sturdy, Weather Proof Construction


- a. IP 65 Rated
- Protected against dust and effects of low pressure water jet from any direction
- b. Corrosion resistant aluminium die cast housing in premium powder coated finish

### Available in 2 versions

- LED-640: with strong & sturdy steel base for balanced positioning in the toughest of environments
- LED-650: with magnetic base; conveniently attaches to any metallic surface leaving both hands free

270° pivoting head directs the light beam to the required direction

### **Power Source**



RECHARGEABLE BATTERY 3.7V 6600 mAH



USB CHARGED

### **Charging of Battery**

Battery can be recharged using USB cable provided with the light.


### Charge Time

8-10 hours

### **Ideal For Portable Working**

In maintenance, building construction, temporary lighting jobs etc.

### **FEATURES**



### **ORDERING INFORMATION**

CAT ORD NR. NR.		SIZE (L×H×D	вох	
		(INCH)	(MM)	QTY.
LED/640	55035	5-53/64 × 7-31/32 × 4-59/64	148 × 202 × 125	12
LED/650	55036	5-23/32 × 7-11/64 × 3-21/32	145 × 182 × 9 3	12









# **GROZ**

# 20

### 15W LED Worklight

LED-630

**RoHs** 

### 15W LED Worklight

5 powerful LED's of 3W each


### **Light Output**

Portable worklight offers high quality output of 900 lumen with a spread 60° wide over a distance of 10 meter

### **Weather Proof Construction**

- a. IP 67 Rated
- Protected against dust and effects of water immersion up to 1 meter b. Corrosion resistant aluminium die cast
- housing in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Free standing base with magnet attaches conveniently to any metallic surface

### **Power Source**



DC POWERED 12V DC - 36V DC




### **Ideal For Outdoor Use**

Use on off road vehicles, construction equipment, tractors, farm machinery etc.



### **FEATURES**



### ORDERING INFORMATION

CAT	ORD	SIZE (L	вох	
NR.	NR.	(INCH)	(MM)	QTY.
LED/630	55034	3-17/32 × 12-3/8 × 3-27/64	90 × 314 × 87	12





32 www.groz-tools.com info@groz-tools.com



### **18W LED Rechargeable Worklight**

LED-621

### 18W LED Worklight

6 powerful LED's of 3W each

### **Light Output**

High quality of 1,000 lumen

### **Multiple Working Modes**


High intensity, low intensity & SOS flashing

	MODE 1	MODE 2	MODE 3
TYPE	High Intensity	Low Intensity	SOS Flashing
RUN TIME	3-3.5 hours	10.5-11 hours	000
LUMEN	1000	300	


### **Weather Proof Construction**

- a. IP65 Rated
- Protected against dust and effects of low pressure water jets from any direction
- b. Corrosion resistant aluminium die cast construction in premium powder coated finish
- c. Free standing heavy duty magnetic base
- d. Sturdy polycarbonate lens to withstand the toughest of job site conditions

### **Power Source**



RECHARGEABLE **BATTERY** 3.7V 6600 mAh



USB CHARGED

### **Charging of Battery**

Battery can be recharged using USB cable provided with the light.


### **Charge Time**

7-8 hours

### Ideal For Portable Working

In maintenance, building, construction, mining jobs etc.

### **FEATURES**



### **ORDERING INFORMATION** SIZE (L×H×D) BOX CAT NR. QTY. NR. (INCH) 5-1/16 × 9-19/32 × 4 129 × 244 × 100 LED/621 55044 12

### (€ RoHs CREE





Finned design offers excellent heat dissipation





# **GROZ**

### **20W COB Folding Worklight**

Twin-head light for endless applications; both indoors and outdoors

### **High Output**

Twin-heads deliver high quality and uniform illumination up to 600 lumens

Heads can be used separately or both together for all-around illumination

Single push-button controlled output

	1ST PRESS	2ND PRESS	3RD PRESS
	BOTH LIGHTS ON	LIGHT 1 ON	LIGHT 2 ON
LUMEN	600	450	450
RUN TIME	4 hrs	4 hrs	4 hrs


### **Sturdy Construction**

Impact-resistant nylon body with protective TPR corners

Nylon handle makes it convenient to carry around swivels full 360° for complete adjustment as needed

Handle also doubles up as a stand for convenient placement on a flat surface

### **Power Source**




4 × AA BATTERY (included)

### Suitable for both indoor & outdoor applications:

Automotive, Industrial, Construction, Camping etc.

### **FEATURES**



### **ORDERING INFORMATION**

ORD NR.
55086

# Powerful 2×10W COB Rubberised (TPR) corner protectors Swivel **TWIN-HEAD**

### **SWIVEL HANDLE**

**DESIGN** 







Handle

**LED-385** 



Quick repairs under the hood



Best suitable for vehicle underbody maintenance

info@groz-tools.com



# **2W COB Retractable Worklight**

**LED-305** 

Compact retractable flashlight and spotlight in one. Pull to switch On and push back to switch Off

2W COB flashlight & 1W LED spotlight

### COB Worklight

Featuring COB technology, the light delivers high output with uniform and even illumination

### 1W LED Top Torch

For focussed illumination over long distances

### **Light Output**

High quality output with wide spread illumination

	FLASHLIGHT	SPOTLIGHT/ TOP TORCH
LUMEN	170	40
RUNTIME	7 hours	14 hours

### **Sturdy Construction**

- a. Impact proof ABS body
- b. Rubberised coating on grip for comfort in use
- c. 90° Tilting Head: Head can be tilted 90° to focus in-built spotlight beam as required

### **Hands Free Operation**

Magnet at rear end of light can be attached to any metallic surface leaving both hands free

### Expandable Length

7-31/64 - 10-41/64 inch (190 - 270 mm)

### **Power Source**



**ORDERING INFORMATION** 

ORD

NR.

55054

3 × AAA ALKALINE BATTERIES (provided with light)



### **FEATURES**

MAX. LUMEN	BEAM ANGLE	OPERATING TEMPERATURE
170	100°	−5°C TO 40°C (−23°F TO 104°F)

# **♦** GROZ

24

# **3W LED Inspection Lamp**

### 24 LED inspection Lamp

### **Light Output**

Super bright output of 110 lumen

### Construction

- a. Impact resistant ABS body
- Integrated hook that can be swivelled 360° to position light as required

### **Hands Free Use**

Powerful magnet built into back of light can be affixed onto any metallic surface leaving both hands free

### **Power Source**



3 × AA BATTERIES (included)




Magnets on the back help affix the light on any metallic surface leaving both hands free


# On/Off button

LED-321

CE

### **FEATURES**







Strong magnet attaches to most metal surfaces

### **ORDERING INFORMATION**

(-23°F TO 104°F)

CAT	ORD	SIZE (L×H×D)		
NR.	NR.	(INCH)	(MM)	QTY.
LED/321	55078	8-17/64 × 2-23/64 × 1-11/64	210 × 60 × 30	50

36

CAT

NR.

LED/305

BOX

QTY

20



# **2W COB Rechargeable Pocket Flashlight**

LED-150

Super bright pocket flashlight

### 2W COB Flashlight

Featuring COB technology, flashlight delivers very high output with uniform and even illumination


### **Light Output**

200 Lumen of extremely bright light


### **Durable Construction**

- a. Impact proof and water resistant ABS body with rubber coating
- b. 360° rotating hook to position light in any direction
- c. Integrated pocket/belt clip to conveniently store and carry the light
- d. Swivelling magnetic stand with strong magnet to position at any angle on a metallic surface

### **Power Source**



RECHARGEABLE BATTERY 3.7V 1800 mAH



USB CHARGED

### **Charging of Battery**

Battery can be recharged using a micro USB cable provided with the light.

Micro USB port is protected by rubber bezel

### **Charge Time**

3 hours

### **Charge your Mobile Devices**


Output port for use as power bank

### (€ RoHs





### **FEATURES**





Power Bank
5V 1 Amp USB output port for use as power bank



Can be hooked onto a Belt / Pocket for easy mobility

### ORDERING INFORMATION

(23°F TO 104°F)

CAT	ORD	SIZE (L×H×D)		вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/150	55049	2-3/8 × 1-3/8 × 4-27/32	60 × 35 × 123	20







### **3W COB Pocket Flashlight**

**LED-140** 

(€ RoHs

### **3W COB LED Light**

Featuring COB technology, the GROZ LED 140 is a handy pocket flashlight

### **Light Output**

Super bright & uniform flooding illumination of 150 lumen


### **Durable Construction**

- a. Impact proof & water resistant ABS body in matte black finish
- b. Integrated pocket clip to conveniently carry the light around

### **Hands Free Operation**

a. Magnet on clip can also be used to affix light on any metal surface

### **Power Source**




3 × AAA ALKALINE **BATTERIES** (INCLUDED)





### **FEATURES**



### **HANDS FREE USE**



Can be hooked onto a pocket or belt for easy mobility & hands free use



Magnetic clip to attach light to any metallic surface for hands free usage

### **ORDERING INFORMATION**

CAT	ORD	SIZE (L×H×D)	вох		
NR. NR.		(INCH)	(MM)	QTY.	
LED/140	55039	4-11/32 × 1-3/16 × 23/32	110 × 55 × 21	24	

# GROZ

### **5W SMD Rechargeable Pocket Flashlight**

Pocket sized, rechargeable high quality flashlight for the professional user

### ( E RoHs

**LED-190** 

5W SMD Flashlight

### **Light Output**

High quality flooding beam adjustable to a maximum of 500 lumens

STEP 1	Press On/Off to switch on the light
STEP 2	Press On/Off again & hold to adjust light intensity between 50-500 lumens

### Unique 'Lock-Out' Transport Lock Feature

No more accidental switching on, no more wastage of battery power

Light can be switched off and locked before keeping in the pocket. Press & hold light switch until the light blinks twice to activate 'Lock Out' mode. A very useful feature when carrying light in a pocket

### **Built-in memory function:**

Starts light at the same intensity as when it was switched off


### **Robust Construction**

- a. Corrosion resistant aluminium alloy construction
- b. Pocket clip for convenient and safe portability
- c. Integrated hook for hanging light


### **Hands Free Use**

Magnetic base makes it easy to mount light on any metallic surface leaving both hands free

### **Power Source**



RECHARGEABLE BATTERY 3.7V 1800 mAh



### CHARGED

### **Charging of Battery**

Battery can be recharged using built-in micro USB charging port protected by a rubber bezel

Includes USB charging cable

### **Charge Time**

3.5 hours




### ORDERING INFORMATION

CAT	ORD	SIZE (L×H×	D)	вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/190	55081	4-3/16 × 1-25/32 × 1-15/32	106 × 48 × 36.5	48



### **FEATURES**





Pocket clip with integrated hook

USB charging port protected by rubber



### **3W LED Slim Pen Light**

LED-160

LED-160R

### Extra-ordinary, high quality slim pen light designed for the professional user

### **Light Output**

Multiple modes with just the press of a

Light output reaches up to a distance of 50 metres (164 feet)

### **Robust Construction**

### a. IP 54 Rated

Protected against dust and effects of water spray from any direction

- b. Robust aluminium body makes the light usable even in rugged conditions
- c. Military grade anodised coating for enhanced durability
- d. Non-slip knurled grip
- e. Integrated pocket clip for easy and safe portability

### Unique L-Head Design

Head can be turned 90° giving the user freedom to direct light beam as required

### **Hands Free Operation**

Super strong magnet at the rear end cab be affixed onto any metallic surface leaving both hands free

### Available in two versions

### a. Drycell: LED-160

**FEATURES** 

150

WATER & DUST

IP54

Runs on 2xAAA drycell batteries

### b. Rechargeable: LED-160R

Runs on 600mAh lithium-ion battery with an in-built micro USB port or 2xAAA drycell batteries





3RD PRESS

& HOLD

QUICK

FLASHING

00000000

4TH

**PRESS** 

SOS

FLASHING

000

2ND

PRESS

LOW

INTENSITY

60

8 hrs

	1ST	2ND	3RD PRESS	4TH
	PRESS	PRESS	& HOLD	PRESS
	HIGH	LOW	QUICK	SOS
	INTENSITY	INTENSITY	FLASHING	FLASHING
LUMEN	150	60	0000000	000
RUN TIME	2.5 hrs	8 hrs	0000000	

# DRYCELL

**LED-160R (DUAL POWER SOURCE)** 

RECHARGEABLE

LITHIUM-ION

RECHARGEABLE

RECHARGEABLE

3.7V 600 mAh

BATTERY

(included)

### $2 \times AAA$ **BATTERIES** (not included)

### **Multiple Mode Output**

	1ST	2ND	3RD PRESS	4TH
	PRESS	PRESS	& HOLD	PRESS
	HIGH	LOW	QUICK	SOS
	INTENSITY	INTENSITY	Flashing	FLASHING
LUMEN	150	60	00000000	000000000
RUN TIME	2.5 hrs	8 hrs	00000000	



LED/160R Complete with a unique Li-ion Battery with in-built micro USB port

### **ORDERING INFORMATION**

MAX. LUMEN BEAM ANGLE

20°

CAT	ORD	SIZE (L×	H×D)	вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/160	55073	6 × 19/32 × 45/64	152 × 15 × 17.5	36
LED/160R	55095	6 × 19/32 × 45/64	152 × 15 × 17.5	36

50M (164')

-20°C TO +50°C

(68°F TO 122°F)

**Multiple Mode Output** 

LUMEN

**RUN TIME** 

PRESS

HIGH

INTENSITY

150

2.5 hrs

SCAN TO WATCH

43 www.groz-tools.com info@groz-tools.com

(€ RoHs



# 5W LED Flashlight With UV & Laser

LED-170

**LED-170R** 

(€ RoHs CREE€

**NEW!** 

### Heavy duty multi-mode flashlight, laser light & UV pointer all in one

### **Light Output**

Multiple mode output with just the press of a button

### **Robust Construction**

### a. IP 54 Rated

Protected against dust and effects of water spray from any direction

- b. Military grade anodised coating for enhanced durability
- c. Robust aluminium body makes the light usable even in rugged condition
- d. Non-slip knurled grip
- e. Integrated pocket clip for easy and safe portability

### **Unique L-Head Design**

Head can be turned 90° giving the user freedom to direct light beam as required


### **Hands Free Operation**

Super strong magnet at the rear end cab be affixed onto any metallic surface leaving both hands free

### Available in two versions

- a. Drycell: LED-170
- Runs on 3xAAA drycell hatteries
- b. Rechargeable: LED-170R Runs on 3.7V 2600mAh rechargeable battery







### **Multiple Mode Output**

	1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS & HOLD	5TH PRESS	6TH PRESS
	HIGH INTENSITY	MEDIUM INTENSITY	LOW INTENSITY	LASER LIGHT	LASER LIGHT & HIGH INTENSITY	UV LIGHT
LUMEN	300	100	30	-	300	-
RUN TIME	3 hrs	7 hrs	20 hrs	-	3 hrs	-

### LED-170R RECHARGEABLE



RECHARGEABLE BATTERY 3.7V 2600 mAh

MAX. LUMEN BEAM DISTANCE		
500	MAX. LUMEN	
100M (328')	500	100M (328')

### **Multiple Mode Output**

		1ST PRESS	2ND PRESS	3RD PRESS	4TH PRESS & HOLD	5TH PRESS	6TH PRESS
		HIGH INTENSITY	MEDIUM INTENSITY	LOW INTENSITY	UV LIGHT	LASER LIGHT	LASER LIGHT & HIGH INTENSITY
-	LUMEN	500	250	90	-		500
-	RUN TIME	2 hrs	6 hrs	12 hrs	-		2 hrs



Multiple mode output with just the press of a button



Micro USB port with rubberised bezel for charging



CAT	ORD	SIZE (L×H×	D)	вох
NR.	NR.	(INCH)	(MM)	QTY
LED/170	55074	5-7/8 × 1-29/64 × 1-11/64	149 × 37 × 30	36
LED/170R	55080	5-7/8 × 1-29/64 × 1-11/64	149 × 37 × 30	36



# Telescopic Magnetic Pick-Up Light

LED-131

**LED-132R** 

### **Dual Purpose Light**

High quality 0.5W flashlight with magnetic telescopic pick up

### **Light Output**

Focussed light beam of 30 lumen helps reach out in dark areas

### **Robust Construction**

- a. Durable aluminium body
- b. Flexible telescopic design to reach out into narrow holes & crevices
- c. Magnet at the front end to pick up small metallic parts conveniently
- d. Adjustable focus to direct light beam as per need
- e. Integrated pocket clip for convenient and safe carrying around


### **Hands Free Use**

Magnet at the rear end of light can be affixed onto any metallic surface leaving both hands free

### Available in two versions

- a. Drycell: LED-131
- Runs on 4x1.5L44 drycell batteries **b. Rechargeable: LED-132R**
- Runs on 450 mAh lithium-ion battery

### **FEATURES**





### LED-131 DRYCELL



4 × 1.5LR44 BATTERIES (included)

# Pull to adjust focus On/Off USB Port **Telescopic Design** 9-1/2" to 25" (240 to 635 mm) Pen Clip

### LED-132R RECHARGEABLE



RECHARGEABLE
BATTERY
450 mAh

### **NEW!**







USB Charging: Simply connect the light to wall charger, laptop etc. for convenient charging

### **ORDERING INFORMATION**

CAT NR.	ORD NR.	BOX QTY.
LED/131	55053	100
LED/132R	55079	100

46



### **7W LED Waterproof Spotlight**

LED-402

### 7W LED handheld spotlight & worklight 7W CREE® LED, Xm-L2

### **Light Output**

High quality, super-bright, focussed, user controlled multiple mode output

### 100% Waterproof Construction

### a. IP67 Rated

Protected against dust & effects of water immersion upto 1 metre

### b. Designed to float


- c. Shock proof & lightweight ABS body, rubber head & ergonomic TPR grip
  d. Shock-proof polycarbonate lens
- e. Waterproof trigger to control
- light modes f. Integrated fold out stand converts hand-held spot light into a worklight
  g. Lanyard with SOS whistle

### **Power Source**



RECHARGEABLE BATTERY 3.7V 2200 mAh

### **Charging of Battery**



AC CHARGER (100-240V)

CHARGE TIME 4-5 HOURS



DC CAR CHARGER (12-24V)

CHARGE TIME 3-4 HOURS

### (€ RoHs CREE



### **Multiple Mode Output**

	1ST	2ND	3RD	4TH
	PRESS	PRESS	PRESS	PRESS & HOLD
TYPE	HIGH	LOW	SOS	RED
	INTENSITY	INTENSITY	FLASHING	FLASHING
LUMEN	700	350		
RUN TIME		4 - 4.5 hrs	000	0000000

### **FEATURES**

MAX. LUMEN	WATER & DUST PROOF RATING	BEAM DISTANCE	BEAM ANGLE	OPERATING TEMPERATURE
700	IP67	400M (1312')	70°	-10°C TO +45°C (33.8°F TO 140°F)

CAT	ORD	BOX
NR.	NR.	QTY.
LED/402	55083	100





Floats in water



Integrated fold out stand converts hand held spotlight into a worklight





# **1W LED Rechargeable Head Lamp**

LED-240

High quality aluminium alloy head lamp with excellent water resistance

### **Innovative Design**

Light can be separated from head band & used as a flashlight

### **Light Output**

Powerful multiple output with bright and balanced illumination

### **Robust Construction**

- a. IP 65 Rated
- Protected against dust and effects of low pressure water jet from any direction
- Black woven high quality, anti-skid head band with soft built-in protection to avoid imprint on forehead
- Flashlight: robust aluminium alloy body with military grade anodised coating for enhanced durability
- d. Flashlight has an integrated pocket clip for convenient & safe portability

### **Hands Free Operation**


Super strong Magnet at the rear end of the light latches onto any metallic surface, leaving both hands free

### **Dual Power Source**


Dual power smart cell design enables the light to be used with:



RECHARGEABLE BATTERY 3.7V 750 mAh (included)



1 AA BATTERY (not included)



USB CHARGED

### **Charge Time**

4 hours

### **FEATURES**

FEATURES				
MAX. LUMEN	BEAM ANGLE	BEAM DISTANCE		
130	12°	75M (246')		
WATER & DUST PROOF RATING	OPERATING TEMPERATURE			
IP65	-20°C TO 45°C (-4°F TO 113°F)			

### ( € RoHs CREE





DETACHABLE DESIGN
Simply pull out the light from the head band frame, to use as mini flashlight



Complete with a unique Li-ion Battery with in-built micro USB port



Rotate light to focus at required angle

### **Multiple Mode Output**

	1ST	2ND	3RD PRESS	4TH
	PRESS	PRESS	& HOLD	PRESS
	FULL	LOW	QUICK	SOS
	INTENSITY	INTENSITY	FLASHING	FLASHING
LUMEN	130	30		000
RUN TIME	3 hours	13 hours	0000000	

### ORDERING INFORMATION

CAT	ORD	SIZE (L	вох		
NR.	NR.	(INCH)	(MM)	QTY.	
LED/240	55072	5 × 1 × 1-3/16	126 × 26 × 30	36	



SCAN TO WATCH

# **GROZ**

**33** 

# **3W COB Rechargeable Head Lamp with Sensor**

Powerful 3W COB head lamp for superior hands free illumination. A must - have for every professional user

### **Innovative & Unique Design**

- a. Detachable Design: Light can be separated from head band and used as a worklight
- In-built sensor function with hands free ON/ OFF. Wave to activate/deactivate light


### **Light Output**

Powered by COB LED technology, the GROZ LED/220 provides extremely powerful multiple output with bright and even illumination

### **Ergonomic Construction**

- a. Impact proof ABS light
- Black woven head band with soft built-in protection pad to avoid imprint on forehead
- Light attached to head band with a strong & powerful magnet
- d. Light can be easily rotated to focus at required angle

### **Power Source**



RECHARGEABLE BATTERY 3.7V 2200 mAh



USB CHARGED


### **Charging of Battery**

Battery can be recharged using a standard 1m long USB cable, provided with the light

### **Charge Time**

4 hours

### **FEATURES**



### ORDERING INFORMATION

OKDEKIN	O HAP OR	PIATION		
CAT	ORD	SIZE (L×H×I	))	ВО
NR.	NR.	(INCH)	(MM)	QT
LED/220	55052	1-57/64 × 1-1/2 × 3-5/32	48 × 38 × 80	24

### **(€ RoHs**

**LED-220** 







51

Detachable Design
The light is attached to the head band with the help of a magnet



Rotate light to focus at required angle

### **Multiple Mode Output**

	NORMAL MODE			SENSOR MODE PRESS & HOLD
	1ST 2ND 3RD PRESS PRESS PRESS			
	High Intensity	Low Intensity	Quick Flashing	High Intensity
LUMEN	150	35		150
RUN TIME		12 hours		4 hours

www.groz-tools.com info@groz-tools.com

### **3W LED Headlamp With Sensor**

**LED-206** 

Superior 3W LED headlamp for use in automotive, plant maintenance & construction applications

### Superior Design

- a. In-built sensor function with hands free ON/OFF. Wave to activate/ deactivate light
- b. In-built zoom feature

### **Light Output**


Super bright LED light with extra power CREE XPE light output in multiple modes

### **Ergonomic Construction**

- a. Impact Resistant ABS light with 90° swivel
- b. Black woven head band with soft built-in protection pad to avoid imprint on forehead

Built-in Zoom feature

### **Power Source**




3 × AAA ALKALINE **BATTERY** (Included)

### (€ RoHs CREE





### **FEATURES**



### **Multiple Mode Output**

	ORANGE BUTTON			WHITE BUTTON
	1ST PRESS			PRESS ONCE TO ACTIVATE HAND SENSOR
	Red Light	Hazard Flasher	Main Light	Main Light
LUMEN	-	-	120	120
RUN TIME	-	-	6 hours	6 hours

### **ORDERING INFORMATION**

CAT				вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/206	55082	2 × 2-15/32 × 1-21/32	50 × 62.5 × 42	25

# GROZ

### **3W COB Head Lamp**

Versatile headlamp with dual output; spot light & floodlight in one

Provides light near & far making it ideal for professional use

### **Unique Combination Design**

Packs a focus light & floodlight in one with 1W centre light for focussed beam & 3W COB circumference flooding light

### **Light Output**

Outstandingly bright COB light for highly bright & uniform output

### **Sturdy Construction**

- a. Adjustable head band with built-in protection pad to avoid imprint of forehead
- b. Impact proof ABS light
- c. Light adjustable up to 45° to direct light beam as per need


### **Power Source**




3 × AAA ALKALINE **BATTERY** (Included)


# 1W LED light 3W COB

**LED-230** 





### **FEATURES**



### ORDERING INFORMATION

	CAT	ORD	SIZE (L×H×D)	вох	
NR.	NR.	(INCH)	(MM)	QTY.	
	LED/230	55055	2-1/16 × 2-9/16 × 2-3/16	52 × 65 × 55	40

### **Multiple Mode Output**

	1ST	2ND	3RD
	PRESS	PRESS	PRESS
	LED	COB	Quick
	Light	Light	Flashing
LUMEN	70	160	
RUN TIME	9 hrs	3 hours	00000000

**52** 



### **12W LED Floodlight**

LED-505

### 12W LED Floodlight


4 Powerful LED's of 3W each

**Light Output** High quality output of 840 lumen with a spread of 60° over a distance up to 60

### **Weather Proof Construction**

- a. IP67 Rated
  - Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket

### **Power Source**



DC POWERED 10V DC - 30V DC

Complete with 8" (200 mm) DC power


### **Ideal for Outdoor Use**

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.

### ( € RoHs CREE €




### **FEATURES**





CAT	ORD SIZE (L×H×D)		вох	
NR.	NR.	(INCH)	(MM)	QTY.
LED/505	55064	3-5/32 × 3 × 3-7/32	80 × 75 × 82	20







# 15W LED Floodlight

LED-501

LED-502

CE

### 15W LED Floodlight

5 powerful LED's of 3W each


### **Light Output**

High quality output of 900 lumen with a powerful flood spread of 60° over a distance up to 10 meter

### **Weather Proof Construction**

- a. IP 67 Rated
- Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket

### **Power Source**



Complete with 20" (500mm) DC power cord


Available as a single piece or set of two

### Ideal for Outdoor Use

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.



### **FEATURES**





### **ORDERING INFORMATION**

CAT	ORD	DESCRIPTION	SIZE (L×H×	(D)	вох
NR.	NR.		(INCH)	(MM)	QTY.
LED/501	55016	Single Piece	3-11/32 × 3-11/32 × 1-3/8	85 × 85 × 35	27
LED/502	55026	Set of Two	3-11/32 × 3-11/32 × 1-3/8	85 × 85 × 35	13



# **♦**GROZ

38

# 15W LED 'Super Cool' Floodlight

### 15W LED Floodlight

5 powerful LED's of 3W each


### Light Output

Super cool light offers high quality output of 1050 lumen with a powerful flood spread of 60° over a distance up to 10 meter.

### **Weather Proof Construction**

- a. IP 67 Rated
- Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Tight rubber sealing prevents ingress of dust and moisture
- e. Corrosion resistant stainless steel bracket

### **Power Source**




DC POWERED 12V DC - 60V DC

Complete with 20" (500mm) DC power cord

### **Ideal for Outdoor Use**

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.

### **FEATURES**





### ORDERING INFORMATION

CAT	ORD	SIZE (L×H×D)		вох
NR.	NR.	(INCH)	(MM)	QTY.
ED/520	55027	4 × 4-13/16 × 1-7/8	101 × 122 × 48	12



LED-520





info@groz-tools.com



### **18W LED** 'Super Cool' Floodlight

LED-530

### The most versatile floodlight for any application

### 18W LED Floodlight

6 powerful LED's of 3W each


### **Light Output**

Super cool light offers high quality output of 1200 lumen with a powerful flood spread of 60° over a distance up to 10 meter

### **Weather Proof Construction**

- a. IP67 Rated
  - Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site
- d. Tight rubber sealing prevents ingress of dust and moisture
- e. Corrosion resistant stainless steel bracket

### **Power Source**




Complete with 20" (500mm) DC power

### **Ideal for Outdoor Use**

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.

### **FEATURES**



**ORDERING INFORMATION** ORD

NR.

55028

SIZE (L×H×D)

(MM)

109 × 127 × 42

(INCH)

4-9/32 × 5 × 1-21/32

BOX

QTY.


12



Directs light beam to required direction

# ( € CREE ♦





# GROZ

### **27W LED Floodlight**

High output, super bright illumination over long distances

### 27W LED Floodlight

9 powerful LED's of 3W each


### **Light Output**

High quality output of 1890 lumen with a powerful flood spread of 60° over a distance up to 80 meter

### **Weather Proof Construction**

- a. IP 67 Rated
  - Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die- cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket

### **Power Source**




DC POWERED 9V DC - 32V DC

Complete with 18" (450mm) DC power cord

### **Ideal for Outdoor Use**

Use on off-road vehicles. construction equipment, tractors, farm machinery, service vans, on mining sites etc.

### **FEATURES**



### (€ RoHs CREE

LED-512









### **ORDERING INFORMATION**

-	CAT	ORD	SIZE (L×H×D)		вох
	NR.	NR.	(INCH)	(MM)	QTY.
	LED/512	55061	4-1/4 × 4-1/4 × 2-27/32	108 × 108 × 72	20

**58** 

NR.

LED/530

www.groz-tools.com info@groz-tools.com



**30W LED Floodlight** 

LED-545

( € RoHs CREE

180°

High output super bright floodlight for 'On-the-Go' use

### **30W LED Floodlight**

6 powerful LED's of 5W each


### **Light Output**

High quality output of 2250 lumen with a powerful flood spread of 60° over a distance up to 60 meter

### **Weather Proof Construction**

- a. IP 67 Rated
  - Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die -cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket

### **Power Source**




DC POWERED 9V DC - 32V DC

Complete with 8" (200mm) DC power cord

### **Ideal for Outdoor Use**

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.

### **FEATURES**



### ORDERING INFORMATION

ND EINING	IIII OIIIIAI	1011		
CAT	ORD	SIZE (L	×H×D)	вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/545	55065	6 × 2-1/16 × 2-9/32	150 × 52.5 × 56	20



Die cast

aluminium

Stainless steel bracket

### **45W LED Floodlight**

**LED-541** 

### High output super bright floodlight for long distance visibility

GROZ

### 45W LED Floodlight

15 powerful LED's of 3W each


### **Light Output**

High quality output of 3150 lumen with a powerful flood spread of 60° over a distance up to 80 meter

### **Weather Proof Construction**

- a. IP 67 Rated
- Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium die-cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket

### **Power Source**




DC POWERED 9V DC - 32V DC

Complete with 18" (450mm) DC power cord

### **Ideal for Outdoor Use**

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.

### **FEATURES**



### **ORDERING INFORMATION**

CAT	ORD	SIZE (L×H×D)		вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/541	55063	6-7/32 × 3-23/32 × 3	158 × 95 × 75	12



(€ RoHs





www.groz-tools.com





# 45W LED Floodlight

LED-515

### Brightest floodlight on site

### 48W LED Floodlight

16 powerful LED's of 3 W each


### **Light Output**

High quality output of 3360 lumen with a powerful flood spread up to 60° wide and over a distance up to 80 meter

### **Weather Proof Construction**

- a. IP 67 Rated
- Protected against dust and effects of water immersion up to 1 meter b. Corrosion resistant aluminium die
- -cast construction in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions
- d. Corrosion resistant stainless steel bracket

### **Power Source**




DC POWERED 9V DC - 32V DC

Complete with 18" (450mm) DC power cord

### **Ideal for Outdoor Use**

Use on off-road vehicles, construction equipment, tractors, farm machinery, service vans, on mining sites etc.

### **FEATURES**



# L H

### (€ RoHs



CAT	ORD	SIZE (L×H	I×D)	вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/515	55062	4-1/4 × 5-13/32 × 2-27/32	108 × 138 × 72	20







LED-701

SCAN TO

WATCH

270°

Rotation

( € RoHs CREE

### 36W LED Light Bar

12 powerful LED's of 3W each

### **Light Output**

High quality output of 2520 lumen


### **Combination Beam**

Floodlight & spotlight in one; powerful flood spread & concentrated bright spot illumination are ideal for projecting light to long distances & keeping surrounding areas bright

### **Weather Proof Construction**

- a. IP 67 Rated
- Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium extruded housing in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions

### **Power Source**




DC POWERED 10V DC - 30V DC

Complete with 20" (500mm) DC power cord


### **Ideal for Outdoor Use**

Use on off-road vehicles, roof top of ATV's, UTV's, construction equipment, tractors, farm machinery, SUV's etc

### **FEATURES**



### **COMBINATION BEAM**








SPOTLIGHT

	FLOODLIGHT	SPOTLIGHT	FLOODLIGHT
BEAM ANGLE	60°	30°	60°
BEAM DISTANCE	100M (328')	200M (656')	100M (328')

### ORDERING INFORMATION

CAT	ORD	SIZE (L	×H×D)	вох
NR.	NR.	(INCH)	(MM)	QTY.
LED/701	55066	8 × 4-17/32 × 3-11/32	204 × 115 × 85	12



### **72W LED Light Bar**

GROZ

# (€ RoHs CREE

LED-711

### 72W LED Light Bar

24 powerful LED's of 3W each

### **Light Output**

High quality output of 5040 lumen


### **Combination Beam**

Floodlight & spotlight in one; powerful flood spread & concentrated bright spot illumination are ideal for projecting light to long distances & keeping surrounding areas bright

### **Weather Proof Construction**

- a. IP 67 Rated
  - Protected against dust and effects of water immersion up to 1 meter
- b. Corrosion resistant aluminium extruded housing in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions

### **Power Source**




DC POWERED 10V DC - 30V DC

Complete with 20" (500mm) DC power cord


### **Ideal for Outdoor Use**

Use in mining applications, on off-road vehicles, roof top of ATV's, UTV's, construction equipment, tractors, farm machinery, SUV's etc.



# SCAN TO WATCH

### **COMBINATION BEAM**




	FLOODLIGHT	SPOTLIGHT	FLOODLIGHT
BEAM ANGLE	60°	30°	60°
BEAM DISTANCE	100 (328')	200 (656')	100 (328')

### **FEATURES**



### **ORDERING INFORMATION**

CAT	ORD	D SIZE (L×H×D)		
NR.	NR.	(INCH)	(MM)	QTY.
LED/711	55067	14 × 4-17/32 × 3-11/32	357 × 115 × 85	12



info@groz-tools.com

www.groz-tools.com



**120W LED Light Bar** 

LED-721

SCAN TO

270°

Rotation

(€ RoHs CREE

### 120W LED Floodlight

40 powerful LED's of 3W each

### **Light Output**

High quality output of 8400 lumen

### **Combination Beam**

Floodlight & spotlight in one; powerfu flood spread & concentrated bright spot illumination are ideal for projecting light to long distances & keeping surrounding areas bright


### **Weather Proof Construction**

### a. IP 67 Rated

Protected against dust and effect of water immersion up to 1 meter

- b. Corrosion resistant aluminium extruded housing in premium powder coated finish
- c. Sturdy polycarbonate lens to withstand the toughest of job site conditions

### **Power Source**




DC POWERED 10V DC - 30V DC

Complete with 20" (500mm) DC power cord


### Ideal for Outdoor Use

Use in mining applications, on off-road vehicles, roof top of ATV's, UTV's, construction equipment, tractors, farm machinery, SUV's etc

### **FEATURES**



### **COMBINATION BEAM**




)	0			
)	0			

FLOODLIGH
SPOTI IGH

	FLOODLIGHT	SPOTLIGHT	FLOODLIGHT
BEAM ANGLE	60°	30°	60°
BEAM DISTANCE	100 (328')	200 (656')	100 (328')

### **ORDERING INFORMATION**

CAT	ORD	SIZE (L×F	I×D)	вох
NR.	NR.	(INCH)	(MM)	QTY
LED/721	55068	22-1/8 × 4-17/32 × 3-11/32	562 × 115 × 85	6



# WHY US?



GROZ presents the industry's premium line of high performance LED lights. All lights have been carefully designed and manufactured with improved light output, battery capacity, ergonomics, durability, user-friendliness and functionality. Incorporating the latest technology, these are ideal for the professional users in industry, automotive, construction, agricultural, mining, adventure and several other outdoor applications.

LED technology is amongst the fastest evolving technologies. Due to our distinctive strength in product design, manufacturing and in-house know-how we have the capability to constantly upgrade our product line and pursue new opportunities. We strive to be an active partner for our customers and users and constantly work on providing, technical know-how, marketing and service support to help sell the product.







### **Groz Engineering Tools (P) Ltd. Groz Net Industries**

Village Kherki Daula, National Highway-8 Gurugram -122001, Haryana, INDIA

TEL +91.124.282.7700
FAX +91.124.282.7986
FAX USA +1.509.271.7848
FAX UK +44.870.121.1854
E-MAIL info@groz-tools.com
URL www.groz-tools.com

### **CONNECT WITH US!**







