## K 104/1 Hand-operated cutting tool for Al and Cu cables to 100 mm dia.



- ► Energy-efficient 2-stage ratchet system
- ▶ For earth, plastic and rubber cables
- ▶ Very wide cutting range up to 100 mm diameter

#### **Characteristics**

- Not suitable for cutting steel or steel wire

Technical data			
Cutting range	e.g. 4 x 400 mm² NAYY, max. 100 mm dia.		
Length	870 mm		
Weight	5.7 kg		
Item		Part No.	
Hand-operated cutting tool for Cu and Al cables to 100 mm dia.		K1041	

### K 130 Hand-operated cutting tool for Al and Cu cables to 30 mm dia.



- Exceptional cutting performance even with fine-stranded conductors thanks to specially designed, extremely sharp cutting blades
- **▶** Large cutting range

#### **Characteristics**

- Safe working thanks to roughened handle
- Not suitable for cutting steel or steel wire

Hand-operated cutting tool for Cu and Al cables to 30 mm dia.		K130	
Item		Part No.	
Weight	1.7 kg		
Length	570 mm		
Cutting range	e.g. 4 x 35 mm² NYY, max. 30 mm	e.g. 4 x 35 mm² NYY, max. 30 mm dia.	
Technical data			

# K 230 Hand-operated cutting tool for Al and Cu cables to 30 mm dia.



- Exceptional cutting performance even with fine-stranded conductors thanks to specially designed, extremely sharp cutting blades
- ▶ Secure grip due to roughened handle
- ▶ 1000 V fully insulated to IEC 60900

### Characteristics

Not suitable for cutting steel or steel wire

Technical data			
Cutting range	max. 30 mm dia., e.g. 4 x 35 mm <sup>2</sup> NYY		
Length	570 mm		
Weight	2.1 kg		
Item		Part No.	
Hand-operated cutting tool for Cu and Al cables to 30 mm dia.		K230	





