




# TOOLBOOK

2016-17

*get the job done...*





# Introduction



## Get the job done!

Founded in 1960, a B2B solutions provider of products to build, maintain, repair or operate a facility, at **AABTools** we believe in going beyond just “selling” a product, but ensuring that we offer you an end-to-end solution. Ours is a holistic approach, from evaluating customer needs through to on-site deployment we partner with you ensuring that you **“get the job done”**. With 4 locations in the United Arab Emirates, equipped with dedicated sales staff, stock, a fleet of delivery vehicles and an established supply chain, we are well positioned to meet your industrial supply requirements throughout UAE & beyond.

With a proven strength in product consolidation, our seamless network ensures that we cater to customers in the most remote locations be it Ouagadougou, Baghdad, Kandahar or Baku.

## Vision

To offer a complete range of high quality industrial products and solutions to help **get the job done**

## Mission

- Offering **reliable** and innovative products and services.
- Providing exceptional **quality** and value to our customers.
- **Empowering** our employees to achieve their full potential.
- Developing lasting **partnerships** with our principals and suppliers.
- Generating long-term **value** for all our stakeholders

## Values

- **Excellence**
- **Leadership**
- **Integrity**
- **Adaptability**
- **Teamwork**





Hand Tools



Power Tools



Power Tool  
Accessories

## Product Categories



Abrasives



Anchors & Fasteners



Access &  
Material Handling



Workshop  
Equipment



Safety  
Equipment



Testing & Diagnostic  
Equipment

Businesses and institutions depend on us every day as a source of tools, abrasives, material handling, safety and other equipment. The breadth and availability of product line is a key factor that differentiates AABTools from other industrial vendors. We carry more than 8,000 products in 9 different product categories in stock to provide customers with products the same day (if stocked in any of our 4 branches in UAE) or the next day (if stocked in our distribution center).

Our strength lies in consolidation. Our broad product line and wide networks enable us to meet customer requirements in totality. For products not in our product portfolio, we source and ship based on customer's requirements. We have thus obtained a reputation as a vendor of choice so that our clients can focus on their core business.

All the products we stock and distribute are classified into 9 product categories:

- **Hand Tools**
- **Testing & Diagnostic Equipment**
- **Power Tools**
- **Power Tool Accessories**
- **Abrasives**
- **Anchors & Fasteners**
- **Access & Material Handling**
- **Workshop Equipment**
- **Safety Equipment**

At AABTools, the process doesn't end at just "selling" a product. Our well trained sales team can provide hands-on training. On-site **training sessions** can also be handled on a special case basis.

# Industry Segments



- **Automotive**
- **Construction**
- **Defence / Military**
- **Energy**
- **Facilities Maintenance**
- **General Manufacturing**
- **Hospitality**
- **Marine**
- **Oil & Gas**
- **Transport**
- **Utilities**

AABTools is committed to provide solutions to the industry. By partnering with world-class manufacturers across various product categories, we strive to offer a **complete range** of high quality industrial products. By maintaining relationships built on quality, service and reliability, we have been a trusted resource for a large cross-section of customers over the past 50 years.

From projects such as construction of the world's tallest tower - Burj Khalifa, fitting out various 5 Star hotels, supplies to oil refineries in Abu Dhabi, supplies of tools & equipment to contractors serving the armed forces, to the maintenance of the Dubai Metro, we have the capability of servicing varied industrial requirements.

Listed here are the main customer segments that we focus on. In many cases, we provide a segment-focused **customized solution** in terms of product mix and service.



**Brands**



We are proud to be associated with, and to offer a range of high quality innovative brands that represent the best in each of our product categories.

Most of these brands have a strong legacy of innovation some of which continues for over a **100 years**.

These brands are leaders in their respective product category and help our customers tirelessly **get the job done**.



# Brand Introduction



## HAND TOOLS

### AABTOOLS

High quality, economical range of tool storage equipment comprising of tool boxes, tool chests, trolleys and work benches.

### EXPERT

A world leading brand in hand tools, from the manufacturer of Proto, Facom and Stanley, suited to the needs of industrial and automotive professionals. Products are designed to withstand heavy professional use and meets all current ISO and DIN standards.

### GROZ

Manufacturers of Precision Engineering Tools, Professional Hand Tools, Lubrication Equipment and Air Control Units.

### IRWIN

Founded in 1885 in Ohio as Irwin Auger Bit Company. It manufactures and distributes professional grade hand tools and power tool accessories worldwide for trade professionals who demand superior performance and durability on the job.

### RIDGID

Since 1923, RIDGID has remained the symbol of certainty to dedicated professionals of the expert trades; manufacturing specialized pipe working tools that operate in extremes of heat and cold, withstand dirt and mud, and perform reliably day in-day out.

### TEKIRO

A range of automotive hand tools that are manufactured under quality set by Japanese Industrial Standard. State of the art technology and special steels to assure products consistently provide outstanding performance in demanding product applications.



## TESTING EQUIPMENT

### FLUKE

Since 1948, Fluke has helped define and grow a unique technology market, providing testing and troubleshooting capabilities serving manufacturing and service industries.



## TESTING EQUIPMENT

### EXTECH

Is a manufacturer and supplier of 15 major product categories of technically advanced, portable meters, etc... The company has a strong presence in the electrical, HVACR, construction, manufacturing, plant/MRO, process and automation, environmental, electronics/testing, and field service/maintenance sectors worldwide.

### FLIR

FLIR Systems has been the global leader in infrared thermal imaging. FLIR offers the widest selection of innovative and award-winning infrared cameras and accessories for beginners to seasoned pros.

### MEGGER

Has been the premier provider of electric test equipment and measuring instruments for electrical power applications. The products provide testing solutions in the most critical maintenance areas including cable fault locating, protective relay testing, and power quality testing.

### UNI-T

Has developed, manufactured the most creative, reliable, high quality and safe to use technology products and provides a wide range of test instruments for electric and HVAC applications.



## POWER TOOLS

### DEWALT

For over 80 years, DEWALT has earned a reputation for designing, engineering and building tough industrial machinery that are known for their tough, powerful, precise, rugged and reliable features.



## POWER TOOL ACCESSORIES

### DEWALT

Selecting the best saw blade, drill bit, bit tip, abrasive wheel or other professional power tool accessory to get the job done is as important as choosing the right power tool. DEWALT's product and engineering teams spend thousands of hours on jobsites during product design; testing the performance of accessories.

# Brand Introduction



## ABRASIVES

### DEWALT

Offers a full line of abrasives products including bonded abrasives, coated abrasives, diamonds blades and diamond cup wheels.

### GAZELLE

Provides a range of bonded and coated abrasives and diamond products best suited for the construction, and petrochemical industries.



## ANCHORS & FASTENERS

### DEWALT

Expertise in mechanical anchors, adhesive anchor systems, light-duty fastening, screw fastening and forced entry fastening systems. DeWALT Anchoring & Fastening Systems provides innovative solutions with the reassurance of full compliance with relevant building-codes with user-friendly technical documentation and design software.



## ACCESS & MATERIAL HANDLING

### EOSLIFT

Professional manufacturer of warehousing equipment based on high performance hydraulic systems.

### WERNER

Is the leading provider of climbing equipment in the United States. Products are backed by over 60 years of state-of-the-art design, testing, and life-cycle evaluation. Manufacture a complete line of professional-grade access products.

### YOUNGMAN

Has been associated with the manufacture of step ladders, ladders, access and work platforms and modular access towers since 1926. Leading provider of innovative work at height solutions manufactured to the highest quality standards. State of the art production facilities are based in Maldon Essex, UK.

### ZAMIL

Zamil Ladder Factory was established in the year 1978 at First Industrial Estate in Dammam, Saudi Arabia. Zamil Ladders are designed and manufactured to meet or exceed international safety standards, and to the asme rigorous quality standards and with a common goal of building a safest climbing equipment possible.



## WORKSHOP EQUIPMENT

### M7

A manufacturer with 20 years of experience in supplying the market with quality pneumatic tools that last longer.

### MILLER

In 1929, Miller manufactures arc welding and cutting equipment designed for manufacturing, fabrication, construction, aviation, motorsports, education, agriculture and marine applications.

### SCHEPPACH

Specialists for stationary woodworking machines for 85 years, this brand has stood for experience and knowhow in the field of wood processing. Produces machines at the highest level of quality for precision and long term wear resistance.

### ENERPAC

Is a Global market leader in high pressure hydraulic tools, controlled force products and solutions for precise positioning of heavy loads.



## SAFETY EQUIPMENT

### DELTA PLUS

For over 30 years based in France, DELTA PLUS has been designing, standardizing, manufacturing and distributing Personal Protective Equipment. It manufactures in its own factories and controls the whole value chain of its products.

### DEWALT

DEWALT high performance protective gear is engineered for comfort, durability and above all safety.



# Index

## HAND TOOLS

### AABTOOLS

Portable / Tool Chest & Trolleys ..... 1-2

Work Benches ..... 2-3

### EXPERT

#### Automotive and Industrial Hand Tools

Tool Storage / Multi - Tool Sets ..... 4-5

Tool Modules and Trays ..... 5-8

Wrenches ..... 9-15

Rachets and Sockets ..... 15-28

Power Tools / Tooling & Accessories ..... 28-31

Screwdriver and Accessories ..... 31-35

Hex Key ..... 35-37

Torque Tools / Pliers ..... 38-39

Striking Tools ..... 39-40

Measuring and Layout / Sawing / Cutting Tools ..... 40-41

Lighting/Piping/Maintenance Tools ..... 41-42

Electronic Tools ..... 42-43

Automotive Tools ..... 43-52

### GROZ

#### Hand and Lubrication Tools

Precision Tools ..... 53

LED Working Lights ..... 53-54

Punch & Chisels ..... 54-55

Saw Frames / Woodworking ..... 55-56

Measuring Tools / Grease Gun & Accessories ..... 56

Lubrication Equipment / Indestructible Hammers ..... 57-58

Hand Tools ..... 58

### IRWIN

#### Professional Hand Tools

Pliers and Wrenches ..... 59-60

Metal Cutting Tools ..... 60-61

Woodworking ..... 61-62

Workholding ..... 62-64

Knives and Blades / Layout Tools ..... 64

Tool Storage & Workwear ..... 64-65

Pipe Wrenches, Cutters & Vices ..... 65-66

Fastener Drive Tools ..... 66

### KLEIN TOOLS

#### Electrician's Hand Tools

Tool Sets / Tool Bags / Pliers ..... 67

Crimping Tools / Screwdrivers / Hex Keys ..... 67-68

### RIDGID

#### Pipe Working Tools

Wrenches & Spares ..... 69-70

Vices & Tube Cutting ..... 70-72

Bevelling / Threading ..... 72-75

Roll Grooving ..... 75-76

Cutting and Drilling / Hand Tools ..... 76-78

Bending & Forming ..... 78-79

Electrical Tools / Video Inspection ..... 79-81

Drain Cleaning / Water Jetters ..... 81-82

Wet/Dry Vacuums / Storage System / Spares ..... 82-84

### TEKIRO

#### Automotive Hand Tools

Wrenches / Hex Key Sets ..... 85-87

Sockets and Accessories ..... 87-92

Pliers / Screwdrivers ..... 92-94

## HAND TOOLS

### TEKIRO

Automotive Hand Tools

Hammers / Puller / Automotive Tools / Jacks ..... 94-95

## TESTING EQUIPMENT

### EXTECH

Electrical Testing Equipment

Multimeters / Clamp Meters ..... 96

Electrical Testers / Thermometers ..... 96-98

HVAC Testing Equipment ..... 98-100

Thickness Gauges / Lab instruments ..... 100-101

Others / Accessories ..... 101-103

### FLIR

Electrical Testing Equipment

Thermal & Infrared Cameras ..... 104

### FLUKE

Electrical Testing Equipment

Digital Multimeters / Clamp Meters ..... 105-107

CNX Wireless System / Electrical Testers ..... 107-108

Distance Meters / Insulation & Installation Testers ..... 108-110

Portable Appliance & Earth Ground Testers ..... 110-111

Indoor Air Quality Tools ..... 111

Digital Thermometers / Visual Thermometers ..... 111-112

Thermal Imagers / Scopemeters ..... 112-115

Power Quality Tools & Accessories ..... 115-117

Vibration Testers / Process Calibrator ..... 117-121

General Accessories / Current Clamps ..... 121-123

Temperature Accessories / Cases & Holders ..... 123-124

Automotive & Other Accessories / Fuses ..... 124-125

### MEGGER

Electrical Testing Equipment

Industrial Wiring & Electricians Testers ..... 126

Loop & RCD Single Phase Testers ..... 126-127

Electricians Test Kit / Multifunction Testers ..... 127

Power Products / Digital Earth Testers ..... 127-128

Low Resistance Ohmmeters ..... 128

### UNI-T

#### Electrical & HVAC Testing Equipment

Electrical Testers / Multimeters / Clamp Meters ..... 129-131

Resistance and Ground Testers ..... 131-132

HVAC Testing Equipment ..... 132-133

Laser Distance Meter / Thermal Imagers ..... 133

Accessories ..... 134

## POWER TOOLS

### DEWALT

Professional Power Tools

Rotary Drills / Percussion Drills ..... 135

Compact Hammers SDS Plus / SDS Max ..... 135-136

Demolition Hammers / Angle Grinders ..... 137-138

Die Grinders / Chop Saw ..... 138-139

Cordless Drill Drivers ..... 139-141

Diamond Drilling / Mitre Saw / Jigsaw ..... 141

Reciprocating Saw / Circular Saw / Sanders ..... 141-142

Routers / Planners / Screwdrivers ..... 142-143

Woodworking / Impact Wrench / Lasers / Others ..... 143-145

Tool Storage / Batteries / Chargers ..... 145-146

Router, Diamond & Other Attachments ..... 146-147

# Index

## POWER TOOL ACCESSORIES

<b>DEWALT</b>	Professional Power Tool Accessories
Drilling / Set	148-154
Hole Saws / Saw Blades	154-158
Screwdriving	158-159

<b>IRWIN</b>	Professional Power Tool Accessories
--------------	-------------------------------------

Masonry & Metal Drilling	160-162
Wood Drilling / Screwdriving	162-163
Circular Saw Blades / Linear Edge	163-165

## ABRASIVES

<b>DEWALT</b>	Bonded Abrasives & Diamond Blades
Professional Series - Cutting Discs	166-167
Industrial Series - Diamond Blades	167-168
Coated & Diamond Abrasives	168-170

<b>GAZELLE</b>	Bonded & Coated Abrasives
Cutting & Grinding Wheels	171
Coated Abrasives	171-174
Bonded Abrasives	174-175
Diamond Abrasives	175

## ANCHORS & FASTENERS

<b>DEWALT</b>	Engineering Fasteners
Direct Fastening	176
Chemical Anchor	176-177
Mechanical Anchor	177-181

## SAFETY EQUIPMENT

<b>DEWALT</b>	Safety Boots, Glasses & Gloves
Work Boots / Glasses / Gloves	182-184

<b>DELTA PLUS</b>	Personal Protective Equipment
Head Protection	185-188
Hand Protection	188-191
Disposable Workwear	191
Body Protection	191-192

## ACCESS & MATERIAL HANDLING

<b>EOSLIFT</b>	Hydraulic Lifting Systems
Material Handling Equipment	193-194

<b>WERNER</b>	Fibreglass Ladders
Fiberglass Ladders / Aluminum Step Ladder	195

<b>YOUNGMAN</b>	Aluminium Ladders & Scaffold Towers
Trade 200 / Combi 100 Ladders	196
Telescopic Platform / Special Ladders	196
Mobile Safety Ladders / Minimax Access Towers	197

<b>ZAMIL</b>	Aluminium Ladders
Step / Straight / Multi Purpose Ladders	198

## WORKSHOP EQUIPMENT

<b>ENERPAC</b>	Hydraulic Tools
Hydraulic Cylinder	199-200
Hydrauli Hand Pump / Accessories	200

<b>M7</b>	Pneumatic Tools
Air Impact Wrenches / Air Rachet Wrench	201-202
Air Die Grinder / Air Angle Grinder / Cut-Off Tool	202-203
Air Surface Cleaning Tool / Air Sanders	204-205

## WORKSHOP EQUIPMENT

<b>M7</b>	Pneumatic Tools
Air Saw Set / Air Drill / Air Screwdriver	204
Air Hammer / Needle Scaler / Air Hydraulic Riveter	204-205
Air Nailer / Air Blow Gun / Working Light	205-206
Filter / Regulator / Lubricator	206
Air Hose / Air Adaptor	206-207

<b>MILLER</b>	Welding Equipment
Arc Welding / Tig Welding Machine	208
<b>SCHEPPACH</b>	Woodworking Equipment
Table Saws / Bandsaw / Planer	209
Spindle Moulder / Turning / Dust Extractor	210
Bench Grinders / Radial Drill Press	210

# 3 FUNCTIONS. 1 TOOL. MULTIPLE BENEFITS.



Introducing the **world's most versatile electrical tool**. The RE 60 from RIDGID® features our unique QuickChange System™, allowing you to quickly and easily switch between interchangeable heads for cutting, crimping and punching. Now your most critical tasks can be accomplished with one innovative tool. No more back and forth to the truck, searching for different tools. Whether you're cutting wire, crimping lugs or punching boxes, the RE 60 helps you maximize your productivity and efficiency on the jobsite. Experience it at [RIDGID.EU/QCS](http://RIDGID.EU/QCS)

**SCAN, SEE & SAVE**

We  
Build  
Reputations™

**RIDGID**

**RIDGID****AAB Tools**  
INDUSTRIAL SUPPLIES**IRWIN**  
TOOLS

## Hand Tools



- Pliers
- Hammers & Striking Tools
- Plumbing Tools
- Sockets
- Wrenches
- Tool Storage
- Driving Tools
- Workholding Tools
- Precision Measuring Tools
- Measuring & Layout Tools
- Hand Tool Kits
- Electrician's Hand Tools



# ELECTRICAL TOOLS

**RIDGID**

## RE 130-M MANUAL HYDRAULIC CRIMP TOOL

Introducing the world's  
lightest and easiest-to-use  
130kN Manual Hydraulic  
Crimp Tool featuring the  
patent-pending RIDGID®  
RapidAdvance System™



### BENEFITS


- Lightest 130 kN tool on the market\*, for more portability and ease of use.
- Unique RIDGID® RapidAdvance System™ that engages quickly and easily crimps lugs.
- Low handle force reduces hand strain and operator fatigue.
- Industry exclusive Head Stand allows for one-man operation. Easily position cable / lug between the dies and complete the crimp.
- 15 slots for crimping dies in the carrying case with special slot decals for quick die identification and retrieval.

\* Among C-Frame Style Manual Hydraulic Crimp Tools with 400mm<sup>2</sup> CU capacity.

### SPECIFICATIONS

- 130 kN hydraulic force output and 42 mm stroke to easily accommodate large size lugs and connectors (up to 400 mm<sup>2</sup> Cu).
- RIDGID® RapidAdvance System™ quickly engages the lug in just 2 pumps to minimize unnecessary pumping
- Built-in Pressure Relief-valve which signals when the maximum force is reached and crimping is complete
- Manual ram retraction when the crimp is complete or in case of need
- 330° head rotation for better access in tight spaces
- Rubber grips for superior comfort and control
- Length: 557mm; Weight: 5.3 kg
- Capacity: Max. 400 mm<sup>2</sup> Cu; Max. 240 mm<sup>2</sup> Al
- Kit includes: RE 130-M tool; Head Stand; RIDGID Die Slots Decals; Blow molded case; Operator's Manual

Model No.	Description	Image
<b>PORTABLE TOOL BOX</b>		
TBC122B	<b>HD Cantilever Tool Box 20in</b> Red/Black, 6.6kg, Dimensions: 495 x 200 x 340mm	
TBC123B	<b>HD Cantilever Tool Box 21in</b> Red/Black, 4.8kg, Dimensions: 525 x 200 x 195mm	
TBX-A3009	<b>Metal &amp; PP Tool Box 20in</b> Red/Black, 3.0kg Dimensions: 464 x 203 x 220mm	
TBX-A3001	<b>Metal &amp; PP Tool Box 23in</b> Red/Black, 4.6kg Dimensions: 550 x 244 x 244mm	
TBX-C3002	<b>New Generation Tool Box 16in</b> Red/Black Dimensions: 390 x 183 x 183mm	
TBX-C3009	<b>New Generation Tool Box 20in</b> Red/Black Dimensions: 488 x 220 x 220mm	
<b>JOB SITE TOOL BOX</b>		
TBG28D	<b>Jobsite Tool Box 28in</b> Black, 14 kg, Dimensions: 720 x 315 x 282mm	
TBG36D	<b>Jobsite Tool Box 36in</b> Black, 44kg, Dimensions: 915 x 432 x 541mm	
TBG48D	<b>Jobsite Tool Box w/wheels 48in</b> Black, 73kg, Dimensions: 1220 x 615 x 720mm	
<b>TOOL CHEST</b>		
TBT4006-X	<b>6 Drawer Chest 26in</b> Red/Black, 28kg, Dimensions: 660 x 307 x 377mm	
TBT9004-X	<b>4 Drawer Chest 29in</b> Red/Black, 42 kg Dimensions: 724 x 470x 420mm	
TBT9408-X	<b>8 Drawer Chest 43in</b> Red/Black, 83kg, Dimensions: 1091 x 470 x 546mm	
TBT8005-X	<b>5 Drawer SuperMAX Chest 56in</b> Red/Black, 145kg, Dimensions: 1434 x 560 x 645mm	
<b>TOOL TROLLEYS</b>		
TBR9207-X	<b>7 Drawer Trolley 27in</b> Red/Black, 63Kg Dimensions: 666 x 459 x 849mm	
TBR4007D-X	<b>7 Drawer Trolley 26in</b> Red/Black, 70kg Dimensions: 635 x 439 x 964mm	

Model No.	Description	Image
TBR9007-X	<b>7 Drawer Trolley 29in</b> Red/Black 87kg, Dimensions: 708 x 451 x 1000mm	
TBR9407-X	<b>7 Drawer Trolley 43in</b> Red/Black 127kg, Dimensions: 1091 x 470 x 564mm	
TBR8011-X	<b>11 Drawer SuperMAX Trolley 56in</b> Red/Black 231kg, Dimensions: 1434 x 560 x 896mm	
TBR5607H-X	<b>7 Drawer Trolley with 271 Tools (20 modules) (NEW)</b> Red/Black 115Kg Dimensions: 722 x 482 x 848mm	
<b>WORK BENCHES</b>		
ZL1260W	<b>Wood Top Bench 47 x 24in</b> Red/Black, 28kg Dimensions: 1200 x 600 x 740mm	
TSB6000	<b>Wood Top Bench 60 x 25in</b> Red 48kg Dimensions: 1524 x 650 x 845mm	
TSB7900	<b>Wood Top Bench 78 x 24in</b> Black, 53kg Dimensions: 2000 x 600 x 900mm	 TSB7900
TSC5911	<b>Metal Top Work Bench 2 Drawer, 60 x 25in</b> Red/Black, 74kg Dimensions: 1500 x 640 x 865mm	
TSC5911J	<b>Metal Top Work Bench 2 Drawer with Back Panel</b> Red/Black, 88Kg Dimensions: 1500 x 640 x 1550mm	

Model No.	Description	Image
TSC79111	<b>Metal Top Work Bench 3 Drawer, 78 x 25in</b> Red/Black, 95 kg Dimensions: 2000 x 640 x 865mm	
TSJ5011-X	<b>Wood Top Bench 2 Drawer, 48 x 24in</b> Red, 54kg Dimensions: 1270 x 550 x 887mm	
TSD603D	<b>Work Station, 3 Drawer, 60 x 26in</b> Red/Black 180kg Dimensions: 1524 x 660 x 830mm	
TSB72	<b>Heavy Duty Work Bench with Cabinet and Back Panel</b> Blue, Wooden Top <i>(NEW)</i> Dimensions: 2000 x 650 x 885mm	

**AABTools**

## Comprehensive

## Range of Tool Storage Solutions



Model No.	Description	Image
<b>TOOL STORAGE</b>		
E010210	<b>Top Chest, 3 Drawers 3xModules</b> Drawer capacity: 30Kg Soft bumpers on each corner Dimension: 840 x 470 x 400mm Weight: 28kg	
E010132	<b>Roller Cabinet, 6 Drawers 3xModules</b> Load Capacity: 400Kg Soft bumpers on each corner Dimension: 840 x 470 x 1000mm Weight: 58kg	
E010101	<b>Wide Roller Cabinet, 7 Drawers 4xModules</b> Drawer capacity: 20kg for 60 mm drawer 25kg for 130 mm drawer Dimension: 1005 x 500 x 987mm Weight: 95kg	
E010107	<b>Service Trolley</b> Load Capacity: 300Kg - 100Kg per shelf Dimension: 900 x 470 x 750mm Weight: 14kg	
E010136	<b>Professional Utility Cart</b> Load Capacity: 150kg Dimension: 752 x 470 x 985mm Weight: 11.5kg	
E010601	<b>Soft Tool Bag</b> 10Kg Cap. 600 x 600 Denier High-Resistance Fabric ( <i>New</i> )	
E010602	<b>Soft Bagpack with Wheels</b> Telescopic handles and built-in rollers 600 x 600 Denier High-Resistance Fabric	
E010201	5 Tray Metal Tool Box 535mm (21in)	
E010209	Metal Tool Chest 520mm (20in)	
E010202	Metal Tool Chest 650mm (26in)	
E010203	Metal Tool Chest 850mm (34in)	
E010204	Metal Tool Chest 1000mm (40in)	
E010128	Retractable Magnetic Tray - Mini	
E010129	Retractable Magnetic Tray - Maxi	

Model No.	Description	Image
E010401	<b>Workbench w/Wood Top 1.5M (New)</b> Thickness: 28mm Static strength: 800 kg. Height: 850 mm. One drawer can be added(E010405)	
E010404	<b>Workbench w/Metal Top 2M (New)</b> Thickness: 2mm Static strength: 800 kg. Height: 850 mm. One drawer can be added(E010405)	
E010405	Drawer for Workbench (New)	
E010406	Perforated Panel 1M (New)	
E010407	Perforated Panel 1.5M (New)	
E011101	Hang Bin 2.7L (New)	
E011102	Quick Tip-out Bins - 6comp. (New)	
E011002	Socket and Wrench Holder 1/2Dr. (12Piece) (New)	
<b>MULTI TOOL SET</b>		
E220105 (E220104)	<b>Maintenance Tools Set- 96 Piece (97)</b> (10 Combi. Wrenches / Ratchet and Accessories:(1/4 "- 4 to 13mm) & (1/2"-10-22mm) / 8 Screwdrivers / Screwdriver voltage tester / 9 Wrenches 6 Faces / 7 Torx Keys / 3 Mechanical Plier / Hammer / Drift Punches 4-6mm, 4mm Punch / Hacksaw)	
E220107	<b>Maintenance Tools Set- 140 Piece (142)</b> (12 Combi. Wrenches / Ratchet and Accessories:(1/4 "- 4 to 13mm) & (1/2"-10-32mm) / 10 Screwdrivers / Screwdriver voltage tester / 9 Wrenches 6 Faces / 7 Torx Keys / 4 Mechanical Plier / Wire Strippers / Crimping Pliers / Pliers 250mm / Hammer / Drift Punches 4-6mm, 4mm punch	
E034806	<b>Tool Set 124 Piece</b> (6Pt 1/4" Sockets:4-14mm / 1.1/4" Rachet / Extensions:55 & 100mm / 1.1/4":(Univ. joint / Drive Adapter / Socket Nut Screwdriver Handle / Twin Slip Joint Multigrip Plier-250mm / 160mm diagonal plier / 1/2" Sockets:10-32mm / 1.1/2" Univ. Joint / 11 Combi Wrench.....)	
<b>TOOL MODULES &amp; TRAY</b>		
<b>Set of Modules</b>		
E194937	Combination Wrench Set 16 piece 6-24mm	
E110302	Combination Wrench Set 4 piece 27-32mm	

Model No.	Description	Image
E111100	Ratchet Combination Set 8 piece 8-19mm	
E194938	Ratchet Combination Set 12 piece 8-19mm	
E111220	Open End Wrench Set 11 piece 6-32mm	
E111710	Offset Ring Wrench Set 8 piece 6-24mm	
E194939	Angled Socket Wrench Set 10 piece 8-19mm	
E194680	1/4in Drive Socket & Accessory Set 45piece	
E030715	1/4in Drive Socket & Accessory Set 67piece	
E194678	3/8in Drive Socket & Accessory Set 20piece	
E031821	3/8in Drive Socket & Accessory Set 50piece	
E194677	1/2in Drive Socket & Accessory Set 21piece	
E034853	1/4"-3/8" Metric Socket & Accessory Set 62piece	
E032924	1/2in Drive Accessories Module 8piece	

Model No.	Description	Image
E032922	1/2in Drive Screw & Torx Bit Socket Set 33piece	
E040601	1/2in Drive Impact Socket Set 17piece	
E041604	1/2in Drive Impact Socket & Acc. Set 26piece	
E041644	1/2in Drive Deep Impact Socket Set 25piece	
E194940	Standard Screwdriver Set 8piece	
E194941	Tamper Torx Screwdriver Set 6piece	
E121213	T-Handle Torx Keys Set T10-T40 7piece	
E121201	T-Handle Hex Keys Set 2.5-10mm 8piece	
E121105	Screw-Driving Module 74piece	
E142401	Riveting/Measuring Module 6piece	
E194945	Module Of Mechanical Pliers 4piece	
E080801	Module Of Multigrip + Locking Plier	

Model No.	Description	Image
E194943	Module Of Circlips Pliers 4piece	
E150801	Shock Tools Module Engineer Hammer	
E150802	Shock Tools Module Din Hammer	
E150803	Shock Tools Module Ball Penn Hammer	
E231102	1/2in Impact Wrench Module 13-24mm, 10piece ( <i>New</i> )	
<b>Tray for Modules</b>		
E010501	Shock Tool Ps Tray Riveting Hammer	
E010502	Mechanic.Pliers Plastic Tray E194945	
E010503	Circlips Pliers Plastic Tray E194943	
E010504	Tray For Pliers Set E080801	
E010506	Shock Tools Ps Tray Din Hammer	
E010507	Shock Tools Ps Tray Ball Penn Hammer	
E010509	Ratch Wr Module E111100 Ps Tray	
E010516	Organizer Tray	
E160916	Plastic Tray For E194940 Module	
E160917	Plastic Tray For E194941 Module	
E121106	Tray For Screwdriving Mod. E121105	
E121214	Tray For Torx T-Handle Mod. E121213	
E142402	Tray For Riveting/Measuring Mod. E142401	
E121205	Plastic Tray For E121201 Module	
E131704	Plastic Tray For Bits Sets	
E030701	Plastic Tray For E194680 Module	
E040602	Plastic Tray For E040601 Module	
E041606	Tray For E041604 Module	
E030716	Tray For 1/4 Mod. E030715	
E031822	Tray For 3/8 Socket Module E031821	
E032923	Tray For 1/2 Bit Socket Mod E032922	
E032925	Tray For 1/2 Accessories Mod. E032924	
E041645	Tray For 1/2 Long Impact Socket Mod. E041644	
E111221	Tray For Open End Wrenches Mod. E111220	
E111711	Tray For Offset Wr. Module E111710	
E010508	Ps Tray For 4 Combo Wrenches Module	
E113557	16pc Combination Wrench Ps Tray	
E113558	L-Shape Wrench Ps Tray	
E195064	12 Pc Ratcheting Wrenches Ps Tray	

Model No.	Description	Image
<b>WRENCHES</b>		
<b>Wrench Sets</b>		
E110300	Combination Wrench Set 8piece 8-24mm	
E113238	Combination Wrench Set 16piece 8-24mm	
E113239	Combination Wrench Set 16piece 6-24mm	
E113240	Combination Wrench Set 18piece 6-24mm	
E110313	Combination Wrench Set 18piece 6-24mm Tool Roll	
E110306	Combination Wrench Set 21piece 6-32mm	
E113241	Combination Wrench Set 9piece 1/4-3/4"	
E113242	Combination Wrench Set 12piece 1/4-15/16in	
E110303	Long Combination Wrench Set 12piece 8-19mm	
E110304	Stubby Combination Wrench Set 7piece 10-19mm	
E117744	Offset Combination Wrench Set 9piece 8-19mm	
E111107	Ratchet Combination Wrench 7piece 8-19mm	
E111106	Ratchet Combination Wrench 12piece 8-19mm	
E111108	Flex Ratchet Wrench Set 7piece 8-19mm	
E111102	Flex Ratchet Wrench Set 12piece 8-19mm	
E111101	Fast Ratchet Wrench Set 12piece 8-19mm	
E111103	Double Ring Ratch. Wrench Set 5piece 8-19mm	
E111104	Stubby Ratchet Wrench Set 7piece 10-19mm	
E111406	Open End Wrench Set 8 piece 4-19mm	
E117381	Open End Wrench Set 12 piece 6-32mm	
E117382	Open End Wrench Set 16 piece 4-42mm	
E111708	Offset Ring Wrench Set 6 piece 8-19mm	
E111709	Offset Ring Wrench Set 5 piece 20-32mm	
E117383	Angled Socket Wrench Set 10Piece 8-19mm	
E112501	Flare Nut Wrench Set 5piece 7-19mm	
E111115	4-in-1 Metric Rachets Set 3piece 8-19mm	

Model No.	Description	Image
<b>Combination Wrench - Metric</b>		
E113228	5 mm	
E113229	5.5 mm	
E113202	6 mm	
E113200	7 mm	
E113201	8 mm	
E113204	9 mm	
E113205	10 mm	
E113206	11mm	
E113207	12 mm	
E113208	13 mm	
E113209	14 mm	
E113210	15 mm	
E113211	16 mm	
E113212	17 mm	
E113213	18 mm	
E113214	19 mm	
E113215	20 mm	
E113216	21 mm	
E113217	22 mm	
E113218	23 mm	
E113219	24 mm	
E113220	25 mm	
E113221	26 mm	
E113222	27 mm	
E113223	28 mm	
E113224	29 mm	
E113225	30 mm	
E113226	32 mm	
E110101	34 mm	
E110102	36 mm	
E110103	38 mm	
E110104	41 mm	
<b>Combination Wrench - inch</b>		
E113312	1/4"	
E113230	5/16"	
E113313	11/32"	
E113314	3/8"	
E113315	7/16"	
E113316	1/2"	
E113317	9/16"	
E113318	5/8"	
E113319	11/16"	
E113358	3/4"	
E113359	13/16"	
E113360	7/8"	
E113235	15/16"	
E113236	1"	
E113361	1-1/16"	
E113362	1-1/8"	
E113363	1-1/4"	

Model No.	Description	Image
E110201	1-5/16"	
E110202	1-3/8"	
E110203	1-7/16"	
E110204	1-1/2"	
E110205	1-5/8"	
E110206	1-7/8"	
E110209	1-3/4"	
E110215	2"	
<b>Extra Long Combination Wrench</b>		
E117710	32 mm	
E117711	33 mm	
E117712	34 mm	
E117713	35 mm	
E117714	36 mm	
E117715	38 mm	
E117716	41 mm	
E117717	42 mm	
E117718	46 mm	
E117719	50 mm	
<b>Stubby Combination Wrench - Metric</b>		
E110106	10 mm	
E110108	12 mm	
E110109	13 mm	
E110110	14 mm	
E110111	15 mm	
E110113	17 mm	
E110115	19 mm	
<b>Offset Combination Wrench - Metric</b>		
E117720	6 mm	
E117721	7 mm	
E117722	8 mm	
E117723	9 mm	
E117724	10 mm	
E117725	11 mm	
E117726	12 mm	
E117727	13 mm	
E117728	14 mm	
E117729	15 mm	
E117730	16 mm	
E117731	17 mm	
E117732	18 mm	
E117733	19 mm	
E117734	21 mm	
E117735	22 mm	
E117736	23 mm	
E117737	24 mm	
E117738	26 mm	
E117739	27 mm	
E117740	28 mm	
E117741	29 mm	
E117742	30 mm	

Model No.	Description	Image
E117743	32 mm	
<b>Ratchet Combination Wrench</b>		
E117377	6 mm	
E117378	7 mm	
E113301	8 mm	
E113302	9 mm	
E113303	10 mm	
E113300	11 mm	
E113304	12 mm	
E113305	13 mm	
E113306	14 mm	
E113307	15 mm	
E113308	16 mm	
E113309	17 mm	
E113310	18 mm	
E113311	19 mm	
E117370	21 mm	
E117371	22 mm	
E117372	24 mm	
E117373	27 mm	
E117374	30 mm	
E113460	32 mm	
<b>Fast Ratchet Combination Wrench</b>		
E110924	8 mm	
E110925	9 mm	
E110926	10 mm	
E110927	11 mm	
E110928	12 mm	
E110929	13 mm	
E110930	14 mm	
E110931	15 mm	
E110932	16 mm	
E110933	17 mm	
E110934	18 mm	
E110935	19 mm	
<b>Flexible Ratcheting Wrench</b>		
E110901	8 mm	
E110902	9 mm	
E110903	10 mm	
E110904	11 mm	
E110905	12 mm	
E110906	13 mm	
E110907	14 mm	
E110908	15 mm	
E110909	16 mm	
E110910	17 mm	
E110911	18 mm	
E110912	19 mm	
<b>Ratchet Ring Wrench</b>		
E110936	8 x 10 mm	
E110937	10 x 11 mm	

Model No.	Description	Image
E110938	12 x 13 mm	
E110939	14 x 15 mm	
E110940	17 x 19 mm	
<b>Ratchet Stubby Combination Wrench</b>		
E110914	10 mm	
E110916	12 mm	
E110917	13 mm	
E110918	14 mm	
E110919	15 mm	
E110921	17 mm	
E110923	19 mm	
<b>Open-End Wrench - Metric</b>		
E113262	4 x 5mm	
E113250	6 x 7mm	
E113251	8 x 9mm	
E113265	8 x 10mm	
E113252	10 x 11mm	
E113267	10 x 13mm	
E113268	11 x 13mm	
E113253	12 x 13mm	
E113254	14 x 15mm	
E113272	13 x 17mm	
E113255	16 x 17mm	
E113275	17 x 19mm	
E113256	18 x 19mm	
E113257	20 x 22mm	
E113258	21 x 23mm	
E113279	22 x 24mm	
E111201	24 x 26mm	
E113259	24 x 27mm	
E113260	25 x 28mm	
E113261	26 x 28mm	
E113281	27 x 29mm	
E113282	27 x 30mm	
E113909	30 x 32mm	
E113285	33 x 35mm	
E113286	36 x 41mm	
E113287	34 x 36mm	
E113288	38 x 42mm	
E111202	41 x 46mm	
E111203	46 x 50mm	
<b>Open-End DIN Wrench - mm</b>		
E114029	H.D. Din Wrench 30 x 34mm ( <i>New</i> )	
E114030	H.D. Din Wrench 32 x 36mm ( <i>New</i> )	
E114031	H.D. Din Wrench 36 x 41mm ( <i>New</i> )	
E114032	H.D. Din Wrench 41 x 46mm ( <i>New</i> )	
E114033	H.D. Din Wrench 46 x 50mm ( <i>New</i> )	
E114034	H.D. Din Wrench 55 x 60mm ( <i>New</i> )	
E114123	H.D. OE Din Wrench 36mm ( <i>New</i> )	
E114124	H.D. OE Din Wrench 38mm ( <i>New</i> )	
E114125	H.D. OE Din Wrench 41mm ( <i>New</i> )	

Model No.	Description	Image
E114126	H.D. OE Din Wrench 46mm ( <i>New</i> )	
E114127	H.D. OE Din Wrench 50mm ( <i>New</i> )	
E114128	H.D. OE Din Wrench 55mm ( <i>New</i> )	
E114129	H.D. OE Din Wrench 60mm ( <i>New</i> )	
E114130	H.D. OE Din Wrench 65mm ( <i>New</i> )	
E114131	H.D. OE Din Wrench 70mm ( <i>New</i> )	
E114132	H.D. OE Din Wrench 75mm ( <i>New</i> )	
E114133	H.D. OE Din Wrench 80mm ( <i>New</i> )	
<b>Open-End Wrench - inch</b>		
E113289	1/4 x 5/16in	
E113290	11/32 x 13/32in	
E113291	3/8 x 7/16in	
E113292	1/2 x 9/16in	
E113293	5/8 x 11/16in	
E113294	3/4 x 13/16in	
E113295	7/8 x 15/16in	
E113296	1 x 1-1/16in	
E113298	1-3/16 x 1-5/16in	
E113299	1-3/8 x 1-1/2in	
E113461	1-7/16 x 1-5/8in	
<b>Offset Ring Wrench - Metric</b>		
E113321	6 x 7 mm	
E113322	8 x 9 mm	
E111501	8 x 10 mm	
E113323	10 x 11 mm	
E113324	12x13 mm	
E113364	13 x 17 mm	
E113325	14 x 15 mm	
E113326	16 x 17 mm	
E113366	17 x 19 mm	
E111500	18 x 19 mm	
E111502	19 x 22 mm	
E113328	20 x 22 mm	
E113329	22 x 24 mm	
E113730	21 x 23 mm	
E111503	24 x 27 mm	
E113367	25 x 28 mm	
E113368	27 x 29 mm	
E113369	27 x 30 mm	
E117376	30 x 32 mm	
<b>Angled Socket Wrench - 6pt</b>		
E113393	6 mm	
E113394	7 mm	
E113395	8 mm	
E113396	9 mm	
E113397	10 mm	
E113398	11 mm	
E113399	12 mm	
E113400	13 mm	
E113401	14 mm	
E113402	15 mm	

Model No.	Description	Image
E113403	16 mm	
E113404	17 mm	
E113405	18 mm	
E113406	19 mm	
E113407	20 mm	
E113408	21 mm	
E113409	22 mm	
E113410	23 mm	
E113411	24 mm	
E113451	25 mm	
E113412	26 mm	
E113413	27 mm	
E113452	28 mm	
E113453	29 mm	
E113414	30 mm	
E113415	32 mm	
E113454	31 mm	
E113455	34 mm	
E113456	35 mm	
E113457	36 mm	
<b>Flare Nut Wrench</b>		
E112301	7 x 9 mm	
E117388	8 x 10 mm	
E117391	11 x 13 mm	
E117392	12 x 14 mm	
E117394	17 x 19 mm	
E117395	19 x 22 mm	
E117368	24 x 27 mm	
<b>Adjustable Wrench</b>		
E187366	150mm / 6in	
E187368	200mm / 8in	
E187470	250mm / 10in	
E187472	300mm / 12in	
E187473	375mm / 15in	
E117905	450mm / 18in	
E117906	600mm / 24in	
<b>Hook &amp; Pin Wrench</b>		
E112601	19 - 51 mm	
E112602	32 - 76 mm	
E112603	51 - 121 mm	
E112604	114 - 159 mm	
<b>RACHETS - SOCKETS</b>		
<b>Multi-Drive Socket Set</b>		
E032911	1/4 & 1/2in Socket, Wrench & Acces. Set 101Pcs. 1/4":4-14mm / 1/2":10-32mm	
E034805	1/4 & 1/2in Hex Socket & Accessory Set 98Pcs. 1/4":4-13mm / 1/2":10-32mm	

Model No.	Description	Image
E034808	1/4, 3/8, & 1/2in Socket Set 88Pcs.mm+in	
<b>Standard Socket Set</b>		
E034816	1/4in Clip Bar Socket Set 11Piece 4-14mm	
E034815	1/4in Clip Bar Socket Set 11Piece 3/16-9/16"	
E194675	1/4in Clip Bar Socket Set 13Piece 4-14mm	
E030700	1/4in Socket Set 19Piece 4-14mm	
E194672	1/4in Socket & Accessory Set 34Piece 4-14mm	
E034817	1/4in Std and Deep Socket Set 25Piece 3/16-9/16"	
E034818	1/4in Std and Deep Socket Set 26Piece 3/16-9/16"	
E030702	1/4in Socket & Accessory Set 42Piece 4-14mm	
E030707	1/4in Socket & Acces. Set 73Piece.0 mm + in	
E031803	3/8in Clip Bar Socket Set 13Piece 1/4-1in	
E034828	3/8in Socket Set 12Piece 3/8-7/8in	
E034833	3/8in Std and Deep Socket Set 34Piece 1/4-1in	

Model No.	Description	Image
E031804	3/8in Deep Socket Set 15Piece 7-22mm	
E031805	3/8in Socket Set 22Piece 6-24mm	
E034832	3/8in Socket Set 33Piece 6-24mm + 1/4-7/8in	
E031806	3/8in Socket & Accessory Set 61Piece 6-24mm	
E032902	1/2in Clip Bar Socket Set 16Piece 10-32mm	
E034836	1/2in Clip Bar Socket Set 10Piece 7/16"-15/16"	
E034837	1/2" Socket Set - 10Piece, 9-19mm	
E032900	1/2in Socket Set 22Piece 8-32mm	
E032908	1/2in Std & Deep Socket Set 42Piece 8-32mm	
E032909	1/2in Socket & Accessory Set 55Piece 8-34.0 mm	
E194682	3/4in Socket Set 14Piece 22-50mm	
E194683	3/4in Socket Set 18Piece 19-55mm	

Model No.	Description	Image
E034701	1in Socket Set 14Piece 41-80mm	
<b>Hex &amp; Torx Socket Sets</b>		
E030703	1/4in Torx Bit Socket Set 10piece T6-T30	
E030704	1/4in Hex Bit Socket Set, 8Piece 2-8mm	
E034801	1/4, 3/8 & 1/2in Torx Sock.Set 13Piece E4-E24	
E034802	1/4 & 3/8in Hex Bit Socket Set 9Piece 3-12mm	
E031807	3/8in Torx Bit Socket Set 4Piece T40-T55	
E032904	1/2in Hex Bit Socket Set 8Piece 6-17mm	
E032906	1/2in Hex Bit Short & Long Socket Set 13Pc 4-12mm	
E032907	1/2in Torx Socket & Bit Set 16Pc T20-T60 & E10-E24	
E032936	1/2in Torx Bit Socket Set - 9Piece T20-T60	
<b>Ratchet Tools</b>		
E113770	1/4in Pear Head Ratchet Wrench	
E113848	3/8in Pear Head Ratchet Wrench	
E113708	1/2in Pear Head Ratchet Wrench	
E030601	1/4in Round Head Ratchet Wrench	
E031701	3/8in Round Head Ratchet Wrench	
E032801	1/2in Round Head Ratchet Wrench	
E030602	1/4in Swivel Headed Revers Ratchet	
E031703	3/8in Swivel Headed Revers Ratchet	
E032802	1/2in Swivel Headed Revers Ratchet	

Model No.	Description	Image
E031702	3/8in Flexible Headed Ratchet Wrench	
E032803	1/2in Flexible Headed Ratchet Wrench	
E030508	1/4in Ratchet Steel Handle	
E031612	3/8in Ratchet Steel Handle	
E032709	1/2in Ratchet Steel Handle	
E113817	3/4in Ratchet Head	
E113819	3/4in Ratchet With Handle	
E034601	1in Reversible Ratchet	
E113771	1/4in Extension Bar 55mm	
E117356	1/4in Extension Bar 100mm	
E113772	1/4in Extension Bar 150mm	
E117363	3/8in Extension Bar 75mm	
E113850	3/8in Extension Bar 125mm	
E117364	3/8in Extension Bar 250mm	
E113710	1/2in Extension Bar 75mm	
E117260	1/2in Extension Bar 130mm	
E117261	1/2in Extension Bar 250mm	
E113820	3/4in Extension Bar 100mm	
E113823	3/4in Extension Bar 200mm	
E113824	3/4in Extension Bar 400mm	
E034501	1in Extension Bar 200mm	
E034502	1in Extension Bar 400mm	
E117355	1/4in Sliding T-Handle	
E117361	3/8in Sliding T-Handle	
E117259	1/2in Sliding T-Handle	
E113815	3/4in Sliding T-Handle	
E034503	1in T Handle	
E121229	Hex Wrench T-Handle Set, 6Piece ( <i>New</i> )	
E121315	Hex Wrench T-Handle Set, 5Piece ( <i>New</i> )	
E031602	3/8in Swivel Handle 200mm	
E031603	3/8in Swivel Handle 375mm	
E032701	1/2in Swivel Handle 300mm	
E032804	1/2in Swivel Handle 460mm	
E032805	1/2in Swivel Handle 600mm	
E033804	3/4in Swivel Handle	
E113816	3/4in Bar Handle 425mm	
E113910	Spinner	
E031604	3/8in Speed Brace	
E032702	1/2in Speed Brace	
E117359	Spring-Clip Bit Holder	
E113851	3/8in Holder For 1/4 Bits	
E113711	1/2 x 5/16in Square Drive Bits Holder	
E117360	1/4in Universal Joint	
E117367	3/8in Universal Joint	
E113822	3/4in Universal Joint	
E033801	3/4in Universal Joint For Bar	
E117264	1/2in Universal Joint	
E117358	Adaptor 1/4 To 3/8in	
E117365	Adaptor 3/8 To 1/4in	
E117366	Adaptor 3/8 To 1/2in	
E033802	Adaptor 3/4 To 1in	

Model No.	Description	Image
E113821	Adaptor 3/4 To 1/2in	
E117262	Adaptor 1/2 To 3/8in	
E117263	Adaptor 1/2 To 3/4in	
E033803	Adaptor 1 To 3/4in	
<b>Standard Socket 1/4in 6Pt</b>		
E117293	4mm	
E117688	4.5mm	
E117294	5mm	
E117295	5.5mm	
E117296	6mm	
E117297	7mm	
E117298	8mm	
E117299	9mm	
E117350	10mm	
E117351	11mm	
E117352	12mm	
E117353	13mm	
E117354	14mm	
<b>Standard Socket 1/4in 12Pt</b>		
E113740	3/16in	
E113741	7/32in	
E113742	1/4in	
E113743	9/32in	
E113744	5/16in	
E113745	11/32in	
E113746	3/8in	
E113748	7/16in	
E113749	1/2in	
E113750	9/16in	
<b>Deep Socket 1/4in 12Pt</b>		
E030401	3/16in	
E030402	7/32in	
E113768	9/32in	
E030403	11/32in	
E030405	1/2in	
<b>Standard Socket 3/8in 6Pt</b>		
E030935	6mm	
E030936	7mm	
E030937	8mm	
E030938	9mm	
E030939	10mm	
E030940	11mm	
E030941	12mm	
E030942	13mm	
E030943	14mm	
E030944	15mm	
E030945	16mm	
E030946	17mm	
E030947	18mm	
E030948	19mm	
E030949	20mm	

Model No.	Description	Image
E030950	21mm	
E030951	22mm	
E030952	23mm	
E030953	24mm	
<b>Standard Socket 3/8in 6Pt</b>		
E031301	1/4in	
E031302	5/16in	
E031303	1-1/32in	
E031304	3/8in	
E031305	7/16in	
E031306	1/2in	
E031307	9/16in	
E031308	5/8in	
E031309	1-1/16in	
E031310	3/4in	
E031311	13/16in	
E031312	7/8in	
E031313	1in	
<b>Standard Socket 3/8in 12Pt</b>		
E031211	1/4in	
E031210	5/16in	
E031201	3/8in	
E031202	7/16in	
E031203	1/2in	
E031204	9/16in	
E031205	5/8in	
E031206	1-1/16in	
E031207	3/4in	
E031208	13/16in	
E031209	7/8in	
E031212	15/16in	
E031213	1in	
<b>Standard Socket 3/8in 12Pt</b>		
E030933	6mm	
E113830	7mm	
E113831	8mm	
E113832	9mm	
E113833	10mm	
E113834	11mm	
E113835	12mm	
E113836	13mm	
E113837	14mm	
E113838	15mm	
E113839	16mm	
E113840	17mm	
E113841	18mm	
E113842	19mm	
E113843	20mm	
E113844	21mm	
E113845	22mm	
E113846	23mm	

Model No.	Description	Image
E113847	24mm	
<b>Deep Socket 3/8in 12Pt</b>		
E031414	1/4in	
E031410	5/16in	
E031401	3/8in	
E031402	7/16in	
E031403	1/2in	
E031404	9/16in	
E031405	5/8in	
E031406	1-1/16in	
E031407	3/4in	
E031408	13/16in	
E031409	7/8in	
E031412	15/16in	
E031413	1in	
<b>Standard Socket 1/2in 6Pt</b>		
E117086	8mm	
E117087	9mm	
E117088	10mm	
E117089	11mm	
E117090	12mm	
E117091	13mm	
E117092	14mm	
E117093	15mm	
E117094	16mm	
E117095	17mm	
E117096	18mm	
E117097	19mm	
E117098	20mm	
E117099	21mm	
E117250	22mm	
E117251	23mm	
E117252	24mm	
E031937	25mm	
E117253	26mm	
E117254	27mm	
E117255	28mm	
E117256	29mm	
E117257	30mm	
E117258	32mm	
E031936	34mm	
E031938	36mm	
<b>Standard Socket 1/2in 12Pt</b>		
E117051	8mm	
E117052	9mm	
E117053	10mm	
E117054	11mm	
E117055	12mm	
E117056	13mm	
E117057	14mm	
E117058	15mm	



Model No.	Description	Image
E117059	16mm	
E117060	17mm	
E117061	18mm	
E117062	19mm	
E117063	20mm	
E117064	21mm	
E117065	22mm	
E117066	23mm	
E117067	24mm	
E117068	26mm	
E117069	27mm	
E117070	28mm	
E117071	29mm	
E117072	30mm	
E117073	32mm	
E032001	36mm	
<b>Standard Socket 1/2in 12Pt</b>		
E113701	3/8"	
E113702	7/16in	
E113703	1/2in	
E117074	9/16in	
E117075	19/32in	
E117076	5/8in	
E117077	11/16in	
E117078	3/4in	
E113704	21/32in	
E113705	25/32in	
E117079	13/16in	
E117080	7/8in	
E117081	15/16in	
E113706	31/32in	
E117082	1in	
E117083	1-1/16in	
E117084	1-1/8in	
E113707	1-3/16in	
E117085	1-1/4in	
<b>Standard Socket 3/4in 6Pt</b>		
E113790	19mm	
E113791	21mm	
E113792	22mm	
E113793	23mm	
E113794	24mm	
E113795	26mm	
E113796	27mm	
E113797	28mm	
E113798	29mm	
E113799	30mm	
E113800	32mm	
E113801	33mm	
E113802	34mm	
E113803	35mm	

Model No.	Description	Image
E113804	36mm	
E113805	38mm	
E113806	40mm	
E113807	41mm	
E113808	42mm	
E113809	44mm	
E113810	46mm	
E113811	50mm	
E113812	54mm	
E113813	55mm	
<b>Standard Socket 3/4in 12Pt</b>		
E033503	7/8in	
E033504	15/16in	
E033505	1in	
E033506	1-1/16in	
E033507	1-1/8in	
E033508	1 3/16in	
E033509	1-1/4in	
E033510	1-5/16in	
E033511	1-3/8in	
E033512	1-7/16in	
E033513	1-1/2in	
E033514	1-5/8in	
E033515	1-7/8in	
E033516	1-3/4in	
E033517	1-13/16in	
E033518	2in	
<b>Standard Socket 1in 6Pt</b>		
E034101	41mm	
E034102	46mm	
E034103	50mm	
E034104	55mm	
E034105	60mm	
E034106	65mm	
E034107	70mm	
E034108	75mm	
E034109	80mm	
<b>Deep Socket 1/4in 6Pt</b>		
E113751	4mm	
E113752	5mm	
E113753	5.5mm	
E113754	6mm	
E113755	7mm	
E113756	8mm	
E113757	9mm	
E113758	10mm	
E113759	11mm	
E113760	12mm	
E113761	13mm	
E113762	14mm	

Model No.	Description	Image	
<b>Deep Socket 1/4in 12Pt</b>			
E030216	6mm		
E030217	7mm		
E030218	8mm		
E030219	9mm		
E030220	10mm		
E030221	11mm		
E030222	12mm		
E030223	13mm		
E030224	14mm		
<b>Deep Socket inch 1/4in 12Pt</b>			
E113763	1/4in		
E113764	3/8in		
E113765	5/16in		
E113768	9/32in		
E113766	7/16in		
E113767	9/16in		
<b>Deep Socket 3/8in 6 Pt</b>			
E031503	8mm		
E031504	9mm		
E031505	10mm		
E031506	11mm		
E031507	12mm		
E031508	13mm		
E031509	14mm		
E031510	15mm		
E031511	16mm		
E031512	17mm		
E031513	18mm		
E031514	19mm		
E031501	21mm		
E031515	22mm		
<b>Deep Socket 1/2in 12Pt</b>			
E032203	10mm		
E117278	12mm		
E117279	13mm		
E117280	14mm		
E117281	15mm		
E117282	16mm		
E117283	17mm		
E117284	18mm		
E117285	19mm		
E117286	21mm		
E117287	22mm		
E117288	23mm		
E117289	24mm		
E117290	27mm		
E117291	30mm		
E117292	32mm		
<b>Deep Socket 1/2in 12Pt</b>			
E113713	1/2in		

Model No.	Description	Image
E113714	9/16in	
E113715	5/8in	
E113716	11/16in	
E113717	3/4in	
E113718	13/16in	
E113719	7/8in	
E113720	15/16in	
E113721	1in	
E113722	1-1/16in	
E113723	1-1/8in	
E113724	1-1/4in	
<b>Torx Socket</b>		
E030129	1/4in E4	
E030130	1/4in E5	
E030131	1/4in E6	
E030132	1/4in E7	
E030133	1/4in E8	
E030134	1/4in E10	
E030928	3/8in E10	
E030929	3/8in E12	
E030930	3/8in E14	
E030931	3/8in E16	
E031927	1/2in E10	
E031935	1/2in E11	
E031928	1/2in E12	
E031929	1/2in E14	
E031930	1/2in E16	
E031931	1/2in E18	
E031932	1/2in E20	
E031933	1/2in E22	
E031934	1/2in E24	
<b>Hex Bit Socket</b>		
E030101	1/4in 2mm	
E030102	1/4in 2.5mm	
E030103	1/4in 3mm	
E030104	1/4in 4mm	
E030105	1/4in 5mm	
E030106	1/4in 6mm	
E030107	1/4in 7mm	
E030108	1/4in 8mm	
E030902	3/8in 4mm	
E030903	3/8in 5mm	
E030904	3/8in 6mm	
E030905	3/8in 7mm	
E030906	3/8in 8mm	
E030907	3/8in 10mm	
E030908	3/8in 12mm	
E031901	1/2in 4mm	
E031902	1/2in 5mm	
E031903	1/2in 6mm	
E031904	1/2in 7mm	

Model No.	Description	Image
E031905	1/2in 8mm	
E031906	1/2in 9mm	
E031907	1/2in 10mm	
E031908	1/2in 12mm	
E031909	1/2in 14mm	
<b>Hex Bit Socket 1/2in Long</b>		
E031912	4mm	
E031913	5mm	
E031914	6mm	
E031982	7mm	
E031915	8mm	
E031916	10mm	
E031917	12mm	
E031983	14mm	
<b>Slotted Bit Socket</b>		
E030109	1/4in 4mm	
E030110	1/4in 5.5 mm	
E030111	1/4in 7mm	
E030909	3/8in 5.5 mm	
E030910	3/8in 7mm	
E030911	3/8in 8mm	
<b>Phillips Bit Socket</b>		
E030115	1/4in Ph1	
E030116	1/4in Ph2	
E030117	1/4in Ph3	
E030112	1/4in Pz1	
E030113	1/4in Pz2	
E030114	1/4in Pz3	
E030925	3/8in Ph1	
E030926	3/8in Ph2	
E030927	3/8in Ph3	
E030922	3/8in Pz1	
E030923	3/8in Pz2	
E030924	3/8in Pz3	
<b>Torx Bit Socket</b>		
E030118	1/4in T6	
E030119	1/4in T7	
E030120	1/4in T8	
E030121	1/4in T9	
E030122	1/4in T10	
E030123	1/4in T15	
E030124	1/4in T20	
E030125	1/4in T25	
E030126	1/4in T27	
E030127	1/4in T30	
E030128	1/4in T40	
E030912	3/8in T8	
E030913	3/8in T10	
E030914	3/8in T15	
E030915	3/8in T20	
E030916	3/8in T25	

Model No.	Description	Image
E030917	3/8in T27	
E030918	3/8in T30	
E030919	3/8in T40	
E030932	3/8in T45	
E030920	3/8in T50	
E030921	3/8in T55	
E031918	1/2in T20	
E031919	1/2in T25	
E031920	1/2in T27	
E031921	1/2in T30	
E031922	1/2in T40	
E031923	1/2in T45	
E031924	1/2in T50	
E031925	1/2in T55	
E031926	1/2in T60	
<b>Torx Long Bit Socket 1/2" NEW</b>		
E031978	T40, 120mm	
E031979	T45, 120mm	
E031980	T50, 140mm	
E031981	T55, 140mm	
<b>Tamper Torx Bit Socket 1/4in NEW</b>		
E030142	Socket Driver, TT8	
E030143	Socket Driver, TT10	
E030144	Socket Driver, TT15	
E030145	Socket Driver, TT20	
E030146	Socket Driver, TT25	
E030147	Socket Driver, TT27	
E030148	Socket Driver, TT30	
E030149	Socket Driver, TT40	
<b>1/2" XZN Bit Socket NEW</b>		
E031967	M5,	
E031968	M6	
E031969	M8	
E031970	M10	
E031971	M12	
E031972	M14	
E031973	M16	
E031974	Long Bit M8	
E031975	Long Bit M10	
E031976	Long Bit M12	
E031977	Long Bit M14	
<b>POWER TOOLS, TOOLING &amp; ACCESSORIES</b>		
E230104	1/2" Impact Wrench 678Nm (New)	
E230110	1/2" Impact Wrench 814Nm (New)	
E230115	3/4" Impact Wrench 1017Nm (New)	

Model No.	Description	Image
E230502	1/4" (6mm) Mini die Grinder ( <i>New</i> )	
E230503	1/4" (6mm) Mini Angle Die Grinder ( <i>New</i> )	
E230402	3/8" / 10mm Reversible Drill ( <i>New</i> )	
E230901	Riveter 5mm ( <i>New</i> )	
<b>Impact Socket Sets</b>		
E041601	3/8in Impact Socket Set 9Piece 8-19mm	
E041609	1/2in Impact Socket Set 14Pieces 10-27mm	
E041603	1/2in Impact Socket Set 17Pieces 10-32mm	
E041602	1/2in Impact Deep Socket Set 14Pieces 10-32mm	
<b>Impact Socket Tools</b>		
E113616	1/2in Impact Extension 50mm	
E113617	1/2in Impact Extension 125mm	
E113618	1/2in Impact Extension 250mm	
E113487	3/4in Impact Extension 175mm	
E113488	3/4in Impact Extension 250mm	
E041502	3/4-1/2in Impact Adaptor	
E041503	1-3/4in Impact Adaptor	
E113620	1/2in Impact Universal Joint	
E041501	3/4in Impact Universal Joint	
E113619	1/2in Impact 5/16in Bit Holder	
E117884	1/2in Set 5 Rings&Pins 8-14mm	
E117881	1/2in Set 5 Rings&Pins 15-32mm	
E113563	3/4in Set 5 Rings&Pins 17-50mm	
E041505	1/4" Magnetic Socket Adaptor 3/8" Square	
E041506	3/8" Magnetic Socket Adaptor 1/2" Square	
E041507	1/2" Magnetic Socket Adaptor 3/4" Square	
E041649	3 Piece Magnetic Adapter Set ( <i>New</i> )	

Model No.	Description	Image
<b>Impact Socket 1/2in</b>		
E113489	8mm	
E113490	10mm	
E113491	11mm	
E113492	12mm	
E113493	13mm	
E113494	14mm	
E113495	15mm	
E113496	16mm	
E113497	17mm	
E113498	18mm	
E113499	19mm	
E113588	21mm	
E113589	22mm	
E113592	24mm	
E113594	27mm	
E113595	28mm	
E113596	30mm	
E113597	32mm	
<b>Impact Socket 3/4in</b>		
E041101	17mm	
E041102	19mm	
E041103	21mm	
E041104	22mm	
E041105	24mm	
E041106	27mm	
E113468	28mm	
E113469	29mm	
E113470	30mm	
E113471	32mm	
E113472	33mm	
E113473	34mm	
E113474	35mm	
E113475	36mm	
E113476	38mm	
E113477	41mm	
E113478	42mm	
E113479	46mm	
<b>Deep Impact Socket 1/2in</b>		
E113598	10mm	
E113599	11mm	
E113600	13mm	
E113605	14mm	
E113606	16mm	
E113607	17mm	
E113608	18mm	
E113609	19mm	
E113610	21mm	
E113611	22mm	
E113612	24mm	
E113613	27mm	

Model No.	Description	Image
E113614	30mm	
E113615	32mm	
<b>Deep Impact Socket 3/4in</b>		
E113480	17mm	
E113481	19mm	
E113482	24mm	
E113483	27mm	
E113484	30mm	
E113485	32mm	
E113486	36mm	
E041301	33mm	
E041302	41mm	
E041303	46mm	
<b>Impact Hex Bit 1/2in</b>		
E113623	5mm	
E113624	6mm	
E113625	8mm	
E113626	10mm	
E113627	12mm	
E113628	14mm	
E113629	17mm	
E113630	19mm	
<b>SCREWDRIVERS AND ACCESSORIES</b>		
<b>Screwdriver Sets</b>		
E160901	Electricians Screwdrivers Set 5 Pieces Parallel/Ph	
E160902	Mechanics Screwdrivers Set 6 Pieces Flared / Ph	
E160904	Screwdrivers Set 8 Pieces Slotted / Ph	
E160905	Screwdrivers Set 10 Pieces Flared/Ph	
E160906	Screwdrivers Set 8 Pieces Slotted/Pz	
E160907	Screwdrivers Set 8 Pieces Slotted/Ph/Pz	
E160908	Screwdrivers Set 7 Pieces Torx	
E160909	Screwdrivers Set 7 Pieces Tampertorx	
E121428	Nut Spinners Set 6 Pieces 2-6mm	
E160920	Screwdrivers Primo Slotted Set PH, 5Piece ( <i>New</i> )	
E160922	Screwdrivers Primo Slotted Set PZ, 5Piece ( <i>New</i> )	
E160924	Screwdrivers Primo Slotted Set PH/PZ, 10Piece ( <i>New</i> )	
E160926	Screwdrivers Primo Tampertorx , 5Piece ( <i>New</i> )	
<b>Flat Head Electricians Screwdrivers</b>		
E160101	Screwdriver Slotted Parallel 2.0 x 50	
E165006	Screwdriver Slotted Parallel 2.5 x 50	
E164978	Screwdriver Slotted Parallel 3 x 50	
E164983	Screwdriver Slotted Parallel 3.5 x 75	
E165017	Screwdriver Slotted Parallel 4 x 100	
E165093	Screwdriver Slotted Parallel 4 x 150	
E160102	Screwdriver Slotted Parallel 4 x 250	
E160103	Screwdriver Slotted Parallel 5.5 x 250	
E165476	Screwdriver Slotted Parallel 5.5 x 125	
E165096	Screwdriver Slotted Parallel 6.5 x 150	

Model No.	Description	Image
E160104	Screwdriver Slotted Parallel 6.5 x 250	
<b>Flat Head Mechanics Screwdrivers</b>		
E160201	Screwdriver Flared 2.5 x 75	
E165479	Screwdriver Flared 3 x 75	
E165480	Screwdriver Flared 3 x 100	
E165016	Screwdriver Flared 4 x 100	
E165481	Screwdriver Flared 4 x 125	
E165098	Screwdriver Flared 5.5 x 100	
E165482	Screwdriver Flared 5.5 x 125	
E165483	Screwdriver Flared 5.5 x 150	
E160206	Screwdriver Flared 6.5 x 125	
E165141	Screwdriver Flared 6.5 x 150	
E165138	Screwdriver Flared 8 x 175	
<b>HD. Flat Head Bolster Screwdrivers</b>		
E160202	Screwdriver Flared Bolster 6.5 x 150	
E160203	Screwdriver Flared Bolster 8 x 175	
E160204	Screwdriver Flared Bolster 10 x 200	
E160205	Screwdriver Flared Bolster 12 x 250	
<b>Flat Head Stubby Screwdrivers</b>		
E165484	Screwdriver Parallel 4 x 30	
E165400	Screwdriver Parallel 5.5 x 30	
E165404	Screwdriver Parallel 6.5 x 30	
<b>Phillips Head Screwdrivers</b>		
E165204	Screwdriver Ph00 x 50	
E165206	Screwdriver Ph0 x 75	
E165207	Screwdriver Ph1 x 100	
E160304	Screwdriver Ph1 x 250	
E165209	Screwdriver Ph2 x 125	
E160305	Screwdriver Ph2 x 250	
<b>Philips Head Bolster Screwdrivers</b>		
E160301	Screwdriver Bolster Ph2 x 125	
E160302	Screwdriver Bolster Ph3 x 150	
E160303	Screwdriver Bolster Ph4 x 200	
<b>Philips Head Stubby Screwdrivers</b>		
E165406	Screwdriver Ph1 x 30	
E165407	Screwdriver Ph2 x 30	
<b>Pozi Head Screwdrivers</b>		
E165319	Screwdriver Pz0 x 75	
E165335	Screwdriver Pz1 x 100	
E165337	Screwdriver Pz2 x 125	
<b>Pozi Head Bolster Screwdrivers</b>		
E160401	Screwdriver Bolster Pz2 x 125	
E160402	Screwdriver Bolster Pz3 x 150	
E160403	Screwdriver Bolster Pz4 x 200	
<b>Pozi Head Stubby Screwdrivers</b>		
E165408	Screwdriver Pz1 x 30	
E165409	Screwdriver Pz2 x 30	
<b>Torx Head Screwdrivers</b>		
E160501	Screwdriver T6 x 50	
E160502	Screwdriver T7 x 50	
E160503	Screwdriver T8 x 50	

Model No.	Description	Image
E160504	Screwdriver T9 x 75	
E160505	Screwdriver T10 x 75	
E160506	Screwdriver T15 x 75	
E160507	Screwdriver T20 x 100	
E160508	Screwdriver T25 x 100	
E160509	Screwdriver T27 x 100	
E160510	Screwdriver T30 x 125	
E160511	Screwdriver T40 x 125	
<b>Tamper Torx Head Screwdrivers</b>		
E165340	Screwdriver TT10 x 75	
E165395	Screwdriver TT15 x 75	
E165396	Screwdriver TT20 x 100	
E165397	Screwdriver TT25 x 100	
E160601	Screwdriver TT27 x 100	
E165398	Screwdriver TT30 x 125	
E165399	Screwdriver TT40 x 125	
<b>Wood Handle Screwdrivers</b>		
E161001	Wood Handle Screw Flared 5.5 x 100	
E161002	Wood Handle Screw Flared 6.5 x 100	
E161003	Wood Handle Screw Flared 8.0 x 150	
E161004	Wood Handle Screw Flared 10.0 x 200	
<b>Nut Drivers</b>		
E121501	Nut Driver 5mm	
E121502	Nut Driver 5.5mm	
E121503	Nut Driver 6mm	
E121504	Nut Driver 7mm	
E121505	Nut Driver 8mm	
E121506	Nut Driver 9mm	
E121507	Nut Driver 10mm	
E121422	Hexagonal Nut Spinner 2 x 75mm	
E121423	Hexagonal Nut Spinner 2.5 x 75mm	
E121424	Hexagonal Nut Spinner 3 x 75mm	
E121425	Hexagonal Nut Spinner 4 x 75mm	
E121426	Hexagonal Nut Spinner 5 x 100mm	
E121427	Hexagonal Nut Spinner 6 x 100mm	
E161110	Mini Screwdriver 75mm	
E161111	Mini Screwdriver 110mm	
E161115	Turn 6 Bit-Holder Screwdriver	
E161112	Blade Holder Screwdriver 4Piece	
E161113	Blade Holder Screwdriver 3Piece PH1	
<b>Screwdriver Bits &amp; Accessories</b>		
E113631	1/4in 25mm Torsion Bit Pz1 6pc	
E113632	1/4in 25mm Torsion Bit Pz2 6pc	
E113633	1/4in 25mm Torsion Bit Pz3 6pc	
E113685	1/4in 25mm Torsion Bit Ph1 6pc	
E113686	1/4in 25mm Torsion Bit Ph2 6pc	
E113687	1/4in 25mm Torsion Bit Ph3 6pc	
E113650	1/4in 25mm Bit Hex Skt 2.0mm 6pc	
E113651	1/4in 25mm Bit Hex Skt 2.5mm 6pc	

Model No.	Description	Image
E113652	1/4in 25mm Bit Hex Skt 3.0mm 6pc	
E117768	1/4in 25mm Bit Hex Skt 4.0mm 6pc	
E113654	1/4in 25mm Bit Hex Skt 5.0mm 6pc	
E113655	1/4in 25mm Bit Hex Skt 6.0mm 6pc	
E113656	1/4in 25mm Bit Hex Skt 7.0mm 6pc	
E113657	1/4in 25mm Bit Hex Skt 8.0mm 6pc	
E113658	1/4in 25mm Bit Hex Skt 10mm 6pc	
E130101	1/4in Bit 25mm 4.0mm Slot 6pc	
E130102	1/4in Bit 25mm 4.5mm Slot 6pc	
E130103	1/4in Bit 25mm 5.5mm Slot 6pc	
E130104	1/4in Bit 25mm 6.5mm Slot 6pc	
E130105	1/4in Bit 25mm 8.0mm Slot 6pc	
E117771	1/4in Bit Torx T6 25mm 3pc	
E117772	1/4in Bit Torx T7 25mm 3pc	
E117773	1/4in Bit Torx T8 25mm 3pc	
E117774	1/4in Bit Torx T9 25mm 3pc	
E117775	1/4in Bit Torx T10 25mm 3pc	
E117776	1/4in Bit Torx T15 25mm 3pc	
E117777	1/4in Bit Torx T20 25mm 3pc	
E117778	1/4in Bit Torx T25 25mm 3pc	
E117779	1/4in Bit Torx T30 25mm 3pc	
E117780	1/4in Bit Torx T40 25mm 3pc	
E117781	1/4in Bit Tamp Proof Torx10 25mm 3pc	
E117782	1/4in Bit Tamp Proof Torx15 25mm 3pc	
E117783	1/4in Bit Tamp Proof Torx20 25mm 3pc	
E117784	1/4in Bit Tamp Proof Torx25 25mm 3pc	
E117785	1/4in Bit Tamp Proof Torx27 25mm 3pc	
E117786	1/4in Bit Tamp Proof Torx30 25mm 3pc	
E117787	1/4in Bit Tamp Proof Torx40 25mm 3pc	
E113637	1/4in 50mm Bit Pz1 - 6pc	
E113638	1/4in 50mm Bit Pz2 - 6pc	
E113639	1/4in 50mm Bit Pz3 - 6pc	
E113691	1/4in 50mm Bit Ph1 - 6pc	
E113692	1/4in 50mm Bit Ph2 - 6pc	
E113693	1/4in 50mm Bit Ph3 - 6pc	
E113659	1/4in 50mm Bit Hex Skt 3mm - 6pc	
E113660	1/4in 50mm Bit Hex Skt 4mm - 6pc	
E113661	1/4in 50mm Bit Hex Skt 5mm - 6pc	
E113662	1/4in 50mm Bit Hex Skt 6mm - 6pc	
E160801	Ratcheting Screwdriver	
E160802	Ratcheting Angled Handle Screwdriver	
E160803	Ratcheting Stubby Screwdriver	
E165490	Bit-Holder 125mm Blade	
E131601	Mini Ratcheting Bit-Holder	
E113643	Magnetic Hex Nut 7mm 1pc	
E113644	Magnetic Hex Nut 8mm 1pc	
E113645	Magnetic Hex Nut 9mm 1pc	
E113646	Magnetic Hex Nut 10mm 1pc	
E113648	Magnetic Bit-Holder - 1 Pc	
E113649	Square Drive Adaptor - 1 Pc	
E168733	Magnetic Bit-Holder+Lock Ring- 1 Pc	

Model No.	Description	Image
E131701	Bits Set: 48 Bits + Bit Holder 4-4.5-5.5-6.5x2-8mm	
E131705	Bits Set: 39 Bits+Sockets+Acc 4-5.5-6.5-8mm	
E113901	Bits Set: 18 Bits + Bit Holder 4-4.5-5.5mm	
E131702	Bits Set: 30 Bits + Accessories 4-5.5-6.5-8mm	
E131709	Bits Set: 100 Bits + Bit Holder ( <i>New</i> )	
E160804	Ratcheting Screwdriver w/bit set 59 piece ( <i>New</i> )	
E230301	1/2In Impact Screwdriver Set 12Piece ( <i>New</i> )	

## HEX KEYS

Hex Key Sets	
E113929	Short Hex Key Metric Set 1.5-10mm - 9pc
E121101	Long Hex Key Sleeve Set 3/32-3/8 in - 9pc
E113947	Long Hex Key Set 1.5-10mm - 9pc
E113976	Long Hex Key Ball Head 1.5-10mm - 9pc
E117816	Long Hex Key Set Ball Head 3/32-3/8 in - 9pc
E469262	Folding Set Of 7 Hex Keys 2.5-10mm
E469263	Folding Set Of 8 Torx Keys: T9-T40
E069253	Short Hex Keys Set 2-10mm 10pc
E121103	Sleeve Set Of 7 Tamper Torx Keys Tt10-Tt40
E121102	Sleeve Set Of 7 Torx Keys 1/16-3/8in 7pc
E121202	T-Handle Hex Keys 2.5-10, 7pc
E121203	T-Handle Sph Head Keys 4-10, 6pc
E121301	T-Handle Torx Keys T10t-T40, 7pc

## Short Hex Ket - Metric

E120101	0.9 mm
E113911	1.3 mm
E113912	1.5 mm
E113913	2 mm
E113914	2.5 mm
E113915	3 mm
E120102	3.5 mm



Model No.	Description	Image
E113916	4 mm	
E120103	4.5 mm	
E113917	5 mm	
E113918	6 mm	
E113919	7 mm	
E113920	8 mm	
E113921	9 mm	
E113922	10 mm	
E113923	11 mm	
E113924	12 mm	
E113925	13 mm	
E113926	14 mm	
E113927	17 mm	
E113928	19 mm	
<b>Long Hex Key - Metric</b>		
E113930	1.5 mm	
E113931	2 mm	
E113932	2.5 mm	
E113933	3 mm	
E113934	4 mm	
E113935	5 mm	
E113936	6 mm	
E113938	8 mm	
E120301	9 mm	
E113939	10 mm	
E120302	11 mm	
E120303	12 mm	
E120304	14 mm	
E120305	17 mm	
<b>Long Hex Key - inch</b>		
E113949	1/16 in	
E113950	5/64 in	
E113951	3/32 in	
E113953	1/8 in	
E113955	5/32 in	
E113956	3/16 in	
E113957	7/32 in	
E113958	1/4 in	
E113960	3/8 in	
<b>Long Hex Key Ball End - Metric</b>		
E113964	1.5 mm	
E113965	2 mm	
E113966	2.5 mm	
E113967	3 mm	
E113968	4 mm	
E113969	5 mm	
E113970	6 mm	
E113972	8 mm	
E113974	10 mm	
<b>Long Hex Key Ball End - inch</b>		
E120601	1/16 in	

Model No.	Description	Image
E120602	5/64 in	
E120603	3/32 in	
E120604	1/8 in	
E120605	5/32 in	
E120606	3/16 in	
E120607	7/32 in	
E120608	1/4 in	
E120609	3/8 in	
<b>Tamper Torx Key</b>		
E113858	Resistorx Key N°10	
E113859	Resistorx Key N°15	
E113860	Resistorx Key N°20	
E113861	Resistorx Key N°25	
E120901	Resistorx Key N°27	
E113862	Resistorx Key N°30	
E113863	Resistorx Key N°40	
<b>Torx Key</b>		
E113994	Torx Key N°10	
E113995	Torx Key N°15	
E113996	Torx Key N°20	
E113997	Torx Key N°25	
E113998	Torx Key N°27	
E113999	Torx Key N°30	
E113854	Torx Key N°40	
<b>T-Handle Hex Key - Metric</b>		
E121204	2 mm	
E113977	2.5 mm	
E113978	3 mm	
E113979	4 mm	
E113980	5 mm	
E113981	6 mm	
E113982	8 mm	
E113983	10 mm	
<b>T-Handle Hex Key Ball Head - Metric</b>		
E113984	4 mm	
E113985	5 mm	
E113986	6 mm	
E113987	7 mm	
E113988	8 mm	
E113989	10 mm	
<b>T-Handle Torx Key</b>		
E113868	T-Handle Torx Key N°10	
E113869	T-Handle Torx Key N°15	
E113870	T-Handle Torx Key N°20	
E113871	T-Handle Torx Key N°25	
E113872	T-Handle Torx Key N°27	
E113873	T-Handle Torx Key N°30	
E113874	T-Handle Torx Key N°40	

Model No.	Description	Image
<b>TORQUE TOOLS</b>		
<b>Torque Multipliers &amp; Adaptor</b>		
E100103	1/2 x 3/4 in Torque Multiplier 1500Nm	
E100104	1/2 x 1 in Torque Multiplier 2500Nm	
E100203	Breakaway Adaptor 1500 Nm	
E100204	Breakaway Adaptor 2500 Nm	
<b>Torque Wrenches</b>		
E100105	1/4in Torque Wrench 5 to 25Nm	
E100106	3/8in Torque Wrench 10 to 50Nm	
E100107	1/2in Torque Wrench 20 to 100Nm	
E100108	1/2in Torque Wrench 40 to 200Nm	
E100109	1/2in Torque Wrench 60 to 340Nm	
E100110	3/4in Torque Wrench 150 to 750Nm	
E100503	Ratchet Repair Kit for 1/2" Torque Wrench ( <i>New</i> )	
E100504	Ratchet Repair Kit for 3/4" Torque Wrench ( <i>New</i> )	
E100114	3Piece 1/2" Preset Torque Wrench Set 90-110-120N.m, 48Teeth ( <i>New</i> )	
<b>Important Note:</b> For calibration, please note that all torque wrenches are pre-calibrated at the factory and is valid from 1 year from date of first use. However, if you still need a calibration certificate, this will have to be issued from a Calibration Lab for which the certificate charges will be applicable.		
<b>PLIERS</b>		
E189866	Combination.Plier 160mm	
E189867	Combination.Plier 180mm	
E189868	Combination.Plier 200mm	
E184690	Std Multigrip Pliers 240mm Pvc Grip	
E084648	Twin Slip Joint Multigrip 250mm	
E084649	Twin Slip Joint Multigrip 300mm	
E080201	Electrician Diagonal Cutter 140mm	
E080202	Diagonal Cutting Mechanical 180mm	
E189858	Electrician Diagonal Cutter 160mm	
E189859	Electrician Diagonal Cutter 180mm	
E189860	Hi Levera.Diago Piano Wire Cut-160mm	
E189861	Hi Levera.Diago Piano Wire Cut-200mm	
E189875	End Nipper "Piano Wire"Cutters-160mm	
E084495	Flat Nose Plier 160mm + Wire Cutter	
E189869	Straight Nose 1/2 Round.Pliers-160mm	
E189870	Straight Nose 1/2 Round.Pliers-200mm	
E189871	Lg 1/2 Round Plier Bended Nose 160mm	
E189872	Lg 1/2 Round Plier Bended Nose 200mm	
E084496	Round Nose Plier 160mm	
E080804	Set Of 3 Mechanical Pliers,E189867+E189860+E189870	
E080805	Set Of 4 Mechanical Pliers,E189867+E189860+E189870+E084648	
E117908	Straight Outside Circlip Plier 150mm C 0.9mm	
E117909	Straight Outside Circlip Plier 150mm C 1.3mm	
E117910	Straight Outside Circlip Plier 185mm C 1.8mm	
E117911	Straight Outside Circlip Plier 215mm C 2.4mm	
E117912	Straight Inside Circlip Plier 140mm C 0.9mm	
E117913	Straight Inside Circlip Plier 145mm C 1.3mm	

Model No.	Description	Image
E117914	Straight Inside Circlip Plier 185mm C 1.8mm	
E117915	Straight Inside Circlip Plier 215mm C 2.3mm	
E117920	Inside Circlip Plier 140mm C 0.9mm, 90°	
E117921	Inside Circlip Plier 145mm C 1.3mm, 90°	
E117922	Inside Circlip Plier 185mm C 1.8mm, 90°	
E117923	Inside Circlip Plier 215mm C 2.3mm, 90°	
E117916	Outside Circlip Plier 150mm C 0.9mm, 90°	
E117917	Outside Circlip Plier 150mm C 1.3mm, 90°	
E117918	Outside Circlip Plier 185mm C 1.8mm, 90°	
E117919	Outside Circlip Plier 215mm C 2.4mm, 90°	
E084807	Locking Plier Curved Jaw, 145mm/6"	
E084808	Locking Plier Curved Jaw, 185mm/7-1/2"	
E084809	Locking Plier Curved Jaw, 225mm/9"	
E084812	Locking Plier Long Nose, 170mm/7"	
E084813	Locking Plier Long Nose, 215mm/8-1/2"	
E084815	Locking Plier "C" Clamp, 170mm/7"	
E084816	Locking Plier "C" Clamp, 285mm 11 1/2"	
E080701	Locking Plier Large Capacity Jaw 250	
E184179	Russian Pincer 200mm	
E184302	Russian Pincer 220mm	
E184181	Russian Pincer 250mm	
E184182	Russian Pincer 280mm	
<b>STRIKING TOOLS</b>		
E150101	Din Hammer 25mm	
E150102	Din Hammer 30mm	
E150103	Din Hammer 50mm	
E150104	Din Hammer 80mm	
E150105	Din Hammer 100mm	
E150106	Ball Pein Hammer 1/4lb	
E150107	Ball Pein Hammer 1/2lb	
E150108	Ball Pein Hammer 1lb	
E150109	Ball Pein Hammer 1-1/2lb	
E150110	Ball Pein Hammer 2lb	
E154665	Engineers Hammer 25mm	
E154667	Engineers Hammer 30mm	
E154668	Engineers Hammer 32mm	
E154669	Engineers Hammer 35mm	
E154670	Engineers Hammer 40mm	
E154672	Engineers Hammer 45mm	
E154673	Engineers Hammer 50mm	
E154674	Engineers Hammer 55mm	
E150111	Club Hammer 1000G	
E150112	Club Hammer 1250G	
E150113	Club Hammer 1500G	
E150114	Club Hammer 2000G	
E150115	Dead Blow Hammer 500G	
E150116	Dead Blow Hammer 1000G	
E150301	Face Mallet 27mm	
E150302	Face Mallet 32mm	
E150303	Face Mallet 40mm	
E150304	Face Mallet 50mm	

Model No.	Description	Image
E151002	Copper Hammer 24Oz	
E151004	Copper Hammer 56Oz	
E150305	Nylon Tip 27mm (per piece)	
E150306	Nylon Tip 32mm (per piece)	
E150307	Nylon Tip 40mm (per piece)	
E150308	Nylon Tip 50mm (per piece)	
E150501	Center Punch 2.5mm	
E150502	Center Punch 4mm	
E418227	Center Punch 6mm	
E418228	Center Punch 8mm	
E418236	Center Punch 10mm	
E150503	Automatic Center Punch 4mm	
E150504	Automatic Center Punch 7mm (New)	
E418226	Drift Punches Set 6 Piece	
E418230	Drift Punch 2mm	
E418231	Drift Punch 3mm	
E418232	Drift Punch 4mm	
E418233	Drift Punch 5mm	
E418234	Drift Punch 6mm	
E418235	Drift Punch 8mm	
E150701	Extra Flat Slim-Profile Chisel 26mm	
E150702	Constant Profile Flat Chisel 21mm	
E150703	Constant Profile Flat Chisel 24mm	
E150704	Constant Profile Flat Chisel 27mm	
<b>MEASURING &amp; LAYOUT TOOLS</b>		
E140103	Tape Measure 5M	
E140104	Tape Measure 8M	
E140601	Vernier Caliper 6in	
E140801	Stainless Steel Rule 200mm	
E161114	Square Point 100mm (New)	
E003601	Steel Scriber - 190mm	
E140902	Monobloc Carbide Scriber - 190mm	
<b>SAWING/CUTTING TOOLS</b>		
E020101	Mini Hacksaw - Revolver Handle	
E115122	Metal Hacksaw Revolver Handle	
E020906	Aviation Snips Long Cut	
E214563	Aircraft Shears Straight Cut Confort	
E020902	Aircraft Shears R Cut Confort Handle	
E020903	Aircraft Shears L Cut Confort Handle	

Model No.	Description	Image
E020904	Offset Shears - Right Cut	
E020905	Offset Shears - Left Cut	
E020901	Multi Purposes Shears	
E184195	Scroll Shears - Thin Blades	
<b>LIGHTING/PIPING/MAINTENANCE TOOLS</b>		
E201407	Articulated Inspection Lamp	
E201406	USB Rechargeable Pen Light	
E201408	Underbonnet Led Light Lamp	
E201409	Flexible Lamp	
E201410	Flexible UV Lamp	
E201403	Inspection Lamp 11w	
E201401	Rechargeable Lamp 80 Leds	
E201411	15W Cordless COB LED Spot Lamp <i>(New)</i>	
E201412	35W Corded COB LED Spot Lamp <i>(New)</i>	
E201424	Spot Lamp Floor Stand <i>(New)</i>	
E201425	Tripod Stand 650 - 1850mm <i>(New)</i>	
E117822	Pipe Wrench 14in	
E117823	Pipe Wrench 18in	
E117824	Pipe Wrench 24in	
E117827	Nylon Strap Wrench 4in	
E117828	Nylon Strap Wrench 6in	
E090101	4in Nylon Belt For Strap Wrench	
E090102	6in Nylon Belt For Strap Wrench	

Model No.	Description	Image
E169804	Riveting Plier 270mm	
E020305	Glass Cutter (New)	
E090303	Revolving Hollow Punch Gun (New)	
E090104	Gas Plier (New)	
<b>ELECTRICITY/ELECTRONIC TOOLS</b>		
E189874	Cable Cutter 220mm	
E050101	Wire Stripper 160mm	
E050103	Cable Strippers 25mm-dia capacity	
E050301	Crimping Plier 0.4-6mm2	
E050302	Non Insulated Crimping Plier (New)	
E117903	Stripping Plier 1.5-6mm2	
E050105	Automatuic Stripping pliers 7-8mm (New)	
E084003	VDE 1000V High Leverage Diag Pliers 160mm	
E084004	VDE 1000V High Leverage Diag Pliers 180mm	
E084006	VDE 1000V Half Round Long Nose 160mm	
E050403	VDE 1000V Half Round Strait Nose 200mm	
E050404	VDE 1000V Half Round Bended Nose 160mm	
E050405	VDE 1000V Half Round Bended Nose 200mm	
E084000	VDE 1000V Combination Pliers 160mm	
E184001	VDE 1000V Combination Pliers 180mm	
E050401	VDE 1000V Combination Pliers 200mm	
E084010	VDE 1000V Wire Strippers 160mm	
E084294	VDE 1000V Twin Slip Joint 250mm	
E165410	Screwdriver 1000v 2.5x50	
E165411	Screwdriver 1000v 3.5x75	
E165412	Screwdriver 1000v 4x100	
E165413	Screwdriver 1000v 5.5x150	
E165420	Screwdriver 1000v 6,5x150	
E165414	Screwdriver 1000v Ph0x75	
E165415	Screwdriver 1000v Ph1x100	
E165416	Screwdriver 1000v Ph2x125	
E165421	Screwdriver 1000v Ph3x150	
E165418	Screwdriver 1000v Pz1x100	
E165419	Screwdriver 1000v Pz2x125	
E165422	Screwdriver 1000v Pz3x150	
E161101	Voltage Tester 100-500v 3,5x65	
E160910	Insulated Screwdrivers Set Slot/Ph - 6 Piece	
E160911	Insulated Screwdrivers Set Slot/Pz - 6 Piece	
E160912	Insulated Screwdrivers Set - 10 Piece	

Model No.	Description	Image
E117762	Elec.Knife Wire Stripper Wood Handle	
E117763	Elec.Knife One Blade Wood Handle	
E117767	Electricians Knife - Two Blades	
E117764	Elec Scissors Wire Stripper 130mm	
E184280	Sheated Elec.Scis. Wire Strip.150mm	
E090501	Soldering Iron W/Butan Gas 1.2mm tip ( <i>New</i> )	
E161102	Micro Screwdriver Set	
E161103	Micro Screwdriver Ph000	
E161104	Micro Screwdriver Ph00	
E161105	Micro Screwdriver Ph0	
E161106	Micro Screwdriver 2x40	
E161107	Micro Screwdriver 2.5x40	
E161108	Micro Screwdriver 3x40	
E161109	Multi Bits Micro Screwdriver Set	
E501201	Long Straight Tweezers	
E501202	Long Angled Tweezers 35°	
E501203	Non Magnetic Straight Tweezers	
E117877	Micro Long Nose Plier	
E117878	Micro Long Bent Nose Plier	
E117883	Micro Flat Nose Plier	
E117879	Micro Cutting Plier Flush Cut 110mm	
E117880	Micro Cutting Plier Flush Cut 115mm	
E117882	Micro Cutting Plier Extra Flush Cut	
<b>AUTOMOTIVE TOOLS</b>		
<b>Workshop Equipment</b>		
E200101	2 Ton Jack : Max Lift 413mm, Minimum height under body 108mm, Metal wheels	
E200102	2 Ton Low Profile Jack : Max lift 375mm, Min Height under body 80mm, 520mm(H 90mm)	
E200103	3.2 Ton Jack : Max lift 504mm, Min height under body 145mm	
E200117	Set Of Seals 2 Ton Jack	
E200119	Set Of Seals 2 Ton Long Jack	
E200118	Set Of Seals 3.2 Ton Jack	
E051402	2-in-1 Telescopic Mirror ( <i>New</i> ) - Magnetic fingers. - Expandable size: 200 to 690 mm. - Mirror diameter: 35 mm.	
E200108	Bottle Jack - 2 Ton	
E200109	Bottle Jack - 6 Ton	
E200110	Bottle Jack - 12 Ton	
E200111	Bottle Jack - 20 Ton	

Model No.	Description	Image	
E200105	3 Ton Axle Stand		
E200106	6 Ton Axle Stand		
E200107	12 Ton Axle Stand		
E200114	Mechanical Inspection Creeper		
E200131	Kneeling Pad		
E200116	Fender Cover		
<b>Two Leg Puller</b>			
E096002	65mm		
E096003	90mm		
E096004	130mm		
E096005	175mm		
E096006	220mm		
<b>Oil Change-Filtration</b>			
E200202	Drain Plug Wrench		
E200203	13 Drain Plug Bits		
E200209	Drain Plug Bit Hexagonal Male 8mm		
E200210	Drain Plug Bit Hexagonal Male 10mm		
E200211	Drain Plug Bit Hexagonal Male 12mm		
E200212	Drain Plug Bit Hexagonal Male 13mm		
E200213	Drain Plug Bit Hexagonal Male 14mm		
E200214	Drain Plug Bit Hexagonal Male 17mm		
E200208	Drain Plug Bit Female		
E200215	Drain Plug Bit Triangle		
E200216	Drain Plug Bit Xzn		
E117117	Oil Filter Wrench		
E200219	Oil Filter Wrench For Truck		
E200229	Self Adjusting Oil Filter Wrench		
E200227	Oil Change Collection Tray		
E200228	Oil Change Collection And Storage Tray		
E200201	Oil Filter Cap Wrench Kit 30 Piece		

Model No.	Description	Image
E201701	Line Clamp Triple Pack (2 pcs) Large:Sz-63m/m(22-60mm) + Medium Size-29m/m(22-42mm)	
E201801	Master Terminal Tool Kit Updated kit for most modern vehicles, Eliminates potential damage to wires and terminal blocks	
E200231	Syringe for Oil Change 1.5L	
E906001	Bearing Separator 2 Sets & Bolts Cap 30mm-50mm	
<b>Engine</b>		
E200501	Hose Clamp Pliers Set	
E200504	Hose Clamp Pliers With Cable	
E200505	Swivelling Jaw Hose Clamp Pliers	
E200506	Swivelling Jaw Hose Clamp Pliers	
E200507	Click Hose Clamp Pliers	
E200508	Hose Remover Pliers	
E200509	Flat Nose Clamp Pliers	
E200510	Angled Flat Nose Clamp Pliers	
E051501	Flexible Magnetic Retriever (New)	
E090701	Oil Can 300ML (New)	
E090702	Oil Can 500ML (New)	
E200502	Coolant Drainer Cap:30L Dimensions: 850 x 600 x 125mm	
E200401	12V Battery Booster 8.5KG / Peak current: 2200A / Start-up current / 840A / Copper Cables: 55cm/28mm <sup>2</sup> / Automatic charger:1.5 A	
E200511	Radiator pressure tester kit	
E200512	Combo Fluid Extractor	
E200513	38pcs Bit sockets set Mixt. Hex / Torx 8p	
E200514	32pcs 1/2" DR TORX Bit socket set	
E200515	26pcs 1/2" DR SPLINE Bit socket set	
E200516	30pcs 1/2" DR HEX Bit socket set	
E200517	Open Ended Ring Wrench Socket Set (x6)	

Model No.	Description	Image
E200518	Valve Grinder – Set of 2	
E200519	Fuel Line Pliers	
E200520	Stethoscope	
E201113	Wheel bearing tool set	
<b>Windshield</b>		
E201501	Windshield Handling Kit (3pcs)	
E201502	Double suction cup	
E201503	Ratchet strap 5m	
E201504	10" Pump Vacuum suction cup	
E201505	Multi Function suction cup	
E201506	Window Handling Kit (2pcs)	
E201507	Suction Pad Clamps (6 pcs)	
E201508	Multi function Mini Suction Cup	
E201509	Rain and light sensor removal tools	
E201510	Windshield Wiper Puller	
E201511	Heavy duty windshield wiper puller	
E201512	Wiper Pick up tool	
E201513	Windshield removal tool	

Model No.	Description	Image
E201515	Wire feeder tool	
E201516	Wire gripping handles (2pcs) + wire	
E201517	Windshield cut out wire	
E201518	Windshield cut out wire square	
E201519	Scraper	
E201520	5pcs spare blade for scraper	
<b>Spark Plugs &amp; Wheels</b>		
E200302	Spark Plug Sockets 16mm	
E200303	Spark Plug Sockets 21mm	
E200503	Vag Spark Coil Remover Set	
E200307	Metric Feeler Gauge	
E200306	Spark Plug Cleaning Steel Wire Brush	
E201109	Valve core tool 2 in 1	
E201110	Tire and air conditioner valve core tool	
E201111	Tire Valve stem repair tool 4-in-1	
E201117	Straight Tyre Lever 500mm	
E201118	Curved Tyre Lever 728mm	
E201119	Snap In Tire Valce Installer 285mm	
E201116	X-Wrench 24 x 27 x 32 x 3/4"	
E201112	Wheel weight tool	
E201100	Ball Joint Separators Set 3 Piece	
E194676	Deep Impact Socket For Wheels	
<b>Brakes</b>		
E200901	Vacuum Brake Bleeder	
E200902	Supply Bottle	

Model No.	Description	Image
E200903	Brake Fluid Tester	
E200904	Brake Caliper Win Back Set	
E200905	Flaring Tool Set	
E200906	Brake Line Flare Nut Wrench 10X11	
E200907	Syringe for Vehicle Fluid Change(Brake+anti freeze)	
<b>Body Work</b>		
E201201	Positive Lift Action Clip Remover Pliers 240mm	
E201202	Trim Clip Pliers : 35 ° offset	
E201203	Mini Trim and Panel Removal kit (6 pcs)	
E201204	Composite Scraper kit (4 pcs)	
E201205	12Pc. Universal Tools For Expanding Air Bag Set: 5Screwdriver insert 1/4" drive 80mm long, 7Special Keys	
E201206	9pc Universal lockout tool set	
E201001	Spring Compressor Set	

## AUTOMOTIVE TOOL TROLLEY SET 222 PC

### Key Features

- Load capacity : 400kg
- Double wall construction
- 35mm ball bearing slides with safety lock
- 3 modules per drawer
- Soft bumpers on each corner
- Heavy duty rubber casters
- Side can holder
- Powder coated, scratch and solvent resistant
- Expert branded ABS pulls



E010132

### THE EXPERT MODULAR TOOL STORAGE SYSTEM

- Expert tool modules and range of modular cases were developed to offer easy to organise storage of your tools, optimizing the space in your roller cabinet drawers.
- Expert roller cabinets and their drawers are specially designed with widths to fit 3 tool modules to meet your tool storage needs.
- A drawer can be organised to store both tool modules and modular cases together, whether open or closed, without wasting any space.
- By optimizing the available space in your roller cabinet means that all of your tools are available from the same location, maximizing your productivity .

**Tool Set Contents:**

**E194937**  
Combination Wrench  
Set 16 pcs 6-24mm

**E111100**  
Ratchet Combination  
Set 8 pcs 8-19mm

**E194677**  
1/2in Drive Socket &  
Accessory Set 21pcs

**E111220**  
Open End Wrench  
Set 11 pcs 6-32mm

**E111710**  
Offset Ring Wrench  
Set 8 pcs 6-24mm



**E194680**  
1/4" Dr. Socket &  
Accessory Set 45 pcs

**E194941**  
Tamper Torx  
Screwdriver Set 6pcs



**E150803**  
Shock Tools Ball  
Penn Hammer 7Pcs

**E194940**  
Standard Screwdriver  
Set 8pcs



**E121201**  
T-Handle Hex Key  
Set 8Pcs

**E194943**  
Module Of Circlips  
Pliers 4pcs



**E121105**  
Screw-Driving  
Set 74 pcs

**E194945**  
Mechanical Pliers  
Set 4 pcs



**E080801**  
Multigrip + Locking  
Plier 2 pcs

TOOLS OF YOUR PRODUCTIVITY

## AUTOMOTIVE MASTER TOOL TROLLEY SET 239 PC

### Key Features

- Load capacity : 400kg
- Double wall construction
- 35mm ball bearing slides with safety lock
- 3 modules per drawer
- Soft bumpers on each corner
- Heavy duty rubber casters
- Side can holder
- Powder coated, scratch and solvent resistant
- Expert branded ABS pulls



### THE EXPERT MODULAR TOOL STORAGE SYSTEM

- Expert tool modules and range of modular cases were developed to offer easy to organise storage of your tools, optimizing the space in your roller cabinet drawers.
- Expert roller cabinets and their drawers are specially designed with widths to fit 3 tool modules to meet your tool storage needs.
- A drawer can be organised to store both tool modules and modular cases together, whether open or closed, without wasting any space.
- By optimizing the available space in your roller cabinet means that all of your tools are available from the same location, maximizing your productivity .

**Tool Set Contents:**

**E194937**  
Combination Wrench  
Set 16 pcs 6-24mm



**E111100**  
Ratchet Combination  
Set 8 pcs 8-19mm



**E194677**  
1/2in Drive Socket &  
Accessory Set 21pcs



**E111220**  
Open End Wrench  
Set 11 pcs 6-32mm



**E111710**  
Offset Ring Wrench  
Set 8 pcs 6-24mm



**E194939**  
Angled Socket Wrench  
Set 10 pcs 8-19mm



**E194680**  
1/4" Dr. Socket &  
Accessory Set 45 pcs



**E194941**  
Tamper Torx  
Screwdriver Set 6pcs



**E121213**  
T-Handle Torx Keys  
Set T10-T40 7piece



**E194945**  
Mechanical Pliers  
Set 4 pcs



**E080801**  
Multigrip + Locking  
Plier 2 pcs



**E150803**  
Shock Tools Ball  
Penn Hammer 7Pcs



**E194940**  
Standard Screwdriver  
Set 8pcs



**E121201**  
T-Handle Hex Key  
Set 8Pcs



**E194943**  
Module Of Circlips  
Pliers 4pcs



**E121105**  
Screw-Driving  
Set 74 pcs

**TOOLS OF YOUR PRODUCTIVITY**

Model No.	Description	Image
<b>PRECISION TOOLS</b>		
VNC/6	Vernier Caliper, 0-150mm/0-6", 40mm	
VNC/8	Vernier Caliper, 0-200mm/0-8", 50mm	
VNC/12	Vernier Caliper, 0-300mm/0-12", 64mm	
DLC/150	Dial Caliper 0-150mm	
DLC/200	Dial Caliper 0-200mm	
EDC/6	Electronic Caliper 0-6"/0-150mm	
EDC/8	Electronic Caliper 0-8"/0-200mm	
EDC/12	Electronic Caliper 0-12"/0-300mm	
MM/0-25	Outside Micrometer 0 - 25mm	
MM/25-50	Outside Micrometer 25 - 50mm	
MM/50-75	Outside Micrometer 50 - 75mm	
MM/75-100	Outside Micrometer 75 - 100mm	
MM/0-100/ST4	Outside Micrometer Set 4pcs, 0-100mm	
MM/0-150/ST6	Outside Micrometer Set 6pcs, 0-150mm	
MMED/1	Electronic Micrometer 0-1"/0-25mm, IP54	
CSQ/12/4/ST	Combination Square Set 4pcs 12"/300mm	
DLG/10	Dial Indicator 0-10mm, AGD2	
DGI/1	Digital Indicator 0-12.5mm/0-0.5"	
MB/30	Articulating Arm W/M.Base Type I,180mm	
<b>LED Working Lights (NEW)</b>		
LED/601	<b>Portable Lamp w/Stand</b> 1600 Lumens 27W, 3M long power cord Waterproof Rating IP68 Power Source: 220V AC, 50 Hz. / 110V AC, 60 Hz	
LED/611	<b>Tripod Site Lamp</b> 3200Lumens, 54W, 1.5m, , 3M long power cord Waterproof Rating IP68 Power Source: 220V AC, 50 Hz. / 110V AC, 60 Hz.	
LED/340	<b>Rechargeable Worklight</b> 350 Lumens / 60SMD 3.5 Use Hours Dual Voltage AC charger for use with 220V AC, 50 Hz/110V AC, 60H	

Model No.	Description	Image
LED/350	<b>Underhood Worklight</b> 1000Lumens / 200SMD , 47-76 Wide" TPR Handle, 2.45 Use Hours Dual Voltage AC charger for use with 220V AC/50 Hz/110V AC/60 Hz	
LED/301	<b>Dry-cell Multi-Use Worklight</b> 18Lumens, AAA Waterproof Rating IPX4	
LED/320	<b>Dry-cell Inspection Lamp</b> 48Lumens, AA Swivel Hook & Magnetic	
LED/210	<b>Head light</b> 12 Lumens, AA 1 Red Flashing red Light Distance - 10M	
LED/130	<b>Magnetic Telescopic Flashlight</b> 8 Lumens, 4x 1.5 LR44 Batteries 17cm to 55cm Extendable Magnetic pick-up tool	
LED/100	<b>Flashlight w/laser</b> 18 Lumens, AAA Beam Distance: 20M	
LED/120	<b>UV Inspection Flashlight</b> 385Nm, AAA	
<b>PUNCH &amp; CHISELS</b>		
CRP/250-16	Concrete Point Chisel 10in X 5/8in	
CRP/300-19	Concrete Point Chisel 12in X 3/4in	
CHS/ST/6/1-2	Cold Flat Chisel 6in X 1/2in Blade	
CHS/ST/8/3-4	Cold Flat Chisel 8in X 3/4in Blade	
CHS/ST/10/3-4	Cold Flat Chisel 10in X 3/4in Blade	
CHS/ST/12/3-4	Cold Flat Chisel 12in X 3/4in Blade	
CHS/ST/12/0-1	Cold Flat Chisel 12in X 1in Blade	
CHS/ST/10/3-4/GRP	Cold Flat Chisel W/Grip 10in X 3/4in	
CHS/ST/12/0-1/GRP	Cold Flat Chisel W/Grip 12in X 1in	
CHS/ST/18/3-4/GRP	Cold Flat Chisel W/Grip 18in X 3/4in	
CHS/ST/6/ST	Cold Flat Chisel Set 6-Pc	
CP/5-32	Centre Punch Round Head 4mm X 100mm	
CP/1-4	Centre Punch Round Head 6mm X 125mm	
CP/5/ST	Centre Punch Set 5pcs 1/6"-5/32"	
CP/HD/ST-5	H. Duty Centre Punch Set 5-Pc 5/64"-3/8"	
ACP/1/B	Automatic Centre Punch 1/2in	
KIT/14/ST	Punch & Chisel Kit 14pcs	
KIT/24/ST	Punch & Chisel Kit 24pcs	
KIT/26/ST	Punch & Chisel Set 26pc	
HPL/10-ST	Hollow Punch Set 10-Pc (6,8,10,11,13,14,16,19,22 & 25mm)	

Model No.	Description	Image
HPL/14-ST	Hollow Punch Set 14-Pc (6,8,10,11,13,14,16,19,22,25,30,32,35 & 38mm)	
PPR/6/ST	Pin Punch Set 6-Pc (2.5, 3, 4, 5, 6, 8mm),	
PP/HD/6/ST	H. Duty Pin Punch Set 6-Pc (2.5, 3, 4, 5, 6, & 8mm),	
LP/10	Letter Punch 3/8in / 10mm	
LP/12	Letter Punch 1/2in / 12mm	
LP/5	Letter Punch 3/16in / 5mm	
LP/6	Letter Punch 1/4in / 6mm	
LP/8	Letter Punch 5/16in / 8mm	
NP/10	Number Punch 3/8in / 10mm	
NP/12	Number Punch 1/2in / 12mm	
NP/5	Number Punch 3/16in / 5mm	
NP/6	Number Punch 1/4in / 6mm	
NP/8	Number Punch 5/16in / 8mm	
<b>SAW FRAMES</b>		
CSF/10	<b>Coping Saw Frame 5in Height</b> Blue powder coated frame, Useful for cutting intricate shapes in wood.	
FSF/9	<b>Fret Saw Frame 12in Height</b> Uses 5", flat end, fret, scroll, jewelers, or spiral saw blades, Depth of cut 11-1/2".	
HF/15/BS	<b>Hd Hacksaw Frame Black/Grey 12in</b> The saw is adjustable for 10" (250 mm) & 12" (300 mm) blades. The blade can additionally be set for sawing at 90°.	
HF/12/BC	<b>Hack Saw Frame Chrome Blue 12in</b> A rugged heavy-duty industrial quality hacksaw designed for the professional	
JHF/P12/GY	<b>H. Duty Junior Saw Frame Grey Handle</b> This is a tough junior saw designed to provide the professional, the best for coping with small sawing applications	
JHF/4PD/GY	<b>Junior Saw Frame Grey Standard</b> Powder Coated Steel wire frame has rust inhibiting powder coated finish. Available in attractive blue or grey finish.	
MSB/H/55	Junior Saw Blade All Hard Tpi 32	
<b>WOODWORKING</b>		
BP/605	Block Planer 6-1/4 In Length,	

Model No.	Description	Image
SP/4	Smoothing Bench Plane 10" Length,	
JP/5	Hd Jack Bench Plane 14" Length,	
<b>MEASURING MARKING TOOLS</b>		
ID/10	Inside Caliper 10in / 250mm	
ID/12	Inside Caliper 12in / 300mm	
ID/6	Inside Caliper 6in / 150mm	
ID/8	Inside Caliper 8in / 200mm	
OD/10	Outside Caliper 10in / 250mm	
OD/12	Outside Caliper 12in / 300mm	
OD/6	Outside Caliper 6in / 150mm	
OD/8	Outside Caliper 8in / 200mm	
DD/6	Spring Divider 6" / 150mm	
DD/8	Spring Divider 8in / 200mm	
WCF/WZ-6	Center Finder Contour Set 4Piece	
<b>GREASE GUN &amp; ACCESSORIES</b>		
G1F-B	S.Value Grease Gun 500cm3, W/Flexi Host & Coupler	
G1R/B	S.Value Grease Gun 500cm3,W/Steel Ext. & Coupler	
G1R/HD/B	H.Duty Grease Gun 500cm3 W/Steel Ext. & Coupler	
GHC-12/B	Flexible Grease Gun Hose, 12" (300 mm) Length	
G5R/B	<b>Pistol Grease Gun 500cm3 W/Steel Ext</b> 14Oz(400gms), Threads 1/8" BSPT, Heavy Duty Aluminum Die Cast Head & super strong pistol grip handle	
VGP/10A	<b>HD Bucket Greaser 10kg Cap.</b> High Pressure 4000PSI, The Pump delivers upto 9 gms (0.30 oz.) of Grease per stroke which is twice the amount of grease discharge by any other pump.	
GS-5	<b>Portable Grease System 5kg Cap.</b> Hose length 1.5m, Fully Portable & single person operation manual greasing system designed for vol. greasing in workshop environments and site application	
GRP/501/04	<b>Air Operated Grease Pump 50kg</b> Drum Cover Dia. 15" (381 mm), Working Pressure:4 – 10 BAR (60-150 PSI), Operates off most small compressors with size as 0.08 cubic meter/min.(3cfm)	
APG/04/1-4F/B	<b>Grease control valve professional 7500psi</b> Premium quality Grease Control valve, for use with air operated grease pumps, Provides continuous grease flow, with trigger fully pressed	
HCF/1-4F/1-4M/B	Grease Swivel 1/4 Bspt-M X 1/4 Bspt-F	
HCF/1-4F/1-8M/B	Grease Swivel 1/4 Bspt-F X 1/8 Bspt-M	
GFT/KIT/M-80	Grease Fitting Kit Metric 80pcs Set	
GFT/KITLSAE-80	Grease Fitting Kit Sae 80pcs Set	

Model No.	Description	Image
<b>LUBRICATION EQUIPMENT</b>		
OLP/12	<b>Bucket Oil Pump 13 Litre</b> Pump designed for transferring transmission differentials & heavier oils, Zinc plated pump body with aluminum die cast head & adjusting flange.	
FOP/10A	<b>High Pressure Foot Operated Grease Pump (NEW)</b> Pump delivers over 2 gms of grease per stroke & develops 8700 PSI (600 BAR) / Works with NLGI 1, 2 & 3 Greases	
GNB-25/3R/SPL	<b>Rotary Barrel Steel Pump Inlet 1"</b> Extremely Heavy Duty & rugged weighing 6.6 kgs (14.5 lbs).Pump seals are made from Hi Nitrile rubber.	
LBP/04	<b>Lever Action Barrel Pump</b> Premium powder coated S.pump body w/ribbed section aluminum die cast pump head for maximum strength, Plated S.lever handle w/rubber grip for convenience.	
CMP/10	<b>Chemical Pump</b> 15-55GAL Polypropylene, Steel & Viton (Yellow)	
CMP/12	<b>Chemical Pump</b> 15-55GAL Nylon Construction, Stainless Steel & PTFE (Red)	
PLP/02	<b>Plastic Lever Pump</b> 15-55GAL, Polyacetal, Polypropylene, Polyethylene, PVC & Viton	
MP21R	Oil Can 200ml/6 Oz Rigid Spout	
MP22F	Oil Can 300ml/10 Oz Flexible Spout	
FNL/9	Plastic Funnel 9 In Dia 3.5 Ltr Cap	
MSR/P/F-1	Flexible Spout Measure 1ltr (1quart)	
MSR/P/F-5	Flexible Spout Measure 5ltr (5quart)	
<b>INDESTRUCTIBLE HANDLE HAMMERS</b>		
SHID/6/30	Sledge Hammer 6lb / 30in handle length	
SHID/8/30	Sledge Hammer 8lb / 30in handle length	
SHID/10/30	Sledge Hammer 10lb / 30in handle length	
SHID/12/30	Sledge Hammer 12lb / 30in handle length	
SHID/14/30	Sledge Hammer 14lb / 30in handle length	
CHID/2.5/12	Club Hammer 2.5lb / 12in handle length	
CHID/4/12	Club Hammer 4lb / 12in handle length	

Model No.	Description	Image
BPID/24/14	Ball Pein Hammer 24oz / 14in handle length	
BPID/32/14	Ball Pein Hammer 32oz / 14in handle length	
CHID/4/12/CU	Copper Club Hammer 4lb / 12in handle length	
SHID/8/24/CU	Copper Sledge Hammer 8lb / 24in handle	
CLID/16/13	Claw Hammer 16lb / 13in / 330mm ( <b>NEW</b> )	

**HAND TOOLS**



RT/5	Heavy Duty Plier Hand Riveter	
LT/6	Heavy Duty Lazy Tong Hand Riveter	
DPV/CI/100	Drill Press Vice 100mm / 4 In	
EBV/10	Engineers Bench Vise 10in	
EBV/12	Engineers Bench Vise 12in	
TW/R/1-4	Tap Wrench Ratchet Type M4-M6	
TW//R/5-16	Tap Wrench Ratchet Type M6-M12	
PMX/80	Paint Mixer 80mm X 400mm Length 1Pc	
PRY/4-ST	Roll Head Pry Bar Set 4pcs	
WB/01	Wrecking Bar 18in	
WB/03	Wrecking Bar 24in	
WB/06	Wrecking Bar 40in	

**INDESTRUCTIBLE HAMMERS**

**Steel Locking Plate**

**2 Spring Steel Bars**

**Ergonomic Rubber Grip Handle**

Model No.	Description	Image
<b>PLIERS &amp; WRENCHES</b>		
<b>Locking Pliers</b>		
T09T	Fast Release w/Cutter 5"	
T07T	Fast Release w/Cutter 7"	
T05T	Fast Release w/Cutter 10"	
T13T	Fast Release Curved Jaw 7"	
T11T	Fast Release Curved Jaw 10"	
T03T	Fast Release Straight Jaw 7"	
T01T	Fast Release Straight Jaw 10"	
T14T	Fast Release Long Nose 6"	
T15T	Fast Release Long Nose 9"	
10507190	Fast Release C-Clamp 6R, 6"	
10507189	Fast Release C-Clamp 11R, 11"	
T1002EL4/4WR	Original Curved Jaw w/Cutter 4"	
T0902EL4/5WR	Original Curved Jaw w/Cutter 5"	
T0702EL4/7WR	Original Curved Jaw w/Cutter 7"	
T0502EL4/10WR	Original Curved Jaw w/Cutter 10"	
10508017/10CR	Original Curved Jaw 10"	
T0102EL4/10R	Original Straight Jaw 10"	
T1602EL4/4LN	Original Long Nose 4"	
T1402EL4/6LN	Original Long Nose 6"	
T1502EL4/9LN	Original Long Nose 9"	
10LW	Wrench 10"	
T12EL4/12LC-C	Large Jaw 12"	
T17EL4/6R	C-Clamp 6"	
T19EL4/11R	C-Clamp 11"	
18R	C-Clamp 18"	
24R	C-Clamp 24"	
T165EL4/4SP	C-Clamp w/S.Pads 4"	
T18EL4/6SP	C-Clamp w/S.Pads 6"	
T20EL4/11SP	C-Clamp w/S.Pads 11"	
18SP	C-Clamp w/S.Pads 18"	
18DR	Large Throat C-Clamp 18"	
9DR	Large Throat C-Clamp 9"	
T23EL4/8R	Sheet Metal Locking Plier 8"	
T25EL4/9R	Welding Locking Plier 9"	
T29EL4/RR	Pinch Off Locking Plier 7"	
T27EL4/20R	Chain Clamp Locking Plier 9"	
T251EL4/9AC	Locking Panel Clamp Locking Plier 9"	
<b>Water Pump Pliers</b>		
10507634	Universal 6"	
10507635	Universal 8"	
10507636	Universal 10"	
10507637	Universal 12"	
10507631	Groove Lock TH 8"	
10507632	Groove Lock TH 10"	

Model No.	Description	Image
10507633	Groove Lock TH 12"	
10507627	Groove Lock PTH 8"	
10507628	Groove Lock PTH 10"	
10507629	Groove Lock PTH 12"	
2078116	Groove Lock TH 16"	
2078120	Groove Lock TH 20" (10507195)	
<b>Hex Key</b>		
T10753	Long Torx Key 0.05-3/8", 13Piece	
T10755	Short Hex Key 1.5-10mm, 10Piece	
T10756	Long Hex Key 1.5-10mm, 10Piece	
T10757	Ball Point Hex Key 1.5-10mm, 10Piece	
T10758	Torx Key T6-T40, 11Piece	
T10765	Folding Hex Key 2.0-8mm, 7Piece	
T10771	T-Handle Hex Key Set 2-10mm, 8Piece	
<b>Adjustable Wrench</b>		
10505486	6"/200mm Jaw Capacity 1" / 25mm	
10505488	8"/200mm Jaw Capacity 1-1/8" / 28mm	
10505490	10"/250mm Jaw Capacity 1-1/4" / 31mm	
10505492	12"/300mm Jaw Capacity 1-1/2" / 38mm	
<b>Standard Pliers</b>		
10505875	Combination Plier 6"	
10505876	Combination Plier 8"	
10505493	Diagonal Cutting Plier 6"	
10505495	Diagonal Cutting Plier 8"	
10505503	Long Nose Plier 6"	
10505504	Long Nose Plier 8"	
10505505	Bent Nose Nose Plier 6"	
10505506	Bent Nose Nose Plier 8"	
10505517	End Cutting Plier 8"	
10505518	Cable Cutting Plier 8"	
10505483	3 Pcs Plier Set	
10508153	End Nippers 6" / 150mm	
10508152	End Nippers 7" / 170mm	
10508151	End Nippers 8" / 200mm	
10508154	End Nippers 9" / 225mm	
10505872	1000V VDE Combination Plier 6"	
10505874	1000V VDE Combination Plier 8"	
10505865	1000V VDE Diagonal Cutting Plier 6"	
10505867	1000V VDE Diagonal Cutting Plier 8"	
10505868	1000V VDE Long Nose Plier 6"	
10505869	1000V VDE Long Nose Plier 8"	
10505871	1000V VDE Wire Stripping Plier 6"	
10505870	1000V VDE Bent Nose Plier 8"	
10505519	1000V VDE 3 Pc Plier Set	
<b>METAL CUTTING TOOLS</b>		
<b>Bolt Cutters</b>		
TTBC914	14"	
TTBC918	18"	
TTBC924	24"	
TTBC930	30"	
TTBC936	36"	

Model No.	Description	Image
T942H	Bolt Cutter 42"	
T909	Compact Bolt Cutter 9"	
TWC6	Wire Rope Cutter 6mm	
TWC16	Wire Rope Cutter 16mm	
TCC26	Cable Cutter 24"	
TJ918H	Jaw for 918 Bolt Cutter	
TJ924H	Jaw for 924 Bolt Cutter	
TJ930H	Jaw for 930 Bolt Cutter	
TJ936H	Jaw for 936 Bolt Cutter	
TJ942H	Jaw for 942 Bolt Cutter	
<b>Hand Riveters (NEW)</b>		
1886980	Standard Hand Riveter R100 2.4 - 4.8 mm	
1887141	Professional Hand Riveter R250 2.4 - 4.8 mm	
1887144	Lazy Tong Riveter R500 2.4 - 6.4mm	
<b>Snips and Shears</b>		
TG245/10	Tin Snip Standard 10"	
TG245/12	Tin Snip Standard 12"	
TG245/14	Tin Snip Standard 14"	
TG245S/10	Tin Snip w/Spring 10"	
TG245S/12	Tin Snip w/Spring 12"	
TG245S/14	Tin Snip w/Spring 14"	
TG56	Jewellers Snips 7" Straight Blade	
TG056	Jewellers Snips 7" Curved Blade	
TG67	Tin Snip 11" Left Cut	
TG69	Cranked Handle Shears 11"	
10504310	Aviation Snip Right Cut Green	
10504311	Aviation Snip Straight Cut Yellow	
10504309	Aviation Snip Left Cut Red	
<b>Hacksaws</b>		
1861512	Professional Hacksaw Frame I-12	
10504520	Bimetal Blade 12in x 18T 100 pc pack	
10504521	Bimetal Blade 12in x 24T 100 pc pack	
10504522	Bimetal Blade 12in x 32T 100 pc pack	
IW47503	DUPLA Double side Bimetal Blade 12in x 18T 100 pc pack	
IW47506	DUPLA Double side Bimetal Blade 12in x 24T 100 pc pack	
<b>WOODWORKING</b>		
<b>Handsaws</b>		
10505307	Standard Universal 20 in	
10505308	Standard Universal 22 in	
10503622	Plus Universal 16"	
10503623	Plus Universal 18"	

Model No.	Description	Image
10503624	Plus Universal 20"	
10503625	Plus Universal 22"	
10507858	Evo Universal 19"	
10507862	Evo Universal 21"	
10505549	Xpert Masonry Saw 28"	
10503532	Xpert Keyhole Saw 12 in	
10505161	Carpenter Pull Saw 15in 10tpi	
10505164	Double Edge Pull Saw 7/17tpi	
<b>Chisels</b>		
M444-1/4	Bevel Edge Wood 1/4"	
M444-3/8	Bevel Edge Wood 3/8"	
M444-1/2	Bevel Edge Wood 1/2"	
M444-3/4	Bevel Edge Wood 3/4"	
M444-1	Bevel Edge Wood 1"	
M444-1-1/4	Bevel Edge Wood 1-1/4"	
M444-1-1/2	Bevel Edge Wood 1-1/2"	
M444-2	Bevel Edge Wood 2"	
10501698	Striking Cap Wood Chisel 1/4"	
10501702	Striking Cap Wood Chisel 1/2"	
10501706	Striking Cap Wood Chisel 3/4"	
10501708	Striking Cap Wood Chisel 1"	
10503669	Striking Cap Wood Chisel 1-1/4"	
10503670	Striking Cap Wood Chisel 1-1/2"	
10503425	Striking Cap Wood Chisel 2"	
M444-S5	5Pcs Wood Chisel Set 1/4-1"	
M444-S6	6Pcs Wood Chisel Set 1/4-1-1/4"	
10503421 / M750	High Impact 5Pcs Chisel Set 6-25mm	
<b>General Woodworking Tools</b>		
MR22008/9	9" Wooden Tri Square	
MR2200/12	12" Wooden Tri Square	
M2153	Mortice & Marking Gauge	
M1838/C12	Marples Bradawl	
<b>WORKHOLDING</b>		
<b>Clamps &amp; Spreaders</b>		
10505943	XP Quick Grip HD Bar Clamp 12"	
10505944	XP Quick Grip HD Bar Clamp 18"	
10505945	XP Quick Grip HD Bar Clamp 24"	
10505946	XP Quick Grip HD Bar Clamp 36"	
10505947	XP Quick Grip HD Bar Clamp 50"	
T512QCEL7	Quick Grip Bar Clamp 12"	
T518QCEL7	Quick Grip Bar Clamp 18"	
T524QCEL7	Quick Grip Bar Clamp 24"	
T536QCEL7	Quick Grip Bar Clamp 36"	
T59200ECD	Quick Grip Handy Clamp 2"/50mm	
T59400ECD	Quick Grip Handy Clamp 4"/100mm	
<b>F-Clamps</b>		
10503565	Speed Clamp 80mm Depth 12"	
10503566	Speed Clamp 80mm Depth 16"	
10503567	Speed Clamp 80mm Depth 24"	
10503568	Speed Clamp 80mm Depth 32"	
10503569	HD Speed Clamp 120mm Depth 12"	

Model No.	Description	Image
10503571	HD Speed Clamp 120mm Depth 24"	
10503572	HD Speed Clamp 120mm Depth 32"	
10503573	HD Speed Clamp 120mm Depth 40"	
10503575	Large Speed Clamp 140mm Depth 24"	
10503576	Large Speed Clamp 140mm Depth 32"	
10503577	Large Speed Clamp 140mm Depth 40"	
10503578	Large Speed Clamp 140mm Depth 50"	
10503579	Large Speed Clamp 140mm Depth 60"	
<b>Sash Clamps</b>		
T135/2	24" / 600mm	
T135/3	30" / 750mm	
T135/4	36" / 900mm	
T135/5	42" / 1050mm	
T135/6	48" / 1200mm	
T135/7	54" / 1350mm	
T135/9	66" / 1650mm	
<b>T-Bar Clamps</b>		
T136/5	42" / 1050mm	
T136/6	48" / 1200mm	
T136/7	54" / 1350mm	
T136/9	66" / 1650mm	
T136/11	78" / 1980mm	
<b>G-Clamps</b>		
T119/2	Medium Duty 2"	
T119/3	Medium Duty 3"	
T119/4	Medium Duty 4"	
T120/3	General Purpose 3"	
T120/4	General Purpose 4"	
T120/6	General Purpose 6"	
T120/8	General Purpose 8"	
T120/10	General Purpose 10"	
T120/12	General Purpose 12"	
T121/6	Heavy Duty 6"	
T121/8	Heavy Duty 8"	
T121/10	Heavy Duty 10"	
T121/12	Heavy Duty 12"	
<b>Vices &amp; Accessories</b>		
10507771	Pro Entry Bench Vice 4"	
T41211000	Workshop Vice 4"	
T6TON-6VSB	Workshop Vice w/swivel base 6"	
T5	HD Mechanics Vice 5"	
T6	HD Mechanics Vice 6"	
T8ZR	HD Mechanics Vice 8"	
T112	Engineers Vice 6"	
T114	Engineers Vice 8"	
T52ED	Woodworkers Vice Jaw Width 7"	
T52-1/2ED	Woodworkers Vice Jaw Width 9"	
T53ED	Woodworkers Vice Jaw 10.5"	
TV150	Woodcraft Vice Jaw 6"	
TV175	Woodcraft Vice Jaw Width 7"	
TV75B	Table Vice Jaw Width 3"	

Model No.	Description	Image
TFG4	Fibre Grips 4in	
TFG5	Fibre Grips 5in	
TFG6	Fibre Grips 6in	
<b>KNIVES &amp; BLADES</b>		
<b>Trapezoid Knives &amp; Blades</b>		
10507404	XP Retractable Knife	
10508104	Pro Touch X Utility Knife	
10504237	Standard fixed Utility Knife	
10507448	ProEntry Retractable Utility Knife Silver	
10505822	Safety Self-Retractable Knife Red	
10507406	Folding Knife	
10504240	Bimetal Knife Blade, 5 Pcs	
10504241	Bimetal Knife Blade, 10 Pcs	
10504243	Bimetal Knife Blade, 100 Pcs	
10504245	Carbon Knife Blade, 5 Pcs	
10504246	Carbon Knife Blade, 10 Pcs	
10504247	Carbon Knife Blade, 100 Pcs (10506458)	
10508110	4 Point Carbon Knife Blade, 100 Pcs	
10504249	Carbon Hook Knife Blade, 5 Pcs	
10504251	Carbon Hook Knife Blade, 100 Pcs	
<b>Snap-Off Knives and Blades</b>		
10507106	HD ProTouch Snap Off Knife 18mm	
10507580	Standard Snap Off Knife 18mm	
10506544	Economy Snap Off Knife 18mm	
10506543	Economy Snap Off Knife 9mm	
10504562	Snap Off Knife Blade 18mm 10pc Pack	
10507103	Snap-Off Bi-Metal Blade 18mm 8pc Pack	
10507102	Snap-Off Bi-Metal Blade 18mm 5pc Pack	
<b>LAYOUT TOOLS</b>		
<b>Tape Measures</b>		
10507787	Standard 3m/10ft	
10507788	Standard 5m/16ft	
10507789	Standard 8m/26ft	
10507794	Professional 5m/16ft	
10507795	Professional 8m/26ft	
<b>Chalk Reels</b>		
T64110/10507679	Chalk Line Reel 30m/100ft	
T64495LP	Chalk Line Set Red 30m/100ft	
T64494LP	Chalk Line Set Blue 30m/100ft	
T64801	Marking Chalk Blue 4oz	
T64802	Marking Chalk Red 4oz	
T64901	Marking Chalk Blue 8oz	
T64902	Marking Chalk Red 8oz	
<b>TOOL STORAGE &amp; WORKWEAR</b>		
<b>Tool Storage</b>		
10503820	<b>Prof. Soft Tool Bag</b> 600 denier Polyester - Durable and virtually maintenance free, Heavy-duty stitching - tested to withstand heavy use	

Model No.	Description	Image
10506529	<b>Bigfoot Tool Bag</b> Wide open design for quick tool recognition and access, 8 pockets outside 3 inside	
10506531	<b>Double Wide Tool Bag</b> 2 separate inner multi-pocket compartments for smaller items such as screws With a removable zipped pouch for smaller items	
<b>Workwear</b>		
10503822	General Construction Gloves Large	
10503823	General Construction Gloves X-Large	
10503826	Jobsite Gloves Large	
10503827	Jobsite Gloves X-Large	
10503828	Carpenter Gloves Large	
10503829	Carpenter Gloves X-Large	
10503830	Non Marr Knee Pad	
<b>PIPE WRENCHES, CUTTERS &amp; VICES</b>		
<b>Pipe Wrenches</b>		
T300/8	Stillson 8" x 3/4"	
T300/10	Stillson 10" x 1"	
T300/12	Stillson 12" x 1-1/4"	
T300/14	Stillson 14" x 1-1/2"	
T300/18	Stillson 18" x 2"	
T300/24	Stillson 24" x 2-1/2"	
T300/36	Stillson 36" x 3-1/2"	
T350/10	Leader 10" x 1-1/2"	
T350/12	Leader 12" x 2"	
T350/14	Leader 14" x 2"	
T350/18	Leader 18" x 2-1/2"	
T350/24	Leader 24" x 3"	
T350/36	Leader 36" x 5"	
T350/48	Leader 48" x 6"	
2074110	Cast Aluminium Pipe Wrench 10" x 1-1/2"	
2074112	Cast Aluminium Pipe Wrench 12" x 2"	
2074114	Cast Aluminium Pipe Wrench 14" x 2"	
2074118	Cast Aluminium Pipe Wrench 18" x 2-1/2"	
2074124	Cast Aluminium Pipe Wrench 24" x 3"	
2074136	Cast Aluminium Pipe Wrench 36" x 5"	
2074148	Cast Aluminium Pipe Wrench 48" x 6"	
<b>Chain Wrenches</b>		
T23112	Capacity: 5/16" - 2", (8mm-51mm)	
T23212	Capacity: 5/16" - 3", (8mm-76mm)	
T233C	Capacity: 1/2" - 4", (13mm-101mm)	
T234C	Capacity: 1" - 8", (25mm-203mm)	
T235C	Capacity: 2" - 12", (50mm-300mm)	
<b>Pipe Wrenches, Cutters &amp; Vices</b>		
T200-30C	Standard Tube Cutter 3-30mm	
T200-30CD	Tube Cutter Blade for T200-30	
T200-45	Standard Tube Cutter 15-45mm	
T200-45D	Tube Cutter Blade for T200-45	
10506851	Mini Tube Cutter 3-25mm	

Model No.	Description	Image
THPC135	Compact Tube Cutter 3-35mm	
10506852	Tube Cutter 3-45mm	
T202	Steel Pipe Cutter 1/8 to 2"	
T202EF	Cutter Wheel for T202	
T850026	Plastic Pipe Cutter 26mm	
T181C	Chain Pipe Vice 2"	
T182C	Chain Pipe Vice 4"	
T183C	Chain Pipe Vice 8"	
T92C	Hinged Pipe Vice 2"	
T9212C	Hinged Pipe Vice 2-1/2"	
T9312C	Hinged Pipe Vice 3-1/2"	
T96	Hinged Pipe Vice 6"	
TT510	Stand for Pipe Vice	
<b>Pipe &amp; Tube Bender</b>		
T210	Mini Tube Bender 3,4,6 mm	
T676810 / 211	Tube Bender 6,8,10 mm	
T591057 / 218M	Tube Bender 15 & 22mm	
<b>Manual Bending Machines</b>		
T090700B/EL25	Conduit Bender + Vice + 20/25mm formers	
T113100D/EL32	Conduit Bender + Vice + 20/25/32mm formers	
T563082	Conduit Former ELS 20mm	
T563084	Conduit Former ELS 25mm	
T563252	Conduit Former ELS 32mm	
T400300	Vice for Conduit Benders	
<b>FASTENER DRIVE TOOLS</b>		
<b>Tap &amp; Die Sets</b>		
24640	<b>53-pc Machine Screw / Fractional Tap &amp; Hex Die Set</b> Machine Screw Plug Tap , Fractional Plug Tap Hex Die 1"; 1-7/16", Pipe Thread Plug Tap, AND Threading Tools High Carbon Steel	
26313	<b>24 pc Metric tap &amp; Die Set 3-12mm</b> Hex dies, Pipe Thread Plug Tap and 1" Hexagon Dies in sizes: 1/8" - 28 BSP. Threading Tools: Plain Die Stock - 1" Dies, Offset Adj. Tap Wrench - Taps No. 0 to 1/2"	
26317	<b>Raw Steel Tap and Die Set 41 pc</b> M3 to M12, 1/8-28 BSP Size/Range, 5/8" and 1" Hex	
26376	<b>SAE &amp; Metric High Carbon Steel Tap and Die Set 76pc</b> 3-12 Metric, #4 to 1/2" in fine and coarse threads, plus 1/8"-27BSP and 1/8"-27NPT pipe taps and dies	
97312	<b>Metric High Carbon Steel Tap and Die Set 66 pc</b> 3-24mm1/8-28 NPT Size/Range, Die Type: 5/8", 1", 1-7/16" and 1-13/16" Hex	
<b>Screw / Bolt Extractors</b>		
53635	Straight Flute Screw Extractor 5pc Set	
53535	Spiral Flute Extractor 5pc Set,	
10504634	<b>5Pcs Bolt Grip Fastener Remover</b> Screw and Bolt extractor set includes 3/8", 7/16", 1/2", 9/16", 5/8"	

Model No.	Description	Image
80014	<b>Electrician Tool Set, No of Pieces 14</b> Includes (1) Ea: 9 In. High Leverage Side-Cutting Pliers, 8 In. Side Cutting Long-Nose Pliers, 8 In. Diagonal-Cutting Pliers, 10 In. Pump Pliers, #1 x 3 In. Phillips Screwdriver, #2 Wire-Bending Phillips Screwdriver, Cabinet Screwdrivers: 1/4 x 4, 1/4 x 6, 3/16 x 6 In., Power-Return Rule, 10 to 18 AWG Wire Stripper/Cutter, Protective Eyewear, Adjustable Tool Belt, 8-Pocket Leather Tool Pouch	
80028	<b>Electrician Tool Kit, No. of Pieces 28</b> Includes Long Nose, Side-Cut, Diagonal-Cut, Pump Pliers, 10 In. Adjustable Wrench, 1/4, 5/16 In. Keystone, 3/16, 1/4 In. Cabinet Tip, Wire Bending #2 Phillips, #2 Square-Recess Cushion-Grip Screwdrivers, 7-Pc. Nut Driver Set, 25 Ft. Tape Measure, Magnetic Torpedo Level, Crimping/Cutting Tool, Wire Stripper/Cutter, Utility Knife, Protective Eyewear, Conduit-Fitting/Reaming Screwdriver, Canvas Zipper Bag, 16 In. Canvas Tool Bag	
80141	<b>Journeyman Tool Set, No. of Pieces 41</b> Includes Side-Cutting, Diagonal-Cutting, Long Nose and Pump Pliers, 2 Adjustable Wrenches, Keystone, Cabinet-Tip, Phillips, Wire-Bending Phillips, Square-Recess, Conduit-Fitting/Reaming Screwdrivers, 7-Pc. Nut Driver Set, 12-Pc. Ball-End Hex-Key Set, Scratch Awl, 25 Ft. Tape Measure, Torpedo Level, Crimping/Cutting Tool, Wire Stripper/Cutter, Utility Knife, Cable Splicer Knife, 125 Ft. Fish Tape, Protective Eyewear, Cable Cutter	
33529	<b>Insulated Tool Set, 1000V Rating, Number of Pieces 8</b> Includes 9-1/4in Side Cutter, 8in Diagonal Cutter, 8-5/16in Long Nose Plier, Tip Size 3/16 In Cabinet Screwdriver, Tip Size 1/4 In Keystone Screwdriver, 9 1/2 In Cable Cutter, #2 Phillips Screwdriver, Overall Length 8 In Wire Stripper/Cutter	
33525	<b>Insulated Tool Set, 1000V Rating, No. of Pieces 13</b> Includes 9-1/4in Side Cutter, 8in Diagonal Cutters (2), 8-5/16in Long Nose Plier, 3/8in, 1/4in and 5/16in Keystone Screwdrivers, #1, #2, & #3 Phillips Screwdrivers, 9-1/2in High Leverage Cable Cutter, No. 1-3/4in Pump Plier, 7 3/4in Linemans Skinning Knife,	
33527	Insulated Tool Set, 1000 Volts Rating, 22 Pieces in Hard Case	
5102-12	Tool Bag, Canvas, w/ Vinyl, 12in L x 6in W x 10in D	
5102-14	Tool Bag, Canvas, w/ Vinyl, 14in L x 6in W x 14in D	
5102-16	Tool Bag, Canvas, w/ Vinyl, 16in L x 6in W x 14in D	
5102-18	Tool Bag, Canvas, w/ Vinyl, 18in L x 6in W x 14in D	
5102-20	Tool Bag, Canvas, w/ Vinyl, 20in L x 6in W x 15in D	
5102-22	Tool Bag, Canvas, w/ Vinyl, 22in L x 6in W x 15in D	
5102-24	Tool Bag, Canvas, w/ Vinyl, 24in L x 6in W x 15in D	
5139	Zipper Bag, Canvas, Natural, 12-1/2in X 7in	
D213-9NETP	<b>Linesman Pliers</b> High Leverage With Fish Tape Puller, Overall Length (In.) 9-3/8,	
D502-10	<b>Pliers, Pump</b> Overall Length 10 In, Max Jaw Opening 1 3/4 In	
D502-6	<b>Pump Pliers</b> Overall Length 6 1/2 In, Max Jaw Opening 7/8 In	

Model No.	Description	Image
K1210	Kurved NM Cable Stripper/Cutter, 10/2 & 12/2, 10 & 12 AWG Solid	
1005	Crimping Tool, Capacity 10-22 AWG, General Purpose, For Insulated and Non Insulated Terminals	
1006	Crimping Tool, Capacity 10-22 AWG, For Non Insulated Terminals and Connectors, General Purpose	
J1005	<b>Crimping Tool For Insulated And Non-insulated Terminals</b> Capacity #10 To #22 AWG, Tapered Nose With Wire Cutter, Contoured Dual Texture Cushion Grip Handle	
11053	<b>Wire Stripper/Cutter</b> Capacity 6 To 12 Stranded AWG, Overall Length 7 1/8 In, For Stranded Wire With Plastic Or Rubber Insulation	
63060	<b>Ratcheting Cable Cutter</b> Length 10 In, Blade Type Shear Cut, Cutting Capacity/Material 400 MCM Copper, 600 MCM Aluminum and Multi-Conductor Cable	
32477	<b>Multi Tool 10 In 1 Screwdriver</b> Overall Length 7 1/3 Inches, Drive Size 5/16, 1/4 In, Phillips Tip Size #1, #2, Slotted Tip Size 1/4, 3/16 Inch, Square Drive Size #1, #2, Torx Driver T10, T15, Cushion Grip Screwdriver and Nutdriver	
32500	<b>Screwdriver/Nut Driver, 11-In-1</b> Number of Pieces 6, Cushion Grip Handle, Includes Phillips #1 & #2, Slotted 1/4 & 3/16 In, Square Recess #1 & #2, TORX(R) T10 & T15, 3/8, 5/16, and 1/4 In Nut Drivers	
625-32	Tapping Tool, Triple-Tap, 6-32, 8-32, 10-32 Holes, Overall Length 7-1/8"	
626	Tapping Tool, 6-in-1 Cushion Grip; 10-24, 12-24, 1/4-20 & 6-32, 8-32, 10-32	
85076	Screwdriver Set, 7-Pc. Cushion-Grip Assortment w/ Pouch	
70581	Hex Key Set, SAE, Handle Type Fold-Up, 8 keys, Arm Length 3.06 In., Sizes Included 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32 In	
70583	Hex-Key Set, 8-Keys, SAE, Handle Length 5-1/4' In., Sizes Included 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4	
70591	Hex-Key Set, 9-Keys, SAE, Arm Length 4.25 In., Sizes Included 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 In.	

Cat. No.	Model No.	Description	Specification	Image
<b>WRENCHES</b>				
31000	6	H.Duty Pipe Wrench	6in - Cap 3/4in	
31005	8	H.Duty Pipe Wrench	8in - Cap 1in	
31010	10	H.Duty Pipe Wrench	10in - Cap 1 1/2in	
31015	12	H.Duty Pipe Wrench	12in - Cap 2in	
31020	14	H.Duty Pipe Wrench	14in - Cap 2in	
31025	18	H.Duty Pipe Wrench	18 In Cap 2 1/2	
31030	24	H.Duty Pipe Wrench	24in Cap 3in	
31035	36	H.Duty Pipe Wrench	36 In Cap 5in	
31040	48	H.Duty Pipe Wrench	48in - Cap 6	
31045	60	H.Duty Pipe Wrench	60in Cap 8in	
10348	10	Rapid Grip Pipe Wrench	10in - Cap 1 1/2in	
10358	14	Rapid Grip Pipe Wrench	14in - Cap 2in	
31050	E-6	End Pipe Wrench	6in - Cap 3/4in	
31055	E-8	End Pipe Wrench	8in - Cap 1in	
31060	E-10	End Pipe Wrench	10in - Cap 1-1/2in	
31065	E-12	End Pipe Wrench	12in Cap 2in	
31080	E-24	End Pipe Wrench	24in Cap 3in	
89440	18	Offset Pipe Wrench	18in Cap 2-1/2in	
31090	810	Aluminium Pipe Wrench	10in Cap 1-1/2	
47057	812	Aluminium Pipe Wrench	12in Cap 2in	
31095	814	Aluminium Pipe Wrench	14in Cap 2in	
31100	818	Aluminium Pipe Wrench	18in Cap 2-1/2in	
31105	824	Aluminium Pipe Wrench	24in Cap 3in	
31110	836	Aluminium Pipe Wrench	36in Cap 5in	
31115	848	Aluminium Pipe Wrench	48in Cap 6in	
31120	14	Alum.Offset Pipe Wrench	14in Cap 2in	
31125	18	Alum.Offset Pipe Wrench	18in Cap 2-1/2in	
31130	24	Alum.Offset Pipe Wrench	24in Cap 3in	
90122	E-918	Aluminium End Wrench	18in Cap 2-1/2in	
31305	E-110	Hex Wrench	9.5in Length	
31400	-	Spud Wrench	12in	
31310	E-918	L.Duty Chain Wrenches	Cap 2in	
31315	C-14	H.Duty Chain Wrenches	Cap 2in	
31320	C-18	H.Duty Chain Wrenches	Cap 2-1/2	
31325	C-24	H.Duty Chain Wrenches	Cap 3in	
31330	C-36	H.Duty Chain Wrenches	Cap 4-1/2	
31340	2	Strap Wrench	300x425x30mm	
31345	2	Strap Wrench	300x760x30mm	
31350	2	Strap Wrench	300x600x30mm	
31360	5	Strap Wrench	450x750x45mm	
31365	5	Strap Wrench	450x1200x45mm	
32015	2	Strap for No.2 Wrench	425x30mm	
32050	5	Strap for No.5 Wrench	750x45mm	
32055	5	Strap for No.5 Wrench	1200x45mm	
32065	5	Strap for No.5 Wrench	760x45mm	
92665	3229	Chain Tongs	27in L 1/4-2-1/2in	
92670	3231	Chain Tongs	37in L 3/4-4in	
92675	3233	Chain Tongs	44in L 1-6in	
92680	3235	Chain Tongs	50in L 1-1/2-8in	
92685	3237	Chain Tongs	64in L 2-12in	

Cat. No.	Model No.	Description	Specification	Image
92660	3215	Single End Chain Tong	87in L 4-18in	
93025	93025	Replacement Chain	For 3229	
93040	93040	Replacement Chain	For 3231	
93055	93055	Replacement Chain	For 3233	
93085	93085	Replacement Chain	For 3237	
93070	93070	Replacement Chain	For 3235	
86902	756	Adjustable Wrench	6in - 3/4in	
86907	758	Adjustable Wrench	8in - 7/8in	
86912	760	Adjustable Wrench	10in - 1-1/8in	
86917	762	Adjustable Wrench	12in - 1-5/16in	
86922	765	Adjustable Wrench	15in - 1-1/16in	
86927	768	Adjustable Wrench	18in - 2-1/8in	
86932	774	Adjustable Wrench	24in - 2-7/16in	
31170	1010	Basin Wrench	10in - 3/8-1-1/4in	
31175	1017	Telescopic Basin Wrench	10-17in-3/8-1-1/4in	
31180	1019	Telescopic Basin Wrench	10-17in	
46753	2017	Telescopic Basin Wrench with LED	12-17in	
31405	342	Internal Wrench	4-1/2in - 1-2in	
46378	N	Tube Core Barrel Wrench (New)	N INR	
46363	H	Tube Core Barrel Wrench (New)	H INR	
46373	B	Tube Core Barrel Wrench (New)	B INR	
46368	P	Tube Core Barrel Wrench (New)	P INR	
<b>PIPE WRENCH SPARES</b>				
31635	E-12	Heel Jaw & Pin Assembly	12in & 14in	
31630	E-12	Hook Jaw	12in	
31655	E-14	Hook Jaw	14in	
31675	E-18	Heel Jaw & Pin Assembly	18in	
31670	E-18	Hook Jaw	18in	
31685	E-18	Nut	18in	
31690	E-18	Heel Jaw Pin	18in	
31700	E-24	Heel Jaw & Pin Assembly	24in	
31695	E-24	Hook Jaw	24in	
31710	E-24	Nut	24in	
31715	E-24	Heel Jaw Pin	24in	
31725	E-36	Heel Jaw & Pin Assembly	36in	
31720	E-36	Hook Jaw	36in	
31735	E-36	Nut	36in	
31740	E-36	Heel Jaw Pin	36in	
31750	E-48	Heel Jaw & Pin Assembly	48in	
31745	E-48	Hook Jaw	48in	
31760	E-48	Nut	48in	
31765	E-48	Heel Jaw Pin	48in	
31775	E-60	Heel Jaw & Pin Assembly	60in	
31770	E-60	Hook Jaw	60in	
16703	425	Portable Tristand Chain Vice	Cap 1/8-2-1/2in	
40130	40-A	Portable Tristand Yokevise	Cap 1/8-2-1/2in	
36273	460-6	Pipe Vice Tristand Chain Vice	Cap 1/8-6in	
36278	460-12	Pipe Vice Tristand Chain Vice	Cap 1/8-12in	
40195	BC410	Bench Chain Vice	Cap 1/8-4in	
40210	BC610	Bench Chain Vice	Cap 1/4-6in	
40215	BC810	Bench Chain Vice	Cap 1/2-8in	
40080	21	Bench Yoke Vise	Cap 1/8 - 2in	
40090	23	Bench Yoke Vise	Cap 1/8 - 3in	

Cat. No.	Model No.	Description	Specification	Image
40100	25	Bench Yoke Vise	Cap 1/8 - 4in	
40110	27	Bench Yoke Vise	Cap 1/8-6in	
40220	461	Straight Pipe Welding Vice	Cap 1/2-8in	
40225	462	Angle Pipe Welding Vice	Cap 1/2-12in	
40235	464	Flange Pipe Welding Vice	Cap 2-1/2-8in	
56657	VJ-98	V Head High Pipe Stand	Cap 12in 20-38in	
56662	VJ-99	V Head High Pipe Stand	Cap 12in 28-53in	
22168	VF-99	V Head Pipe Stand Fold-Legs (New)	Cap 12in 28-53in	
37997	BTH-9	Ball Transfer Head S/Vj	Cap 12in	
56667	RJ-98	Roller Head High Pipe Stand	Cap 12in	
56672	RJ-99	Roller Head High Pipe Stand	Cap 12in	
56682	CJ-99	Coveyor Head High Pipe Stand	Cap 12in	
42505	46	Adjustable Pipe Support	Cap 6in	
42510	92	Adjustable Pipe Support	Cap 6in	
83380	965	Support Pipe Stand	for Roll Groovers	
64642	AR99	Adjustable Stand w/Steel Rollers		
96372	RJ-624	Roller Pipe Stand for Large Pipes	Max Pipe Cap.24in	
<b>PIPE / TUBE CUTTING</b>				
32820	2-A	H.Duty Pipe Cutter	Cap 1/8-2in	
32825	2-A	3 Wheel H.Duty Pipe Cutter	Cap 1/8-2in	
32830	3-S	H.Duty Pipe Cutter	Cap 1-3in	
32840	4-S	H.Duty Pipe Cutter	Cap 2-4in	
32845	4-S	3-Wheel H.Duty Pipe Cutter	Cap 2-4in	
32850	6-S	H.Duty Pipe Cutter	Cap 4-6in	
32870	42-A	H.Duty 4 Wheel Pipe Cutter	Cap 3/4-2in	
32880	44-S	H.Duty 4 Wheel Pipe Cutter	Cap 2-1/2-4	
73162	424-S	Hinged Steel Pipe Cutter	Cap 2-4in	
83080	466-S	Hinged Steel Pipe Cutter	Cap 4-6in	
83085	466-HWS	Hinged Steel Pipe Cutter	Cap 4-6in	
83145	468-S	Hinged Steel Pipe Cutter	Cap 6-8in	
83150	468-HWS	Hinged Steel Pipe Cutter	Cap 6-8in	
83165	472-S	Hinged Steel Pipe Cutter	Cap 8-12in Steel Pipe	
83170	472-HWS	Hinged Steel Pipe Cutter	Cap 8-12in H.Wall Pipe	
74710	472-CI	Hinged Steel Pipe Cutter	Cap 8-12in C.Iron Pipe	
33105	F-3	Pipe Cutter Wheels	For 2a/42a	
33100	F-514	Pipe Cutter Wheels	For 2a	
33110	F-3S	Pipe Cutter Wheels	For 2a/42a	
33120	F-515	Pipe Cutter Wheels	For 3s/4s/44s/468s	
33125	F-229	Pipe Cutter Wheels	For 3s/4s/44s/468s	
33145	F-367	Pipe Cutter Wheels	For 6s/208/209	
44185	E-1032	Pipe Cutter Wheels	For 202/360	
75557	E-4266	Pipe Cutter Wheels	For 466/468/472	
75562	F-546	Pipe Cutter Wheels	For 466/468/472	
75567	F366	Pipe Cutter Wheels	For 466/468/472	
83140	E-3186	Pipe Cutter Wheels	For 466/468/472	
34945	2	Straight Reamer	Cap 1/8-2	
34950	3	Straight Reamer	Cap 3/4 - 3 In	
35815	E-5112	Pipe Hand Taps	1/8in	
35820	E-5113	Pipe Hand Taps	1/4in	
35825	E-5114	Pipe Hand Taps	3/8in	
35830	E-5115	Pipe Hand Taps	1/2in	

Cat. No.	Model No.	Description	Specification	Image
35835	E-5116	Pipe Hand Taps	3/4in	
35840	E-5117	Pipe Hand Taps	1in	
50767	258	Power Pipe Cutter	2.5 to 8 in Pipe Dia	
58227	258-XL	Power Pipe Cutter XL	8 to 12 in Pipe Dia	
60002	258PS	Ball Transfer Pipe Support	2.5 to 12 in Pipe	
50812	E-258	HD Cutter Wheel for 258	8 in	
66687	F-258	HD Cutter Wheel Assembly		
54397		Transport Cart		
61757		Pipe Roller for Bevelling		
71687	614	Dry Cut Saw 14in	115V 60Hz	
72862	614	Dry Cut Saw 14in	230V 60Hz	
71692		Carbide tipped Blade	14in x 80T	
40617	101	Tubing Cutter	Cap 1/4 - 1-1/8 In	
32975	103	Tubing Cutter	Cap 1/8 - 5/8 In	
32985	104	Tubing Cutter	Cap 3/16-15/16In	
86127	118	Quick Feed Tube Cutter	Cap 1/4-1-1/8in	
31622	150	Tube Cutter	Cap 1/8 - 1-1/8 In	
32910	10	Tubing & Conduit Cutter	Cap 1/8-1in	
32920	15	Tubing & Conduit Cutter	Cap 3/16-1-1/8in	
32930	20	Tubing & Conduit Cutter	Cap 5/8-2-1/8 In	
97212	15-SI	Ss Tube Cutter	Cap 3/16-1-1/4In	
29963	35S	Stainless Steel Cutter	Cap. 6-35mm	
31803	65S	Stainless Steel Cutter	Cap. 6-65mm	
29973	E635	Stainless Steel Tube Cutter Wheel	Cap. 6-35mm	
31632	151	Quick-Acting Tube Cutter	Cap 1/4-1-5/8	
36597	153	Quick Acting Tube Cutter	Cap 1-1/4-3-1/2In	
31652	154	Quick Acting Tube Cutter	Cap 1-7/8-4-1/2In	
33160	F-158	Tubing Cutter Wheels	For 10/15/20	
33165	E-1240	Tubing Cutter Wheels	For 10/15/15-Si	
33190	E-4546	Tubing Cutter Wheels	For Ss	
33185	E-3469	Tubing Cutter Wheels	For 150/151/152	
33170	E-2558	Tubing Cutter Wheels	For Alu/Copper	
96397	E-1525	Tubing Cutter Wheels	For SS	
23493	PC1375	Plastic Pipe Cutter	Cap 1/8-1-3/8 In	
23488	PC-1250	Scissor Plastic Pipe Cutter	Cap 1/8 -1-5/8in	
23498	RC-1625	Plastic Ratchet Cutter	Cap 1/2-1-5/8 In	
30088	RC-2375	Plastic Ratchet Cutter	Cap 1/2-2-3/8 In	
34943	P-TEC2550	Plastic Tailpiece Cutter	Cap 1-1/4-1-1/2 In	
34965	127	Inner-Outer Reamer - Plastic	Cap. 1/4-1-1/2 In	
29983	223S	Inner-Outer Reamer - Hard Steel	Cap. 1/4-1-1/2 In	
<b>BEVELLING</b>				
49303	B-500	Transportable Pipe Beveller w/371/2° Cutter Head	220v	
49298	B-500	Transportable Pipe Beveller w/371/2° Cutter Head	115v	
48858	B-500	37-1/2° Cutter Head		
48868	B-500	30° Cutter Head		
48873	B-500	45° Cutter Head		
<b>THREADING</b>				
36390	11-R	Ratchet Threader Sets	1/2-1-1/4 In Npt	

Cat. No.	Model No.	Description	Specification	Image
13088	11-R	Ratchet Threader Sets	1/2-2in Bspt	
36480	12-R	Ratchet Threader Set	1/2-1-1/4 Npt	
36475	12-R	Ratchet Threader Set	1/2-2in Npt	
65255	12-R	Ratchet Threader Set	1/2-2in Bspt	
36505	12-R	Ratchet Threader Set	1/8-2in Npt	
65285	12-R	Ratchet Threader Set	1/8-2in Bspt	
37777	11-R	Ratchet & Handle	For 11-R	
30118	12-R	Ratchet & Handle	For 12-R	
37390	12-R	Threader Die Head	1/2In Npt For 12-R	
37395	12-R	Threader Die Head	3/4In Npt For 12-R	
37400	12-R	Threader Die Head	1 In Npt For 12-R	
37405	12-R	Threader Die Head	1-1/4 In Npt 12-R	
37410	12-R	Threader Die Head	1-1/2 In Npt 12-R	
37415	12-R	Threader Die Head	2 In Npt For 12-R	
37825	12-R	Pipe Die Set	1/2 In Npt For 12-R	
37830	12-R	Pipe Die Set	3/4 In Npt For 12-R	
37835	12-R	Pipe Die Set	1 In Npt For 12-R	
37840	12-R	Pipe Die Set	1-1/4 In Npt 12-R	
37845	12-R	Pipe Die Set	1-1/2 In Npt 12-R	
37850	12-R	Pipe Die Set	2 In Npt For 12-R	
37870	12-R	Pipe Die Set HSS	1/2 In Npt For 12-R	
37875	12-R	Pipe Die Set HSS	3/4 In Npt For 12-R	
37880	12-R	Pipe Die Set HSS	1 In Npt For 12-R	
37895	12-R	Pipe Die Set HSS	2 In Npt For 12-R	
37910	12-R	Pipe Die Set SS	3/8 In Npt For 12r	
37915	12-R	Pipe Die Set SS	1/2 In Npt For 12r	
37920	12-R	Pipe Die Set SS	3/4 In Npt For 12r	
37925	12-R	Pipe Die Set SS	1 In Npt For 12r	
37930	12-R	Pipe Die Set SS	1-1/4 In Npt 12r	
37935	12-R	Pipe Die Set SS	1-1/2 In Npt For 12r	
37940	12-R	Pipe Die Set SS	2 In Npt For 12r	
66125	12-R	Pipe Die Set (45863)	1/2 In Bspt For 12r	
66130	12-R	Pipe Die Set (45868)	3/4 In Bspt For 12r	
66135	12-R	Pipe Die Set (45873)	1in Bspt For 12r	
66140	12-R	Pipe Die Set (45878)	1-1/4 In Bspt 12r	
66145	12-R	Pipe Die Set (45883)	1-1/2 In Bspt 12r	
66150	12-R	Pipe Die Set (45888)	2 In Bspt For 12r	
36620	141	Geared Threader Set	2-1/2-4 In Npt	
36630	161	Geared Threader Set	4-6 In Npt	
65380	141	Geared Threader Set	2-1/2-4 In Bspt	
39380	D-1440	Ratchet+ Handle	For 2-1/2-4 In	
61122	840A	Univ. Drive Shaft	For 141 / 161	
10883	418	Hand Operated Oiler		
70830	70830	Thread Cutting Oil	Dark 1 Gal/3.78l	
70835	70835	Thread Cutting Oil 1 Gal	Nu-Clear	
11531	11531	Thread Cutting Oil 25 Litre	Nu-Clear	
41585	41585	Thread Cutting Oil 55 Gal	Nu-Clear	
44878	600-I	Handheld Threading Machine (New)	1/2 - 1-1/4 In Bspt	
44933	690-I	Handheld Threading Machine (New)	1/2 - 2 In Bspt	

Cat. No.	Model No.	Description	Specification	Image
41935	700	Model 700 Power Drive (46832)	Cap 1/2-2 In 115v	
41940	700	Model 700 Power Drive (12651)	Cap 1/2-2 In 230v	
42620	774	Square Drive Adaptor		
42625	775	Support Arm for 700 PD		
41855	300	Model 300 Power Drive	110v	
75435	300	Model 300 Power Drive	230v	
42360	1206	Stand	For 300 PD	
29873	300	300 Compact Threader Bspt	Cap 1/2-2in 115v	
29878	300	300 Compact Threader Bspt	Cap 1/2-2in 230v	
58757	300	300 Compact Threader Npt	Cap 1/2-2in 230v	
56532	250	Pipe Leg Stand	For 300 Compact & 1233	
58077	250	Folding Stand	For 300 Compact & 1233	
20215	1233	1233 Threading Machine Bspt	Cap 1/8-3in 230v	
96507	535	Model 535 Threading Machine	230v Npt	
96512	535	Model 535 Threading Machine	230v Bspt	
29943	535A	Model 535 Automatic	230V Bspt	
92462	150A	Univ. Wheel & Tray Stand	For 535 & 1224	
92467	200A	Univ. Wheel & Cabinet Stand	For 535 & 1224	
26092	1224	1224 Threading Machine Npt	Cap 1/2-4, 120v	
29863	1224	1224 Threading Machine Bspt	Cap 1/2-4, 240v	
26097	1224	1224 Threading Machine Npt	Cap 1/2-4, 240v	
29853	1224	1224 Threading Machine Bspt	Cap 1/2-4, 110v	
97065	811A	Univ. Die Head Npt	For Model 300/535	
97070	811A	Univ. Die Head Bspt	For Model 300/535	
84532	817	Univ. Die Head Npt	1-2in	
84537	816	Univ. Die Head Npt	1/8-3/4in	
97075	815A	Self Open Die Head Npt	For Model 300/535	
97080	815A	Self Open Die Head Bspt	For Model 300/535	
26132	711	Univ.Die Head Set Npt	For Model 1224	
26137	911	Univ.Die Head Set Bspt	For Model 1224	
26147	913	Univ.Quick Open Die Head Bspt	For Model 1224	

Cat. No.	Model No.	Description	Specification	Image
26152	714	Self Open Die Head Set Npt	For Model 1224	
26157	914	Self Open Die Head Set Bspt	For Model 1224	
47740	47740	Univ. Pipe Die Set Npt	1/4 X 3/8 In	
47745	47745	Univ. Pipe Die Set Npt	1/2 X 3/4 In	
47750	47750	Univ. Pipe Die Set Npt	1 X 2 In	
47755	47755	Univ. Pipe Die Set Npt	1/8in	
47760	47760	Hss Pipe Die Set Npt	1/4 X 3/8 In	
47765	47765	Hss Pipe Die Set Npt	1/2 X 3/4 In	
47770	47770	Hss Pipe Die Set Npt	1 X 2 In	
47785	47785	SS Pipe Die Set Npt	1/2 X 3/4 In	
47790	47790	SS Pipe Die Set Npt	1 X 2 In t	
66665	66665	Univ. Pipe Die Set Bspt	1/2 X 3/4 In	
66670	66670	Univ. Pipe Die Set Bspt	1 X 2 In	
66750	66750	Hss Pipe Die Set Bspt	1/8 Bspt	
66755	66755	Hss Pipe Die Set Bspt	1/4 X 3/8 In	
66760	66760	Hss Pipe Die Set Bspt	1/2 X 3/4 In	
66765	66765	Hss Pipe Die Set Bspt	1 X 2 In	
66770	66770	SS Pipe Die Set Bspt	1/8 In	
66775	66775	SS Pipe Die Set Bspt	1/4 X 3/8 In	
66780	66780	SS Pipe Die Set Bspt	1/2 X 3/4 In	
66785	66785	SS Pipe Die Set Bspt	1 X 2 In	
26192	26192	HSS Pipe Die Set Npt	2-1/2 x 4 for 1224	
33642	33642	HSS Pipe Die Set Bspt	2-1/2 x 4 for 1224	
33057	33057	SS Pipe Die Set Bspt	2-1/2 x 4 for 1224	
99545	99545	HSS Pipe Die for 424 & 415 Die head	2-1/2 x 4 for 1224	
50050	50050	Bolt Die Set	M8-1.25	
50060	50060	Bolt Die Set	M10-1.5	
50070	50070	Bolt Die Set	M12-1.75	
50075	50075	Bolt Die Set	M14-2.0	
50080	50080	Bolt Die Set	M16-2.0	
50085	50085	Bolt Die Set	M18-2.5	
50090	50090	Bolt Die Set	M20-2.5	
50100	50100	Bolt Die Set	M24-3	
51005	819	Nipple Chuck	1/2 - 2 in Npt	
68160	819	Nipple Chuck	1/2 - 2 in Bspt	
<b>ROLL GROOVING</b>				
88232	915	<b>Manual Roll Groover</b> 2" - 6" sch. 10 steel 2" - 3 1/2" sch. 40 steel		
25638	975	<b>Combo Roll Groover</b> 1-1/4" - 6" Sch. 10 & 40 Steel / Aluminum & PVC Pipe; 1-1/4" - 2" / Sch. 40 Stainless Steel Pipe		
45007	916	<b>Power Driven Roll Groover</b> 1 1/4" - 6" Sch. 10 Steel, Stainless Steel 1 1/4" - 3" Sch. 40 Steel , Stainless Steel		

**RIDGID®**

# B-500 TRANSPORTABLE PIPE BEVELLER



**Set-up and bevel 12" diameter schedule 40 pipe in one pass in under 2 minutes using the new B-500 Transportable Pipe Beveller.**

**Speed**

- Set-up And Bevel 12" Diameter Schedule 40 Pipe In Under 2 Minutes!
- Pipe Is Cool To Touch Immediately Following Bevelling

**Consistency**

- Accurate Bevel Angle Around Diameter Of The Pipe Allows For Optimal Number Of Cover Passes
- Adjustable Land Width From 0" to 3/16" To Fit Welders' Requirements
- Produces A Machined Finish Due To 6 Replaceable Cutter Inserts Working Simultaneously

**Simplicity**

- Fast To Set-up And Operate
- Patent-Pending Clamp System Firmly Secures Tool To The Pipe
- Speed Monitoring With LED Indicators For Optimal Cutter Performance
- Spark Free Operation

## SPECIFICATIONS

- Capacity ..... 4" Pipe And Larger, Flat Plate
- Pipe Wall/Plate Thickness ..... Min 0.188" (4.8 mm)/Max 0.50" (12.7 mm)
- Bevel Angles ..... 37.5° (Standard - Included)  
30° and 45° (with Optional Cutter Heads)
- Cutter Head ..... Rated For Most Steel & Stainless Steel\*
- Weight ..... 52.5 lbs. (23.8 kg), Tool Weight
- Size ..... 15.8 in. (401 mm) L x 11.5 in. (292 mm) W x 13.3 in. (338 mm) H
- Land Width ..... 0" -  $\frac{3}{16}$ " (4.8 mm) in approximately  $\frac{1}{32}$ " (0.8 mm) increments
- Motor Type ..... Universal Single Phase
- Motor Rating ..... 1.2 HP, 115V, 50/60Hz
- Amps ..... 13A (115V),
- Operating Speed ..... (No Load): 950 RPM (115V)
- Body ..... Steel Frame
- Standard Equipment ..... Beveler, Manual Crank Handle, 37 $\frac{1}{2}$ ° Cutter Head, 6 – 4 Edged Inserts, Torque Driver, and Screws

\* Beveler cutting head and inserts are optimized for standard A53 mild steel pipe. Reduced insert life can be expected on other materials.

## ORDER INFORMATION

CATALOG NO.	DESCRIPTION	WEIGHT (lb.)	WEIGHT (kg)
49298	Transportable Pipe Beveler w/37 $\frac{1}{2}$ ° Cutter Head 115V	56.5	24
48863	37 $\frac{1}{2}$ ° Cutter Head w/6 Inserts, 1 Anti-Seize Grease, 8 Screws	2.5	1.1
48858	30° Cutter Head w/6 Inserts, 1 Anti-Seize Grease, 8 Screws	2.5	1.1
48868	45° Cutter Head w/6 Inserts, 1 Anti-Seize Grease, 8 Screws	2.5	1.1
48873	Pack of 6 Inserts 1 Anti-Seize Grease, 2 Screws, Case	0.25	0.11
48883	Anti-Seize Grease – 1 Tube	—	—
48888	Torx Wrench T15/S7	0.05	0.02
48893	Spanner Wrench	0.15	0.06
48898	5/16 Hex Wrench	0.17	0.08



**Model 460-12 Portable  
TRISTAND® Chain Vise**  
Catalog No. 36278



**Model 258XL Power  
Pipe Cutter**  
Catalog No. 58227



**No. 461 Straight Pipe  
Welding Vise**  
Catalog No. 40220



**No. 462 Angle Pipe  
Welding Vise**  
Catalog No. 36278



**No. 463 Elbow Pipe  
Welding Vise**  
Catalog No. 36278



**No. 464 Flange Pipe  
Welding Vise**  
Catalog No. 40235

Cat. No.	Model No.	Description	Specification	Image
47222	918	<b>Hydraulic Roll Groover</b> Cap: 1" - 12" Sch. 10 Steel, Stainless Steel, 1" - 8" Sch 40 Steel, PVC 1" - 2" Sch 40 Stainless Steel 2" - 6" Copper (Type K, L, M, & DWV) 2 1/2"-4" Sch 80 PVC	W/out Mounting Kit	
48292	911	Mounting Kit for 300 Power Drive		
56607	1233	Mounting Kit for 300 Compact		
48402	915	Mounting Kit for 535		
48397	914	Mounting Kit for 1224		
65902	918-I	<b>Complete Roll Groover</b> 1" - 12" Sch 10 Steel / 1" - 8" Sch 40 Steel / 2- 6" Copper (types K, L, M & DWV) / 11/2", 21/2" - 4" Sch 80 PVC	With Stand 230V	
95782	920	<b>Hydraulic Roll Groover</b> 2"- 6" Sch. 40,8"-12" Sch. 40 and 14"-16" Std.	For 300 PD	
49217	49217	Set of Rolls for 918 Groover	2 to 6 in	
48405	48405	Set of Rolls for 918 Groover	8 to 12 in	
10843	10843	Set of Rolls for 920 Groover	2 to 6 in	
10848	10848	Set of Rolls for 920 Groover	8 to 12 in	
10853	10853	Set of Rolls for 920 Groover	14 to 16 in	
96987	96987	Set of Rolls for 920 Groover	18 to 20 in	
96992	96992	Set of Rolls for 920 Groover	22 to 24 in	
<b>CUTTING &amp; DRILLING</b>				
76787	HC300	Holesaw Machine	3in Cap.230v	
57592	HC450	Holesaw Machine	4-3/4in Cap.110v	
57597	HC450	Holesaw Machine	4-3/4in Cap 220v	
52770	M19	Bimetal Holesaw	19mm	
52780	M24	Bimetal Holesaw	22mm	
52785	M25	Bimetal Holesaw	24mm	
52790	M27	Bimetal Holesaw	25mm	
52805	M30	Bimetal Holesaw	30mm	
52810	M32	Bimetal Holesaw	32mm	
52820	M35	Bimetal Holesaw	35mm	
52830	M38	Bimetal Holesaw	38mm	
52840	M41	Bimetal Holesaw	41mm	
52850	M44	Bimetal Holesaw	44mm	
52855	M46	Bimetal Holesaw	46mm	
52865	M51	Bimetal Holesaw	51mm	
52870	M52	Bimetal Holesaw	52mm	
52875	M54	Bimetal Holesaw	54mm	
52890	M60	Bimetal Holesaw	60mm	
52895	M64	Bimetal Holesaw	64mm	
52910	M70	Bimetal Holesaw	70mm	
52920	M76	Bimetal Holesaw	76mm	

Cat. No.	Model No.	Description	Specification	Image
52925	M79	Bimetal Holesaw	79mm	
52930	M83	Bimetal Holesaw	83mm	
52940	M89	Bimetal Holesaw	89mm	
52945	M92	Bimetal Holesaw	92mm	
52950	M95	Bimetal Holesaw	95mm	
52955	M98	Bimetal Holesaw	98mm	
52960	M102	Bimetal Holesaw	102mm	
52965	M105	Bimetal Holesaw	105mm	
52970	M108	Bimetal Holesaw	108mm	
52975	M110	Bimetal Holesaw	110mm	
52980	M114	Bimetal Holesaw	114mm	
52985	M121	Bimetal Holesaw	121mm	
52990	M127	Bimetal Holesaw	127mm	
52995	M140	Bimetal Holesaw	140mm	
53000	M152	Bimetal Holesaw	152mm	
53065	R0	Holesaw Arbor	For up to 20mm	
53070	R1	Holesaw Arbor	For up to 20mm	
53075	R2	Holesaw Arbor	From 21-152mm	
81490	1248	Plumber Holesaw Kit	22-67mm (6pc)	

**HAND TOOLS**

66992	F-50	Bench Vice	5in	
66997	F-60	Bench Vice	6in	
27848	XF-50	Quick Acting Vice	5in	
52495	250	Sledge Hammer	2.5lb	
62347	707	Tongue & Groove Plier	7.5in	
62352	709	Tongue & Groove Plier	9.5in	
16473	713	Tongue & Groove Plier	13in	
54115	786	Aviation Snip RH		
54120	787	Aviation Snip LH		
54125	788	Aviation Snip Straight		
16202	796	Offset Snip RH		
16207	797	Offset Snip LH		
16573	1974	Screwdriver 6-in-1		
31787	R735BB	Knockout Punch Sets	1/2 - 1-1/4 In	
31792	R737BB	Knockout Punch Set	1-1/2 - 2 In	
31797	R739BB	Knockout Punch Sets	1/2 - 2 In	
23477	HKO-186	Hydraulic Knockout Set	1/2-2 In	
24587	HKO-1810	Hydraulic Knockout Set	1/2-4 In	
23487	KOPD-52	Knockout Set	1/2 - 2 In	
23492	KOPD-254	Knockout Set	2-1/2 - 4 In	
14213	S14	Bolt Cutter	14in	
14218	S18	Bolt Cutter	18in	
14223	S24	Bolt Cutter	24in	
14228	S30	Bolt Cutter	30in	
14233	S36	Bolt Cutter	36in	
14238	S42	Bolt Cutter	42in	
83350	1380	Cable Cutter	1-3/8in Dia Al&Cu	
20271	1390M	Threaded Rod Cutter with 8 mm Blades		
35585	10	Screw Extractor Set	Cap 1/4-1/2in	

Cat. No.	Model No.	Description	Specification	Image
35590	25	Screw And Pipe Extractor Set	Cap 1/8-1in	
36243	400 UM	Torpedo Level ( <i>Obsolete</i> )	4-vial	
36248	500 UM	Torpedo Level	5-vial	
36253	36253	Laser Level	5-vial	
<b>BENDING &amp; FORMING</b>				
36962	310	Lever Bender	Cap. 5/8 in	
36972	312	Lever Bender	Cap. 3/4 in	
36942	310M	Lever Bender	Cap. 10mm	
36947	312M	Lever Bender	Cap. 12mm	
36122	404	Stainless Steel Tube Bender	Cap. 1/4in	
36097	406	Stainless Steel Tube Bender	Cap. 3/8in	
36132	408	Stainless Steel Tube Bender	Cap. 1/2 In	
36112	406M	Stainless Steel Tube Bender	Cap. 6mm	
36092	408M	Stainless Steel Tube Bender	Cap. 8mm	
36102	410M	Stainless Steel Tube Bender	Cap. 10mm	
36127	412M	Stainless Steel Tube Bender	Cap. 12mm	
35170	358	Ratchet Bender	Cap 5/8in	
35175	368	Ratchet Bender	Cap 3/4in	
44852	456	Tube Bender	1/4, 5/16, 3/8	
38053	606M	Stainless Steel Tube Bender	Cap 6mm	
38038	608M	Stainless Steel Tube Bender	Cap 5/16in / 8mm	
38058	610M	Stainless Steel Tube Bender	Cap 10mm	
38063	612M	Stainless Steel Tube Bender	Cap 12mm	
35250	D-1376	Spring Bender Pk of 6	Cap 5/16in	
35255	D-1377	Spring Bender Pk of 6	Cap 3/8in	
35265	D-1379	Spring Bender Pk of 6	Cap 1/2in	
35270	D-1380	Spring Bender Pk of 6	Cap 5/8in	
35275	D-1381	Spring Bender Pk of 6	Cap 3/4in	
35290	E-5734	Spring Bender Set	6-22mm	
35235	B-1711	Heavy Wall Conduit Bender	1/2in & 3/4in	
35240	B-1712	Heavy Wall Conduit Bender	1in & 1-1/4in	
35215	B-1677	Thin Wall Conduit Bender	1/2in - 12mm	
35220	B-1678	Thin Wall Conduit Bender	3/4in - 19mm	
35225	B-1679	Thin Wall Conduit Bender	1in - 25mm	
34152	S8	Tube Expander Set	Kit with 3/8 - 1	
83037	458R	Flaring Tool Set	Cap 1/8-3/4	
23332	345	Flaring Tool Set	Cap 3/8 - 5/8 In	
48597		Ratchet Tube Wrench Set	3/8-5/8in 5pc	
36518	HB382	Hydraulic Pipe Bender	3/8 to 2 in	
36523	HB383	Hydraulic Pipe Bender	3/4 to 3 in	
39243	HB382E	Electro-Hydraulic Pipe Bender	3/8in to 2in 230V	

Cat. No.	Model No.	Description	Specification	Image
39268	HB383E	Electro-Hydraulic Pipe Bender	3/8in to 3in 230V	
14941	3814E	Electro-Hydraulic Pipe Bender	3/8in to 4in 400V	
50072	1450	Pressure Test Pump	50 Bar 725 Psi	
19021	1460-E	Electric Test Pump	25 Bar 230V	
19031	1460-E	Electric Test Pump	25 Bar 115V	
68962	SF-2500	Pipe Freezing Kit	240V	
<b>ELECTRICAL TOOLS</b>				
48378	RE 130-M	Hydraulic Crimping Tool & Case (no dies)	130 kN force 42 mm stroke Max. 400 mm <sup>2</sup> Cu Max. 240 mm <sup>2</sup> Al	
51698	RE130M + RD	Hydr. Crimping Tool with Cu DIN Die Set	16-300 mm <sup>2</sup>	
51518		Round Hex Crimp Die DIN	10 mm <sup>2</sup> - CU	
51523		Round Hex Crimp Die DIN	16 mm <sup>2</sup> - CU	
51528		Round Hex Crimp Die DIN	25 mm <sup>2</sup> - CU	
51533		Round Hex Crimp Die DIN	35 mm <sup>2</sup> - CU	
51538		Round Hex Crimp Die DIN	50 mm <sup>2</sup> - CU	
51543		Round Hex Crimp Die DIN	70 mm <sup>2</sup> - CU	
51548		Round Hex Crimp Die DIN	95 mm <sup>2</sup> - CU	
51553		Round Hex Crimp Die DIN	120 mm <sup>2</sup> - CU	
51558		Round Hex Crimp Die DIN	150 mm <sup>2</sup> - CU	
51563		Round Hex Crimp Die DIN	185 mm <sup>2</sup> - CU	
51568		Round Hex Crimp Die DIN	240 mm <sup>2</sup> - CU	
51573		Round Hex Crimp Die DIN	300 mm <sup>2</sup> - CU	
51453		Round Hex Crimp Die Standard	10 mm <sup>2</sup> - CU	
51458		Round Hex Crimp Die Standard	16 mm <sup>2</sup> - CU	
51463		Round Hex Crimp Die Standard	25 mm <sup>2</sup> - CU	
51468		Round Hex Crimp Die Standard	35 mm <sup>2</sup> - CU	
51473		Round Hex Crimp Die Standard	50 mm <sup>2</sup> - CU	
51478		Round Hex Crimp Die Standard	70 mm <sup>2</sup> - CU	
51483		Round Hex Crimp Die Standard	95 mm <sup>2</sup> - CU	
51488		Round Hex Crimp Die Standard	120 mm <sup>2</sup> - CU	
51493		Round Hex Crimp Die Standard	150 mm <sup>2</sup> - CU	
51498		Round Hex Crimp Die Standard	185 mm <sup>2</sup> - CU	
51503		Round Hex Crimp Die Standard	240 mm <sup>2</sup> - CU	
51508		Round Hex Crimp Die Standard	300 mm <sup>2</sup> - CU	
51513		Round Hex Crimp Die Standard	400 mm <sup>2</sup> - CU	

Cat. No.	Model No.	Description	Specification	Image
43633	RE60	Electrohydraulic Cordless Tool - Full Kit (LR-60B+SC-60B+PH-60B)	60 kN force 2x18V LiOn 2Ah Batt.	
43628	RE60	Cut & Crimp Kit (LR-60B+SC-60B)		
43613	RE60	Crimp Only Kit (LR-60B)		
43618	RE60	Cutting Only Kit (LR-60B)		
43623	RE60	Punching Only Kit (PH-60B)		
47753	LR-60B	Round Crimp Head Only	Upto 300 mm <sup>2</sup>	
47763	PH-60B	Punch Head Only	Upto 63.5mm	
47778	SC-60B	Cutting Head Only	Upto 50mm AC	
44113	PH-60B	Hole Punches for Round Holes	16-40mm	
44178	LR-60B	Round Hex Crimp Die for Copper	10 mm <sup>2</sup>	
44183	LR-60B	Round Hex Crimp Die for Copper	16 mm <sup>2</sup>	
44188	LR-60B	Round Hex Crimp Die for Copper	25 mm <sup>2</sup>	
44193	LR-60B	Round Hex Crimp Die for Copper	35 mm <sup>2</sup>	
44198	LR-60B	Round Hex Crimp Die for Copper	50 mm <sup>2</sup>	
44203	LR-60B	Round Hex Crimp Die for Copper	75 mm <sup>2</sup>	
44208	LR-60B	Round Hex Crimp Die for Copper	95 mm <sup>2</sup>	
44213	LR-60B	Round Hex Crimp Die for Copper	120 mm <sup>2</sup>	
44243	LR-60B	Round Hex Crimp Die for Alu DIN	16-25 mm <sup>2</sup>	
44248	LR-60B	Round Hex Crimp Die for Alu DIN	35 mm <sup>2</sup>	
44253	LR-60B	Round Hex Crimp Die for Alu DIN	50 mm <sup>2</sup>	
44258	LR-60B	Round Hex Crimp Die for Alu DIN	70 mm <sup>2</sup>	
44263	LR-60B	Round Hex Crimp Die for Alu DIN	95-120 mm <sup>2</sup>	
44268	LR-60B	Round Hex Crimp Die for Alu DIN	150 mm <sup>2</sup>	
44273	LR-60B	Round Hex Crimp Die for Alu DIN	185 mm <sup>2</sup>	
44278	LR-60B	Round Hex Crimp Die for Alu DIN	240 mm <sup>2</sup>	

**VIDEO INSPECTION**

14103	14103	Color Reel	200ft/60m	
14003	14003	SeeSnake Self-Levelling Color Reel	325ft/100m	
33103	D30	MicroDrain Inspection System	1-3in pipe - 30ft	
33108	33108	MicroDrain InterConnect Cable		
35148	L100	MicroReel Inspection System	1.5-4in pipe - 100ft	
40823	N85S	MicroReel Inspection System Kit		
33113	33113	MicroReel InterConnect Cable		
39333	CS10	Digital Recording Monitor	Color - 12.1in	

# RE 60 ELECTRICAL TOOL

The world's most versatile tool features a lightweight inline design (only 2,7 kg!) for easy, one-handed use and access to the most confined spaces.

- 60 kN force output for crimping lugs up to 300 mm<sup>2</sup> and cutting cables up to 50 mm O.D.
- Punch holes up to 3 mm mild steel.
- Longest service interval in the industry (32.000 cycles).
- 360° head rotation.
- Bright white LED for illuminating the workspace.
- Rubber overmolded grip for superior comfort and control
- Heavy-duty, blow-molded case for easy transport and storage.
- On/Off button for disabling tool when changing dies or heads.
- Powered by the RIDGID 18V Advanced Lithium battery platform.

## KEY PERFORMANCE FEATURES

### AUTOMATIC RAM RETRACTION

During cutting and crimping, the ram will automatically retract once the cycle is completed. Punching applications require use of the release trigger.

### ONBOARD DIAGNOSTICS

Built-in sensors and LED indicators ensure tool performance, allow the tool to operate in extreme temperatures (-10° -50°C), monitor cycle time, generated pressure, battery life and indicate when the tool requires service.

APPROX. CYCLE TIME:	5 seconds
SERVICE INTERVAL:	32.000 cycles
HYDRAULIC RAM OUTPUT:	60 kN
WEIGHT:	3,18 kg with battery
BASE OFFERING:	RE 60 Tool + Case + 2 × 18 V 2.0 A Advanced Lithium Battery + 230 V Advanced Lithium Charger

### CATALOG NUMBER

43613	Base + LR-60B Round Crimp Head
43618	Base + SC-60B Cutter Head
43623	Base + PH-60B Punch Head
43628	Base + LR-60B + SC-60B (Crimp & Cutter Head)
43633	Base + LR-60B + SC-60B + PH-60B (Full Kit, with 3 heads)
43323	18 V 2.0 A Advanced Lithium Battery
43328	18 V 4.0 A Advanced Lithium Battery
43333	230 V Advanced Lithium Charger

**RIDGID**<sup>®</sup>

# SR-24 Line Locator



## ***SR-24 Line Locator***

The SR-24 receiver can be used with a RIDGID® SeekTech® transmitter to locate the position of buried utilities. When an electromagnetic signal field is present on a metallic conductor, the SR-24 shows a map of the signal's estimated position and direction. When interfering or conflicting signals are detected, the SR-24 informs the operator, reducing the likelihood of an inaccurate result. With integrated GPS and Bluetooth™ technology, comprehensive locate data can be streamed to a smartphone or tablet and exported to GIS software.

- **Mapping display.** Real-time signal information including location, direction, depth and trustworthiness.
- **Multiple antenna system.** Dead spots, or nulls, are eliminated for greater speed and accuracy.
- **Built-in GPS.** Capture GPS coordinates for mapping and GIS software.
- **Third party GPS connection.** Integrated Bluetooth™ enables pairing with third party high resolution GPS units.
- **Data streaming.** Connect to Bluetooth™ enabled devices for comprehensive data logging.
- **Smartphone/Tablet RIDGIDtrax App.** Map and identify multiple tracks and waypoints and export trace data to GIS software. Recorded maps can be shared in KML (Google Earth) format through email.



Cat. No.	Model No.	Description	Specification	Image
32753	32753	Seesnake Compact System ( <a href="#">48108</a> )		
45138	CS6	Digital Recording Monitor ( <a href="#">New</a> )		
45158	CS6Pak	Digital Recording Monitor ( <a href="#">New</a> )		
42353	RM200	SeeSnake w/Transport Kit ( <a href="#">New</a> )		
<b>HANDHELD INSPECTION CAMERAS</b>				
40043	CA-25	Micro Inspection Camera		
36738	CA-100	Micro Inspection Camera	17mm	
37098		6mm Dia Imager	1m length	
37093		6mm Dia Imager	4m length	
37108	37108	Cable Extension	3ft	
37113	37113	Cable Extension	6ft	
37888	CA-300	Inspection Camera	17mm	
<b>LINE LOCATING</b>				
21893	SR-20	SeekTech Utility Line Locator	Upto 35 kHz	
44473	SR-24	Line Locator w/Bluetooth & GPS	Upto 35 kHz	
22163	SR-60	SeekTech Utility Line Locator ( <a href="#">30123</a> )	Upto 490 kHz	
26168	ST-33Q	Line Transmitter ( <a href="#">49338</a> )	+5W	
21898	ST-305	Line Transmitter	5W	
21903	ST-510	Line Transmitter	10W	
20973		Inductive Signal Clamp		
96967	96967	Navitrack Locator		
<b>HANDHELD DIAGNOSTICS</b>				
36158	LM-100	Laser Distance Meter	50m/164ft	
36813	LM-400	Advanced Laser Distance Meter	70m/229ft	
36153	IR-100	Infrared Thermometer	-50° - 800°C	
37438	HM-100	Temp. & Humidity Meter		
36163	CD-100	Combustible Gas Detector		
<b>DRAIN CLEANING</b>				
59787	K-3	Toilet Auger	3 Ft Bulb Head	
59797	K-6	Toilet Auger	6ft - Bulb Head	
59812	K-26	Drain Cleaning Hand Spinner	25ft Cable	
58890	K-25-BP	Drain Cleaning Hand Spinner	35ft Cable	
36053	K-45-1	Drain Cleaner	3/4 - 2-1/2in 230v	
36038	K-45AF-1	Drain Cleaner W/Autofeed	3/4 - 2-1/2in 230v	
36043	K-45AF-5	Drain Cleaner W/Autofeed	3/4 - 2-1/2in 230v	
36008	K-45AF-7	Drain Cleaner W/Autofeed	3/4 - 2-1/2in 110v	
71732	K-40-AF	Sink Drain Cleaner	3/4 - 2-1/2in 230v	
26993	K-400	Drum Drain Cleaner w/cable	1-1/2 - 4in 110v	
28103	K-400-AF	Drum Drain Cleaner w/cable	1-1/2 - 4in 220v	
63827	K-3800	Drum Drain Cleaner w/3/8in cable	3/4 - 4in 230v	
63822	K-3800	Drum Drain Cleaner w/ 1/2in cable	3/4 - 4in 230v	
93557	K-6200	Drum Drain Cleaner w/cable	3 - 6 in 110v	
44212	K-750	Drum Drain Cleaner w/cable	3 - 10 in 220v	
61522	K-7500	Drum Drain Cleaner	3 - 10 in 220v	

Cat. No.	Model No.	Description	Specification	Image
76475	K-50-4	Sectional Drain Cleaner w/cable	3/4 - 4 in 230v	
58960	K-50-4	Sectional Drain Cleaner w/cable	3/4 - 4 in 110v	
76495	K-50-8	Sectional Drain Cleaner w/cable	3/4 - 4 in 230v	
59000	K-50-8	Sectional Drain Cleaner w/cable	3/4 - 4 in 110v	
66517	K60SP-SE	Sectional Drain Cleaner w/cable	1-1/4 - 4 in 230v	
27597	K-1500B	Sectional Drain Cleaner w/cable	2 - 8 in 230v	
84295	K-1000	Rodder Machine	8-24 in 6HP	
59365	A-30	Cable Kit for K-50	C-8 5/8x45ft	
61630	A-62	Cable Kit for K-60	C-10 7/8x75ft	
43647	C-24	Cable for K-750	C-24 5/8x100ft	
41212	C-75	Cable for K-750	C-75 3/4x75ft	
41697	C-100	Cable for K-750	C-100 3/4x100ft	
92495	T406	Drain Cleaning Tool-Spade Cutter		
92500	T407	Drain Cleaning Tool-Retrieving Auger		
92505	T408	Drain Cleaning Tool-Sawtooth Auger		
92510	T411	Drain Cleaning Tool - Double Cutter	2in	
92515	T412	Drain Cleaning Tool - Double Cutter	2.5in	
92520	T413	Drain Cleaning Tool - Double Cutter	3in	
92525	T414	Drain Cleaning Tool - Double Cutter	4in	
92530	T416	Drain Cleaning Tool - Double Cutter	6in	
<b>WATER JETTERS</b>				
35511	KJ-1590 II	Electric Water Jetter	Cap. 2-6 in 230v	
63882	KJ-2200-C	Gas Powered Water Jetter	Cap. 1-1/4 - 6 in	
37413	KJ-3100	Gas Powered Water Jetter	Cap. 2-10in	
16713	RR3000	Root Cutting Nozzle		
<b>WET / DRY VACUUMS</b>				
31658	WD4070EX	Wet/Dry Vacuum	4 Gallon 230v	
41343	WD0671EX	Wet/Dry Vacuum	6 Gallon 220v	
40103	WD1270EX	Wet/Dry Vacuum	12 Gallon 110v	
36188	WD1450EX	Wet/Dry Vacuum	14 Gallon 230v	
18718	WD1450	Wet/Dry Vacuum	14 Gallon 110v	
40128	WD1680EX	Wet/Dry Vacuum	16 Gallon 230v	
31698	WD1851EX	Wet/Dry Vacuum	16 Gallon 230v	
72947	VF4000	Paper Filter for Vacuum		
72952	VF5000	Hi Efficiency Filer		
97457	VF6000	HEPA Filter for Vacuum		
<b>STORAGE SYSTEMS</b>				
28011	36	JobMaster Chests - 36in, 97lbs	36 x 19 x 22 in	
28021	42	JobMaster Chests - 42in, 114lbs	42 x 19 x 24 in	

Cat. No.	Model No.	Description	Specification	Image
28031	4824	JobMaster Chests - 48in, 158lbs	48 x 24 x 29 in	
28041	4830	JobMaster Chests - 48in, 194lbs	48 x 30 x 35 in	
28131	89	StorageMaster Chests - 60in, 337lbs	60 x 30 x 50 in	
<b>SPARES</b>				
54212		Set of Jaw Inserts	For 1224 - 47	
26247		Set of Inserts F/Coated	For 1224 - 47	
20113		Switch Accessory	For 1224	
26522		Screws (Pk of 6)]	For 1224 - 61	
27242		Package of 6 Screws	For 1224 - 62	
34342		Package of 6 Pins	For 300C	
35307		Set of Oil Pressure Reliefs	For 300C	
35117		Package of Oil Line Inserts	For 300C/1224	
36652		Footswitch ASM	For 1224	
40087		Set of Chuck Jaws	For 1224	
26852		Gearbox Pulley w/Screw	For 1224	
26857		Motor Pulley w/Screw	For 1224	
42580		Package of 5 Rings		
43735		Centering Head	For 300C/535	
43740		Centering BackPlate	For 300C/535	
44010		Armature 115V	For 300C/535	
44015		Field Coil 110V	For 300C/535	
44030		Armature 230V	For 300C/535	
44035		Field Coil 220V	For 300C/535	
44100		Drive Shaft	For 300C	
44235		Lock W/Pin Screw	For 815A	
44240		Bushing	For 815A	
44245		Thrust Washer	For 815A	
44250		Hex Nut for 815A	For 711/911	
44255		Retaining Ring Ext 0.5Dia	For 815A	
44260		Clamp Lever	For 815A	
44285		Trigger AsM	For 815A	
44540		Brush ASM 144-1	For 300C/535	
44545		Package of 2 caps	For 300C/535	
44715		Jaw Insert Set	For 300C/535	
18596		Armature 230V	For 700	
28922		Field Coil 230V	For 700	
44910		Package of 2 Pawls	For 700	
44915		Package of 4 Springs	For 918/700	
45050		Package of 2 Roll Pins	For 815A	
45260		Package of 5 Pins	For 300C	
45265		Package of 3 Screws	For 918	
45310		Dowel Pin		
46500		Sets of Centering Jaw	For 300C/535	
46720		Package of 2 Seals	For 535	
46790		Package of 6 Screws	For 300C/535	
52497		Armature 115V	For 300C/535	
54047		Chip Tray	For 300C	
54097		Spool Valve	For 300C	

Cat. No.	Model No.	Description	Specification	Image
54102		O Ring	For 300C	
54107		Retaining Ring Ext 0.5Dia	For 300C	
54157		Switch	For 300C	
54212		Set of Jaw Inserts	For 300C	
54502		Front Spindle Bushing	For 300C	
54517		Drip Pan	For 300C	
54537		Gear Main Drive	For 300C	
54542		Armature 230V	For 300C	
58417		Package of 5 Roll Pins	For 300C/535	
58467		Oil Pickup Housing	For 300C/535	
58567		Field Coil 230V	For HC300/HC450	
59702		Switch Knob	For 1224	
59712		Swich Faceplate	For 1224	
61932		Motor Cover	For 1233	
74965		Package of 2 Roll Pins	For 1224	
96840		Cover Plate	For 300C/535	
96870		Set of Gerotors	For 300C/535	
96875		O-Ring	For 300C/535	
96890		Screws	For 300C/535	
97365		Set of Inserts F/Coated	For 300C/535	
10908		Self Tapping Screw Set/4		
10913		Motor Housing Cover		
10918		Bumper Set/2		

## THE TOOLS PROFESSIONALS TRUST.

Build your reputation with more than 300 types and 4,000 models of professional tools.



## RIDGID RE 130-M

WORLD'S LIGHTEST & EASIEST-TO-USE 130KN C-FRAME  
STYLE MANUAL HYDRAULIC CRIMP TOOL



## RIDGID RE 60, 3-IN-1 ELECTRICAL TOOL

CUT, CRIMP & PUNCH!



Model No.	Description	Image
<b>WRENCHES</b>		
<b>Wrench Sets</b>		
W-C11SM	Combination Wrench Set 11 Pcs, 8 to 24mm	
W-C11SA	Combination Wrench Set 11 Pcs, 5/6" to 1"	
W-C14-1SM	Combination Wrench Set 14 Pcs, 8 to 24mm	
W-C14SM	Combination Wrench Set 14 Pcs, 8 to 32mm	
W-C14SA	Combination Wrench Set 14 Pcs 3/8" to 1/4"	
W-MEC10SM	Long Comb. Wrench Set 10 Pcs 10 to 19mm	
W-B08SM	Box End Wrench Set, 8pcs - 6x7 to 22x24	
W-B12SM	Box End Wrench Set, 12pcs - 6x7 to 30x32	
W-E06SM	Star Wrench Set 6 Pcs	
W-O08SA	Open End Wrench Set, 8 Pcs - 1/4-1.1/4"	
W-O08SM	Open End Wrench Set, 8 Pcs - 6x7 to 22x24	
W-O12SM	Open End Wrench Set, 12 Pcs - 6x7 to 30x32	
<b>Hex Key Set</b>		
W-HK09B	Ball Point Hex Key Set (Short) 9 Pcs	
W-HK08SM	Hex Key Set (Long) 8Pcs, 2-10 mm	
W-HK9BL	Ball Point Hex Key Set (Long) 9 Pcs	
W-HK08SA	Hex Key Set (Long) 8 Pcs , 5/64-3/8"	
W-TXT09S	Tamper Torx Key Set (Long) 9 Pcs	
<b>Combination Wrench</b>		
W-C06M	6mm	
W-C07M	7mm	
W-C08M	8mm	
W-C09M	9mm	
W-C10M	10mm	
W-C11M	11mm	
W-C12M	12mm	
W-C13M	13mm	
W-C14M	14mm	
W-C15M	15mm	
W-C16M	16mm	
W-C17M	17mm	
W-C18M	18mm	
W-C19M	19mm	
W-C20M	20mm	
W-C21M	21mm	
W-C22M	22mm	
W-C23M	23mm	
W-C24M	24mm	
W-C25M	25mm	
W-C26M	26mm	
W-C27M	27mm	
W-C28M	28mm	
W-C29M	29mm	
W-C30M	30mm	
W-C32M	32mm	
W-C33M	33mm	
W-C34M	34mm	
W-C35M	35mm	
W-C36M	36mm	



Model No.	Description	Image
W-C38M	38mm	
W-C41M	41mm	
W-C42M	42mm	
W-C46M	46mm	
W-C48M	48 mm	
W-C50M	50mm	
W-C55M	55mm	
W-C60M	60mm	
<b>Box End (Ring) Wrench</b>		
W-B0607M	6x7 mm	
W-B0809M	8x9 mm	
W-B1011M	10x11 mm	
W-B1213M	12x13 mm	
W-B1415M	14x15 mm	
W-B1617M	16x17 mm	
W-B1819M	18x19 mm	
W-B1921M	19x21 mm	
W-B2022M	20x22 mm	
W-B2123M	21x23 mm	
W-B2224M	22x24 mm	
W-B2427M	24x27 mm	
W-B2528M	25x28 mm	
W-B3032M	30x32 mm	
<b>Open End Wrench</b>		
W-O0607M	6x7 mm	
W-O0809M	8x9 mm	
W-O1011M	10x11 mm	
W-O1012M	10x12 mm	
W-O1213M	12x13 mm	
W-O1415M	14x15 mm	
W-O1417M	14x17 mm	
W-O1617M	16x17 mm	
W-O1719M	17x19 mm	
W-O1819M	18x19 mm	
W-O1921M	19x21 mm	
W-O2022M	20x22 mm	
W-O2123M	21x23 mm	
W-O2224M	22x24 mm	
W-O2427M	24x27 mm	
W-O2528M	25x28 mm	
W-O3032M	30x32 mm	
<b>Pipe Wrench</b>		
W-PP06M	6"	
W-PP08M	8"	
W-PP10M	10"	
W-PP12M	12"	
W-PP14M	14"	
W-PP18M	18"	
W-PP24M	24"	
W-PP36M	36"	
W-PP48M	48"	

Model No.	Description	Image
<b>Oil filter Wrench</b>		
W-OFBT	Oil Filter Wrench Belt, 9"	
W-OFCN9	Oil Filter Wrench Chain, 9"	
<b>Adjustable Wrench</b>		
W-ADJ06BN	Black Nickle, 6"	
W-ADJ08BN	Black Nickle, 8"	
W-ADJ10BN	Black Nickle, 10"	
W-ADJ12BN	Black Nickle, 12"	
W-ADJ15BN	Black Nickle, 15"	
W-ADJ18BN	Black Nickle, 18"	
W-ADJ24BN	Black Nickle, 24"	
<b>Slogging Ring Wrench</b>		
W-IMP27	27 mm	
W-IMP30	30 mm	
W-IMP32	32 mm	
W-IMP36	36 mm	
W-IMP38	38 mm	
W-IMP41	41 mm	
W-IMP46	46 mm	
W-IMP50	50 mm	
W-IMP55	55 mm	
W-IMP60	60 mm	
W-IMP65	65 mm	
W-IMP70	70 mm	
W-IMP75	75 mm	
<b>Construction Wrench</b>		
W-CRGH1719	17x19 mm	
W-CRGH1921	19x21 mm	
W-CRGH2123	21x23 mm	
W-CRGH2224	22x24 mm	
W-CRGH2427	24x27 mm	
W-CRGH3032	30x32 mm	
<b>Cross Wrench</b>		
W-CW4	14" , 17x19x21x23 mm	
<b>SOCKETS &amp; ACCESSORIES</b>		
<b>Socket Sets</b>		
SK-SC-SE0591	1/4" Dr Socket Set 17 Pcs 6 pt 4-12mm	
SK-318CVS-12	3/8" Dr Socket Set 18 Pcs 12 pt 6-22mm	
SK-SC-SE0607	1/2" Dr. Socket Set 17 Pcs 12pt 8-32mm (BM)	
SK-SC-SE0598	1/2" Dr Socket Set 24 Pcs 6 pt 8-32 mm	
SK-SC-SE0599	1/2" Dr Socket Set 24 Pcs 12 pt 8-32 mm	
SK-SC-SE0615	1/2" Dr. Socket Set 24Pcs 12pt 8-32mm (BM)	
SK-SC-SE0600	1/2" Dr. Socket Set 24Pcs 6PT 3/8"-1.1/4"	
SK-24CVS-SAE	1/2" Dr Socket Set 24 Pcs 6 pt 3/8"-1-1/4"	
TE-4171	1/2" Star & Starbit Socket Set 16 Pcs	
SK-TE6H18S-12	3/4" Dr Socket Set 18 Pcs 12 pt 19-50mm	

Model No.	Description	Image
SK-TE6I17S	3/4" Dr Impact Socket Set 17pcs 21-50mm	
SK-137CVS-6	Empty Socket Chest,	
<b>Multi-Drive Socket Sets</b>		
SK-TS41	Hand Socket Set 41 Pcs, 1/4"	
SK-TS46	Hand Socket Set 46 Pcs, 1/4"	
SK-TS26	Hand Socket Set 26 Pcs, 3/8"	
SK-TS58	Hand Socket Set 58 Pcs, 3/8"	
SK-TS22	Hand Socket Set 22 Pcs, 1/2", 6pt	
SK-TS94	Hand Socket Set 94 Pcs, 1/4" - 1/2"	
SK-TS120-6	Hand Socket Set 120 Pcs 1/4" - 3/8" - 1/2"	
<b>Mechanic Tool Set</b>		
TK-60MT	Mechanics Tool Set 60pcs 1/4" - 3/8"	
TK-100MT	Mechanics Tool Set 100pcs 1/4" - 1/2"	
TK-130MT	Mechanics Tool Set 130pcs 1/4" - 3/8"	
<b>1/2" Dr Hand Socket 12pt</b>		
SK-TE08M-12	8 mm	
SK-TE09M-12	9 mm	
SK-TE10M-12	10 mm	
SK-TE11M-12	11 mm	
SK-TE12M-12	12 mm	
SK-TE13M-12	13 mm	
SK-TE14M-12	14 mm	
SK-TE15M-12	15 mm	
SK-TE16M-12	16 mm	
SK-TE17M-12	17 mm	
SK-TE18M-12	18 mm	
SK-TE19M-12	19 mm	
SK-TE20M-12	20 mm	
SK-TE21M-12	21 mm	
SK-TE22M-12	22 mm	
SK-TE23M-12	23 mm	
SK-TE24M-12	24 mm	
SK-TE25M-12	25 mm	
SK-TE26M-12	26 mm	
SK-TE27M-12	27 mm	
SK-TE28M-12	28 mm	
SK-TE29M-12	29 mm	
SK-TE30M-12	30 mm	
SK-TE32M-12	32 mm	
<b>1/2" Dr Hand Socket 6pt</b>		
SK-TE08M-6	8 mm	
SK-TE09M-6	9 mm	
SK-TE10M-6	10 mm	
SK-TE12M-6	12 mm	
SK-TE13M-6	13 mm	
SK-TE14M-6	14 mm	
SK-TE16M-6	16 mm	
SK-TE17M-6	17 mm	
SK-TE18M-6	18 mm	
SK-TE21M-6	21 mm	
SK-TE22M-6	22 mm	

Model No.	Description	Image
SK-TE23M-6	23 mm	
SK-TE24M-6	24 mm	
SK-TE25M-6	25 mm	
SK-TE26M-6	26 mm	
SK-TE27M-6	27 mm	
SK-TE28M-6	28 mm	
SK-TE29M-6	29 mm	
SK-TE30M-6	30 mm	
SK-TE32M-6	32 mm	
<b>1/2" Dr Deep Socket 6pt</b>		
SK-TED10M	10 mm	
SK-TED11M	11 mm	
SK-TED12M	12 mm	
SK-TED13M	13 mm	
SK-TED14M	14 mm	
SK-TED15M	15 mm	
SK-TED16M	16 mm	
SK-TED18M	18 mm	
SK-TED19M	19 mm	
SK-TED22M	22 mm	
<b>1/2" Dr Spark Plug Socket</b>		
SK-16SP4	16 mm	
SK-21SP4	21 mm	
<b>3/4" Dr Hand Socket 6pt</b>		
SK-TE6H19M-6	19 mm	
SK-TE6H21M-6	21 mm	
SK-TE6H22M-6	22 mm	
SK-TE6H23M-6	23 mm	
SK-TE6H24M-6	24 mm	
SK-TE6H26M-6	26 mm	
SK-TE6H27M-6	27 mm	
SK-TE6H28M-6	28 mm	
SK-TE6H29M-6	29 mm	
SK-TE6H30M-6	30 mm	
SK-TE6H32M-6	32 mm	
SK-TE6H33M-6	33 mm	
SK-TE6H34M-6	34 mm	
SK-TE6H36M-6	36 mm	
SK-TE6H38M-6	38 mm	
SK-TE6H41M-6	41 mm	
SK-TE6H46M-6	46 mm	
SK-TE6H50M-6	50 mm	
SK-TE6H55M-6	55 mm	
SK-TE6H60M-6	60 mm	
<b>1/2" Dr Impact Socket 6pt</b>		
SK-TEI08M-6	8 mm	
SK-TEI09M-6	9 mm	
SK-TEI10M-6	10 mm	
SK-TEI11M-6	11 mm	
SK-TEI12M-6	12 mm	
SK-TEI13M-6	13 mm	

Model No.	Description	Image
SK-TEI14M-6	14 mm	
SK-TEI15M-6	15 mm	
SK-TEI16M-6	16 mm	
SK-TEI17M-6	17 mm	
SK-TEI18M-6	18 mm	
SK-TEI19M-6	19 mm	
SK-TEI20M-6	20 mm	
SK-TEI21M-6	21 mm	
SK-TEI22M-6	22 mm	
SK-TEI23M-6	23 mm	
SK-TEI24M-6	24 mm	
SK-TEI25M-6	25 mm	
SK-TEI26M-6	26 mm	
SK-TEI27M-6	27 mm	
SK-TEI28M-6	28 mm	
SK-TEI29M-6	29 mm	
SK-TEI30M-6	30 mm	
SK-TEI32M-6	32 mm	
<b>1/2" Dr Deep Impact Socket 6pt</b>		
SK-TEID08M-6	8 mm	
SK-TEID09M-6	9 mm	
SK-TEID10M-6	10 mm	
SK-TEID11M-6	11 mm	
SK-TEID12M-6	12 mm	
SK-TEID13M-6	13 mm	
SK-TEID14M-6	14 mm	
SK-TEID15M-6	15 mm	
SK-TEID16M-6	16 mm	
SK-TEID17M-6	17 mm	
SK-TEID18M-6	18 mm	
SK-TEID19M-6	19 mm	
SK-TEID20M-6	20 mm	
SK-TEID21M-6	21 mm	
SK-TEID22M-6	22 mm	
SK-TEID23M-6	23 mm	
SK-TEID24M-6	24 mm	
SK-TEID26M-6	26 mm	
SK-TEID27M-6	27 mm	
SK-TEID28M-6	28 mm	
SK-TEID29M-6	29 mm	
SK-TEID30M-6	30 mm	
SK-TEID32M-6	32 mm	
<b>6pt Impact Socket 3/4" Dr</b>		
SK-TE6I19M	19 mm	
SK-TE6I21M	21 mm	
SK-TE6I22M	22 mm	
SK-TE6I23M	23 mm	
SK-TE6I24M	24 mm	
SK-TE6I26M	26 mm	
SK-TE6I27M	27 mm	
SK-TE6I29M	29 mm	

Model No.	Description	Image
SK-TE6I30M	30 mm	
SK-TE6I32M	32 mm	
SK-TE6I33M	33 mm	
SK-TE6I34M	34 mm	
SK-TE6I36M	36 mm	
SK-TE6I38M	38 mm	
SK-TE6I41M	41 mm	
SK-TE6I46M	46 mm	
SK-TE6I50M	50 mm	
SK-TE6I55M	55 mm	
SK-TE6I60M	60 mm	
<b>6pt Deep Impact Socket 3/4" Dr</b>		
SK-TE6ID17M-6	17 mm	
SK-TE6ID21M-6	21 mm	
SK-TE6ID22M-6	22 mm	
SK-TE6ID27M-6	27 mm	
SK-TE6ID29M-6	29 mm	
SK-TE6ID30M-6	30 mm	
SK-TE6ID32M-6	32 mm	
SK-TE6ID36M-6	36 mm	
SK-TE6ID38M-6	38 mm	
<b>6pt Impact Socket 1" Dr</b>		
SK-TE8I36M	36 mm	
SK-TE8I38M	38 mm	
SK-TE8I41M	41 mm	
SK-TE8I46M	46 mm	
SK-TE8I48M	48 mm	
SK-TE8I50M	50 mm	
SK-TE8I55M	55 mm	
SK-TE8I60M	60 mm	
SK-TE8I65M	65 mm	
SK-TE8I70M	70 mm	
SK-TE8I75M	75 mm	
SK-TE8I80M	80 mm	
SK-TE8I85M	85 mm	
SK-TE8I90M	90 mm	
SK-TE8I95M	95 mm	
<b>Adaptor</b>		
SK-AD4F3M	1/2M x 3/8F	
SK-AD3F4M	3/8M x 1/2F	
SK-AD4F6M	1/2M x 3/4F	
SK-AD6F4M	3/4M x 1/2F	
<b>Universal Joint</b>		
SK-UJ2	1/4"	
SK-UJ3	3/8"	
SK-UJ	1/2"	
<b>T-Type Socket</b>		
W-T11M	11 mm	
W-T12M	12 mm	
W-T13M	13 mm	
W-T14M	14 mm	

Model No.	Description	Image
W-T17M	17 mm	
W-T19M	19 mm	
<b>Flexible Handle</b>		
SK-FH15	Flexible Handle 1/2" Dr, 1/2"x15"	
SK-HFH19	Flexible Handle 3/4" Dr, 19"	
<b>Ratchet Handle</b>		
SK-RH205	Ratchet Handle, 1/4"x5.5"	
SK-RH308	Ratchet Handle, 3/8"x8"	
SK-RH10	Ratchet Handle, 1/2"x10"	
SK-RH10A	Ratchet Handle (Rubber Handle), 1/2"x10"	
SK-RH20	Ratchet Handle Impact, 3/4"x20"	
<b>Extension Bar</b>		
SK-EB303	3/8"x3"	
SK-EB10	1/2"x10"	
SK-HEB08	3/4"x8"	
SK-IEB04	3/4x4"	
SK-SB10	1/2" Sliding Bar 10"	
SK-SB20P	3/4" Impact Sliding Bar 20"	
<b>Torque Wrench</b>		
TE-TW1200BA	1/2" DR, 25-200Nm	
TE-TW2000BA	1/2" DR, 50-200Nm	
TE-TW3000BA	1/2" DR, 70-350Nm	
TE-TW7200BA	3/4" DR, 200-810Nm	
TE-TW8400BA	1" DR, 480-940Nm	
<b>PLIERS</b>		
<b>Standard Plier</b>		
P-05L	Mini Linesman Plier 4.5"	
P-05DG	Mini Diagonal Plier 4.5'	
P-05LN	Mini Long Nose Plier 4.5"	
P-HDD6	Diagonal Heavy Duty Plier 6in	
P-HDLN6	Long Nose Heavy Duty Plier 6in	
P-HDL6	Linesman Heavy Duty Plier 6in	
P-HDD8	Diagonal Heavy Duty Plier 8in	
P-HDLN8	Long Nose Heavy Duty Plier 8in	
P-HDL8	Linesman Heavy Duty Plier 8in	
P-GY106DG-BN	Diagonal Pliers Black Nickle,6"	
P-GY106LN-BN	Long Nose Pliers (Black Nickle), 6"	
P-WP12	Waterpump Plier 12"	
P-107VGS	Locking Grip Plier Straight, 7"	
P-110VGS	Locking Grip Plier Straight, 10"	
P-SJ08	Slip Joint Plier 8"	
<b>Circlip Plier</b>		
P-105RIS	Circlip Plier Internal Straight 5"	
P-105RIB	Circlip Plier Internal Bent Straight 5"	
P-107RIB	Circlip Pliers Internal Bent, 7"	
P-109RIB	Circlip Pliers Internal Bent, 9"	
P-107RIS	Circlip Pliers Internal Straight, 7"	
P-109RIS	Circlip Pliers Internal Straight, 9"	
P-107REB	Circlip Pliers External Bent, 7"	
P-109REB	Circlip Pliers External Bent, 9"	
P-107RES	Circlip Pliers External Straight, 7"	

Model No.	Description	Image
P-109RES	Circlip Pliers External Straight, 9"	
<b>SCREWDRIVERS</b>		
<b>In Line Screwdriver (+)</b>		
TE-ILC300075	3.2x75 mm (+) PH0	
TE-ILC300100	3.2x100 mm (+) PH0	
TE-ILC000100	4x100 mm (+) PH0	
TE-ILC000125	4x125 mm (+) PH0	
TE-ILC001125	5x125 mm (+) PH1	
TE-ILC001150	5x150 mm (+) PH1	
TE-ILC001200	5x200 mm (+) PH1	
TE-ILC001150	5x250 mm (+) PH1	
TE-ILC002100	6x100 mm (+) PH2	
TE-ILC002125	6x125 mm (+) PH2	
TE-ILC002150	6x150 mm (+) PH2	
TE-ILC002200	6x200 mm (+) PH2	
TE-ILC002250	6x250 mm (+) PH2	
TE-ILC002300	6x300 mm (+) PH2	
TE-ILC003150	8x150 mm (+) PH3	
TE-ILC003200	8x200 mm (+) PH3	
TE-ILC003250	8x250 mm (+) PH3	
<b>In Line Screwdriver (-)</b>		
TE-ILC032075	3.2x75 mm	
TE-ILC032100	3.2x100 mm	
TE-ILC050125	5x125 mm	
TE-ILC050150	5x150 mm	
TE-ILC050200	5x200 mm	
TE-ILC060100	6x100 mm	
TE-ILC060125	6x125 mm	
TE-ILC060150	6x150 mm	
TE-ILC060200	6x200 mm	
TE-ILC060250	6x250 mm	
TE-ILC080150	8x150 mm	
TE-ILC080200	8x200 mm	
TE-ILC080250	8x250 mm	
TE-ILC080300	8x300 mm	
<b>Screwdriver Set</b>		
TE-GT07S	Go Thru Sc/Dr Set 7 Pcs	
S-PC06S	Precision Screwdriver 6Pcs	
S-PC121S	Precision Screwdriver 12Pcs	

Model No.	Description	Image	
TE-6236	Flexible Extension Screwdriver Set		
TE-CGS07	Cushion Grip Screwdriver Set		
S-AA07S	Acetate Handle Sc/Dr Set 7 Pcs		
S-ID10BG	Impact Driver Set 11Pcs		
B-ID06S-PH2	Impact Bit Set, 5Pcs PH2 for Impact Driver		
B-ID06S-PH3	Impact Bit Set, 5Pcs PH3 for Impact Driver		
<b>HAMMERS</b>			
<b>Ball Pein Hammer</b>			
H-BP16	16 oz		
H-BP24	24 oz		
H-BP32	32 oz		
<b>Claw Hammer</b>			
H-CH08	8 oz		
H-CH12	12 oz		
H-CF16	16 oz		
<b>Double Plastic Hammer</b>			
H-DP25F	Size 25 mm		
H-DP30F	Size 30 mm		
H-DP35F	Size 35 mm		
H-DP40F	Size 40 mm		
H-DP50F	Size 50 mm		
<b>Arm Gear Puller</b>			
GP-TE2J04	2 Arm Gear Puller, 4"		
GP-TE2J06	2 Arm Gear Puller, 6"		
GP-TE2J08	2 Arm Gear Puller, 8"		
GP-TE2J10	2 Arm Gear Puller, 10"		
GP-TE2J12	2 Arm Gear Puller, 12"		
GP-TE3J04	3 Arm Gear Puller, 4"		
GP-TE3J06	3 Arm Gear Puller, 6"		
GP-TE3J08	3 Arm Gear Puller, 8"		
GP-TE3J10	3 Arm Gear Puller, 10"		
GP-TE3J12	3 Arm Gear Puller, 12"		
TE-A10G	All In One Gear Puller		

Model No.	Description	Image
<b>Automotive Tools</b>		
H-TC701	Hand Riveter	
G-F100B13	Feeler Gauge, 13 BLADES (0.05-1.00)	
S-EX06S	Screw Extractor Set 6 Pcs	
TRH6802	Mechanical Creeper	
<b>JACKS</b>		
<b>Bottle Jack</b>		
J-B02TB	2 Ton	
J-B04TB	4 Ton	
J-B06TB	6 Ton	
J-B10TB	10 Ton	
J-B15TB	15 Ton	
J-B20TB	20 Ton	
J-B30TB	30 Ton	
<b>Jack Stand</b>		
S-J03T	3 Ton	



# FLIR C2


Powerful, Compact Thermal Imaging System

The FLIR C2 is the world's first full-featured, pocket-sized thermal camera designed for building industry experts and contractors. Keep it on you so you're ready anytime to find hidden heat patterns that signal energy waste, structural defects, plumbing issues and more. The C2's must-have features include MSX™ real time image enhancement, high sensitivity, a wide field of view, and fully radiometric imagery to clearly show where problems are and verify the completion of repairs.

### Pocket Portable.

Keep it on you and at your side, ready for immediate use so you don't miss an opportunity

- Light, slim profile fits comfortably in any work pocket
- Brilliant 3" intuitive touch screen with auto orientation for easy viewing
- Built-in LED spotlight you can use as a flashlight and for photo illumination



Hot Overloaded Dimmer Switch



Warm Drain Pipe in Wall



Uninsulated Outside Wall

### Fully Radiometric.

Save thermal image JPEGs instantly, then conveniently adjust and analyze them later with FLIR Tools to isolate temperature measurements on any pixel and create convincing reports

- MSX-enhanced thermal images provide stunning detail to help you identify problem areas easier
- Radiometric image stores 4800 pixels capable of capturing thermal measurements from -10°C to 150°C
- A wide FOV frames what pros need to see and high thermal sensitivity detects subtle temperature differences common in building applications

### Easily Affordable.

Sub-\$700 MSRP fits everyone's budget to help put this powerful tool into the hands of more people who can really use it

- FLIR Tools professional reporting software included – the industry standard in thermal image post analysis
- Streaming video via FLIR Tools, a feature not usually available on low-cost thermal camera systems
- FLIR's unique 2-10 warranty, covering parts and labor for two years and the detector for ten



## Testing & Diagnostic Equipment



**FLUKE**®

**UNI-T**®

**Megger**®

**EXTECH**  
INSTRUMENTS

**FLIR**®

- Electrical Power Testing
- Temperature & Humidity Testing
- HVAC Test Instruments
- Electronic/Bench Testing
- Air Movement Testing
- Line Locating Equipment
- Video Inspection Equipment



Model No.	Description	Image
<b>Multimeters</b>		
MN36	<b>Mini MultiMeter, Compact AutoRanging</b> 400V AC/DC, 10A Current	
EX310	<b>Mini MultiMeter W/NCV Manual Ranging</b> 600V AC/DC Voltage & 10A Current, Resistance, Diode/Continuity	
EX420	<b>MultiMeter AutoRanging DMM</b> 750VAC/1000VDC Voltage & 20A Current, Resistance, Capacitance, Frequency, Temperature, Diode/Continuity, Duty Cycle	
EX470	<b>True RMS MultiMeter, Built-in IR Therm. Laser</b> 750VAC/1000VDC Voltage & 20A Current, Resistance, Capacitance, Frequency, Temperature, Diode/Continuity, Duty Cycle	
EX520	<b>Cat IV True RMS Industrial MultiMeter</b> 1000V AC/DC Voltage & 20A Current, Resistance, Capacitance, Frequency, Temperature, Diode/Continuity, Duty Cycle Waterproof,TRMS/Temp	
MG300	<b>True RMS Multimeter/Insulation Tester</b> 13 Function Wireless, 915Mhz, 1000V AC/DC, 10A Current	
MG302	<b>True RMS Multimeter/Insulation Tester</b> 13 Function Wireless,433MHz 125V, 250V, 500V, and 1000V test voltage	
<b>Clamp Meters</b>		
MA430T	<b>True RMS AC Clamp Meter</b> 600V AC/DC, 400A Current	
EX830	<b>True RMS Clamp Meter + IR Thermometer</b> 600V AC/DC, 1000A Current	
MA640	<b>True RMS Clamp Meter</b> 600V AC/DC + NCV, 600A, Resistance, Frequency, Capacitance, Temperature, Duty Cycle, Diode and Continuity	
<b>Electrical Testers</b>		
DV25	<b>Dual Range AC Voltage Detector</b> with Flashlight, Non-Contact, 24 to 1000VAC, 100 to 1000VAC, CAT IV-1000V, 50/60Hz	
DV40	<b>Non-Contact Voltage Detector</b> with built-in Infrared Thermometer, 50V to 1000V AC, CAT III-1000V, -20 to 445deg F (-30 to 230deg C)	

Model No.	Description	Image
VT30	<b>Multi Function Voltage Tester</b> LCD, 480VAC/690VDC, EN61010-1 CAT IV-600V and CAT III-600V	
382252	<b>Earth Ground Resistance Tester Kit</b> 20Ω/ 200Ω/2000Ω, 0 to 200VAC / 50 to 400Hz, 1000V DC, 200kΩ Resistance, 40Ω Continuity	
380360	<b>Digital MegohmMeter</b> Insulation Voltage 250V, 500V, 1000V, 600V AC, 200Ω Low Resistance	
380395	High-Voltage Insulation Tester 110V	
380396	<b>High Voltage Digital Insulation Tester 200V</b> Test Voltage 500V/1000V/2500V/5000V, 600V AC/DC, 600Ω Resistance, 50Ω Continuity	
GRT300	<b>4-Wire Earth Ground Resistance Tester Kit</b> 2Ω/20Ω/ 200Ω/2000Ω, 300VAC Earth Voltage	
382357	<b>Clamp-On Ground Resistance Tester</b> 0.025 to 1500Ω, 0.3mA to 30A AC Current	
<b>Thermometers</b>		
39240	<b>Waterproof Thermometer</b> 2.75in (70mm) Stainless steel stem, -40 to 392deg F (-40 to 200deg C)	
392050	<b>Penetration Dial Thermometer</b> 5in (130mm) probe with 2in (54mm) dial, -58 to 302deg F (-50 to 150deg C)	
401014	<b>Indoor/Outdoor Thermometer</b> Large LCD Displays, Indoor Range 14 to 140deg F (-10 to 60deg C), Outdoor Range -58 to 158deg F (-50 to 70deg C)	
IR400	<b>Compact Laser IR Thermometer</b> -4 to 630deg F (-20 to 332deg C)	
42510A	<b>Compact Laser IR Thermometer</b> -58 to 1200deg F (-50 to 650deg C)	

Model No.	Description	Image
VIR50	<b>Dual Laser IR Video Thermometer</b> Built-in VGA (640 x 480) Camera, (JPEG)/(3GP), laser points converge to a 1" target spot, Type K Thermocouple input	
TM100	<b>Single Input Thermometer</b> Type J/K, -328 to 2501deg F (-200 to 1372deg C) Type K, -346 to 2012deg F (-210 to 1100deg C) Type J	
RHT20	<b>Humidity &amp; Temperature DataLogger</b> with LCD, Temperature -40 to 158deg F (-40 to 70deg C), Humidity 100% RH	
RHT50	<b>Weather Datalogger</b> Datalogs up to 10,000 readings with a user programmable sample rate, Selectable Atmospheric Pressure Units: psi, hPa, kPa, and bar	
SD200	<b>3 Channel Temperature DataLogger</b> Temperature -58 to 2372deg F (-100 to 1300deg C)	
<b>HVAC Testing Equipment</b>		
445580	<b>Humidity/Temperature Pen</b> Compact, Capacitance, 10 to 90% Humidity, 14 to 122deg F (-10 to 50deg C)	
45158	<b>Mini Thermo-AnemoMeter</b> RH/Temp, 0 to 122deg F, -18 to 50deg C, 100 to 5500 ft/min, 10% - 95% Relative Humidity	
AN100	<b>CFM/CMM Thermo-AnemoMeter</b> 80 to 5900 ft/min, 14 to 140deg F (-10 to 60deg C)	
AN300	<b>Large Vane CFM/CMM Thermo-AnemoMeter</b> 40 to 5900 ft/min, 0 to 99999 CFM/CMM, -4 to 140deg F (-20 to 60deg C)	
AN500	<b>Hot Wire CFM/CMM Thermo-AnemoMeter</b> 40 to 3940 ft/min, 32 to 140deg F (0 to 60deg C)	
45160	<b>3-in-1 Humidity, Temperature and Airflow Meter</b> 80 to 5910 ft/min, 32 to 122deg F (0 to 50deg C)	
45170	<b>Environmental Meter</b> 4-in-1, 80 to 5910 ft/min, 32 to 122deg F (0 to 50deg C), 10 to 95% Relative Humidity	

Model No.	Description	Image
EN300	<b>Environmental Meter</b> 5-in-1 Meter & PC Interface, Sound level meets IEC 61672 class 2, 80 to 5910 ft/min, 32 to 122deg F (0 to 50deg C)	
LT300	<b>Light Meter</b> Digital and Analog Display, 20000 Fc (Foot-candles), Cosine and Color Corrected	
EA30	<b>Light Meter</b> EasyView, Big Digit, Wide range, Compact and rugged, 4000 count LCD, 40, 400, 4000, 40000Fc	
HT30	<b>Heat Stress WBGT (Wet Bulb Globe Temperature) Meter</b> Considers the effects of temperature, humidity, and direct or radiant sunlight / Black Globe Temperature (TG) monitors the effects of direct solarradiation on an exposed surface	
401025	<b>Foot Candle/Lux Light Meter</b> Includes analog output and fast/slow response feature / ccurately displays light level in terms of Fc or Lux over three ranges	
407730	<b>Digital Sound Level Meter</b> 40 to 130dB, AC	
407732	<b>Type 2 Sound Meter</b> Backlight Display, Low 35 to 100dB, High 65 to 130dB	
407750	<b>Digital Sound Level Meter</b> 30 to 130dB measurement range with ±1.5dB accuracy ANSI & IEC 651 Type 2 standards	
461891	<b>High Precision Contact Tachometer</b> Fast and accurate rpm and surface speed measurements to 20,000rpm / 0.05% basic accuracy / Make contact measurements of rotating objects	
RPM33	<b>Mini Combination Contact/Laser Photo Tachometer</b> Large 5-digit Backlit Display, 2 to 99,999rpm	
RH390	<b>Precision Hygro-Thermometer Psychrometer</b> Capacitance, 0 to 100% RH Humidity, -22 to 199deg F (-30 to 100deg C) Dew Point	
47750	<b>Sound Level Meter with PC Interface</b> Big backlit display, PC interface & background sound absorber / Meets ANSI & IEC 651 Type 2 standards	

Model No.	Description	Image
480826	<b>EMF Tester/Triple Axis</b> X, Y, Z direction, Band width 30Hz to 300Hz	
CO10	<b>Carbon Monoxide Meter</b> Auto Zero, 0 to 1000ppm, stores 10 Readings	
CO250	<b>Portable Indoor Air Quality CO2 Meter</b> 0-5000ppm, Temperature 14 to 140deg F (-10 to 60deg C), Humidity 99.9%	
SDL310	<b>Thermo-Anemometer/Datalogger</b> Measures Air Temperature to 122°F (50°C) and air velocity to 4930ft/min	
SDL800	<b>Vibration Meter/Datalogger</b> 10Hz to 1kHz, RMS, Peak Value or Max Hold Measurement Modes	
SDL900	<b>AC/DC Magnetic Meter/Datalogger</b> Utilizes Hall effect sensor with ATC (Automatic Temperature Compensation), Adjustable data sampling rate: 1 to 3600 seconds	
407860	<b>Heavy Duty Vibration Meter</b> Measure Acceleration, Velocity, and Displacement plus built-in PC interface / Ranges - Acceleration: 200m/s2, Velocity: 200mm/s, Displacement: 2mm	
<b>Thickness Gauges</b>		
CG204	<b>Coating Thickness Tester</b> 0 to 1250µm Measuring Range	
TKG100	<b>Ultrasonic Thickness Tester</b> 5MHz probe: 0.040 to 20in (1.0 to 508mm),	
TKG150	<b>Digital Ultrasonic Thickness Gauge/DataLogger</b> 5MHz probe: 0.040in to 20in of steel, Stores 50k readings (expandable to 100k) and 5,000 waveforms	
TKG250	<b>Color Waveform Thickness Gauge/DataLogger</b> 5MHz probe: 0.040in to 20in of steel, Stores 50k readings (expandable to 100k) and 5,000 waveforms	
<b>Lab Instruments</b>		
PH100	<b>Exstik PH Meter</b> 0 to 14pH, 23 to 194deg F (-5 to 90deg C), Gel Filled	

Model No.	Description	Image
PH4-P	<b>Buffer Solution(2 bottles)</b> Rinsing solution used for cleaning off the pH electrode after taking the next measurement from a different solution to prevent contamination	
CL200	<b>ExStik Waterproof Chlorine Meter</b> 0.01 to 10.00ppm, 23 to 194deg F (-5 to 90deg C)	
CL500	<b>Free and Total Chlorine Meter</b> 0.01 to 3.50ppm, LED 525nm	
CL203	<b>Extab Chlorine Reagent Tablets</b> 10 Pack = 100 Tests	
TB400	<b>Portable Turbidity Meter</b> 2-point calibration, 0.00 to 50 NTU, 50 to 1000 NTU (Nephelometric Turbidity Unit)	
EC600	<b>Waterproof Conductivity Kit</b> Measures Conductivity, TDS, Salinity, Resistivity, pH, mV and Temperature	
RF20	<b>Portable Brix Refractometer</b> Salinity (Salt - ATC), 0 to 100ppt (10 to 30deg C)	
RF40	<b>Battery Coolant/Glycol RefractoMeter</b> Propylene Glycol Freeze Point: -60 to 32deg F, Ethylene Glycol Freeze Point: -60 to 25deg F	
EX900	<b>4-in-1 Chlorine, pH, ORP and Temperature Kit</b> Includes CL200 meter, pH and ORP electrodes, reagent tablets, 4 plastic cups, weighted stand, pH buffer pouches, batteries and carrying case	
<b>Others</b>		
CO200	<b>Desktop Indoor Air Quality CO2 Monitor</b> Checks for Carbon Dioxide (CO2) concentrations with Max/Min value recall function, CO2: 0 to 9,999ppm / Temperature: 14 to 140°F (-10 to 60°C) / Humidity: 0.1 to 99.9%RH	
CO50	<b>Desktop CO (Carbon Monoxide) Monitor</b> Simultaneously displays Formaldehyde concentration, Air Temperature, and Relative Humidity readings with date (Year, Month, Day) and time /	
FM300	<b>Desktop Formaldehyde (CH2O or HCHO) Monitor</b> Measures Formaldehyde concentration, Air Temperature and Humidity	

Model No.	Description	Image
RH35	<b>Desktop Hygro-Thermometer Alert</b> Monitors Humidity, Temperature, and Dew Point for the previous 24 hours / Humidity range: 10 to 99%RH / Temperature range: 14 to 140°F (-10 to 60°C)	
SC50	<b>Handheld Digital Scale</b> Battery-Operated Portable Scale for Items That Won't Fit on a Flat Floor Scale / Measure up to 110lbs/50kg with 0.01lb (0.01kg) resolution	
365510	<b>Stopwatch/Clock Digital</b> with Calendar and Alarm	
TG20	<b>Wire Tracer Kit</b> Probe - 8.7x2x1.3in, Transmitter - 2.6x2.7x1.1in	
CT20	<b>Remote &amp; Local Continuity Tester</b> External Probe, Wire verification distance 10000ft, 26AWG	
40180	<b>Tone Generator and Amplifier Probe Kit</b> Wire Trace, Continuity Test, Probe - 9x2.3x1in, Generator - 2.5x2.5x1.5in	
475055	<b>Digital Force Gauge</b> with PC Interface, 220lbs, 100kg, 980 Newtons, 150kg Overload Capacity	
MO210	<b>Pocket Moisture Meter</b> 2-in-1 digital LCD readout and analog bargraph Use on wall board, sheet rock, cardboard, plaster, concrete, and mortar	
MO220	<b>Wood Moisture Meter</b> Memory contains 8 wood groups with calibrations for approximately 170 species of wood, Automatically temperature compensated (ATC) readings when used with the temperature probe (included)	
MO257	<b>Pinless Moisture Meter</b> Relative pinless moisture reading for non-invasive measurement from 0.0 to 100.0 with 0.1 resolution, measurement depth from 0.78" (20mm) to 1.6" (40mm) below the surface	
<b>Accessories</b>		
TL803	<b>Standard Test Leads</b> CAT III-1000V	
TL806	<b>Alligator Clips for Test Lead Tips</b> Extra Large, Double Insulated CAT III-1000V, for TL810 or TL809	

Model No.	Description	Image
TL807C	<b>Alligator Clips for Test Lead Tips</b> 2 Pack for MultiX series, Insulated, CAT IV-600V, CAT III-1000V, for TL803	
TL810	<b>Electrical Test Lead Kit</b> Double Insulated with CAT III-1000V	
TP870	<b>Type K Temperature Probe</b> Bead Wire, -40 to 482deg F (-40 to 250deg C)	

**Important Note:**

For calibration, please note that all products are pre-calibrated at the factory and is valid for 1 year from date of first use. However, if you still need a calibration certificate, this will have to be issued from a Calibration Lab for which the certificate charges will be applicable.

**TOUGH TOOLS**  
**FOR TOUGH BUDGETS**

Model No.	Description	Image
C2	<b>Compact Thermal Imaging System</b> 4,800 pixels (80x60 IR), 3in Touch screen -10deg to 150deg C (14deg to 302deg F) <b>VT04</b>	
E4	<b>Compact Infrared Camera with MSX</b> 4,800 pixels (80x60 IR) Range: -20° to 250°C (-4° F to 482°F)	
E5	<b>Compact Infrared Camera with MSX</b> 10,800 pixels (120x90 IR), Range: -20deg to 250deg C (-4deg to 482deg F)	
E6	<b>Compact Infrared Camera with MSX</b> 19,200 pixels (160x120 IR), Range: -20deg to 250deg C (-4deg to 482deg F) <b>Ti105</b>	
E8	<b>Compact Infrared Camera with MSX</b> 76,800 pixels (320x240 IR), Range: -20deg to 250deg C (-4deg to 482deg F)	
E40	<b>Full feature Infrared Thermal Imaging Camera w/Wifi</b> 19,200 pixels (160x120 IR), Range: -20deg to 120deg C (-4deg to 248deg F) <b>Ti125</b>	
E50	<b>Full feature Infrared Thermal Imaging Camera w/Wifi</b> 43,200 pixels (240x180 IR), -20deg to 120deg C (-4deg to 248deg F) <b>Ti200</b>	
E60	<b>Full feature Infrared Thermal Imaging Camera w/Wifi</b> 76,800 pixels (320x240 IR), -20deg to 120deg C (-4deg to 248deg F) <b>Ti400</b>	
T420	<b>Infrared Camera including wifi 25°</b> (320x240 IR) -4°F to 1202°F (-20°C to 650°C) 4X Continuous	
T440	<b>Infrared Camera including wifi 25°</b> (320x240 IR) -4°F to 2192°F (-20°C to 1200°C) 8X Continuous	


**Electrical**

Find hidden problems quickly, make timely repairs, prevent unscheduled shutdowns, and improve plant safety.

**Mechanical**

Discover overheated bearings, linkages, and other components before they can interrupt your operations or create safety hazards.

**Utility**

Scan large areas and hundreds of connections quickly and efficiently to prevent unexpected service outages and lost revenues.

Model	Description	Image
<b>DIGITAL MULTIMETERS</b>		
<b>10 Series Multimeters</b>		
106	Palm-sized Digital Multimeter 600V AC/DC, 400Ω	
107	Palm-sized Digital Multimeter 600V, AC/DC, Freq, 400Ω	
15B+	Digital Multimeter 1000V, 40 Hz to 500Hz / 400mV	
17B	Digital Multimeter 1000V, 10A/400µA / 40MW / Avg AC	
<b>110 Series Multimeters</b>		
114	<b>True RMS Electrical Multimeter</b> 600V, AC/DC, Resist. & Contin.	
115	<b>True RMS Field Service Technicians Multimeter</b> 600V, Hertz Accuracy(0.1% + 2), (45Hz to 500Hz), 600Ω	
116/323 Kit	<b>Fluke HVAC True RMS Multimeter and Clamp Meter Combo Kit</b> , TL175 / TPak / Flexible Cuff Pipe Clamp Thermocouple / 80BK / 80AK-A / C115	
117	<b>True RMS Electrical Multimeter</b> with Non-Contact voltage, 600V, AC/DC Resistance, Capacitance, Frequency, Continuity, 11A, 600Ω	
117/323 Kit	Fluke Electrician's Multimeter Combo Kit	
C50	Soft Meter Case	
<b>170 Series Multimeters</b>		
175	<b>True RMS Multimeter</b> 1000V ± (0.15%+2), 10A	
177	<b>True RMS Digital Multimeter</b> 1000V 10A	
179	<b>True RMS Digital Multimeter</b> 110A, -40°C/400°C	
179/EDA2/EUR	<b>Electronics Combo Kit</b> Components: 80BK Probe, Installed 9V battery, Test leads, AC220, TP220, Test probes, TL224, Magnetic meter-hanger	
C90	Soft Meter Case	
<b>200 Series Multimeters</b>		
233	<b>Remote Display Digital Multimeter</b> -40deg C to 400deg C 1000V AC/DC, Resistance, Capacitance & Diodes, 10A,	
287/EUR	<b>True RMS Electronics Logging Multimeter with TrendCapture</b> 1000V AC/DC, 10A, Resistance, Capacitance, Freq.	
289/EUR	<b>True RMS Industrial Logging Multimeter with TrendCapture</b> 1000V AC/DC, 10A, 50Ω, Resistance, Cap., Freq.	
289/FVF/EUR	<b>Industrial Logging Multimeter and Soft Combo Kit</b> Components: 289, FVF-SC2, TL71, AC72, 80BK-A, TPAK, C280	

Model	Description	Image
<b>20 Series Multimeters</b>		
28II/EUR	<b>Industrial Multimeter (IP67)</b> 1000V AC/DC Capacitance,Continuity,Diode,Frequency,Resistance	
28 II Ex	<b>Intrinsically Safe TRMS Industrial Multimeter 600V</b> AC/DC,Resistance,Conductance,DiodeTest,Capacitance, Frequency, Temperature	
C25	Soft Meter Case	
<b>70 Series Multimeters</b>		
77-4/EUR	<b>Digital Multimeter 1000V</b> Voltage & Amps AC/DC Resistance,Capacitance, Freq.	
C90	Soft Meter Case	
<b>80 Series Multimeters</b>		
87-V/EUR	<b>True RMS Industrial Multimeter</b> 1000V AC/DC, Resistance, Capacitance, Frequency, Temperature, 10A, -20deg C to 55deg C	
87V/i410	<b>Combo Kit for Industrial Applications</b> 87-V, i410, C115, TL75, AC72, 80BK, 9V Battery	
87-V/E2K/EUR	<b>Industrial Electricians Combo Kit</b> 87V, TL224, AC220, TP238, TPAK, 80BK, C35, 9V Batt.	
C25	Soft Meter Case	
<b>Automotive Meters</b>		
88V/A	<b>Automotive Meter Combo Kit</b> (TL224, AC285, TP220, TPAK, C800, Holster)	
<b>Bench Multimeters</b>		
8808A 240V	5.5 Digit Multimeter	
8808A/SU 240V	5.5 Digit Multimeter (software & cable)	
8808A/TL 240V	5.5 Digit Multimeter, 2X4W Test Lead Kit	
8845A 240V	6.5 Digit Precision Multimeter	
8845A/SU 240V	6.5 Digit Precision Multimeter (incl. software + cable)	
8846A 240V	6.5 Digit Precision Multimeter	
8846A/SU 240V	6.5 Digit Precision Multimeter (incl. software + cable)	
<b>CLAMP METERS</b>		
302	<b>Clamp Meter</b> 400/600V AC/DC, 4000Ω, CAT III 600 V, 400A	
303	<b>Clamp Meter</b> 400/600V AC/DC, 4000Ω, CAT III 600V, 600A	
305	<b>Clamp Meter</b> 400/600V AC/DC, 4000Ω, CAT III 600V	
317	<b>True RMS Clamp Meter</b> 600V AC/DC, 600A, Resistance 400Ω, 4000Ω	
319	<b>True RMS Clamp Meter</b> 600V AC/DC, 600A, Resistance 400Ω, 4000Ω, 5 - 500Hz	
323	<b>True RMS Clamp Meter</b> 600V AC/DC, Resistance 400Ω/4000Ω, Continuity ≤70Ω	
324	<b>True RMS Clamp Meter</b> 600V AC/DC, Resistance 400Ω/4000Ω, Continuity ≤30Ω	 

Model	Description	Image
325	<b>True RMS Clamp Meter</b> 600V AC/DC, Resistance 400Ω/4000Ω, Continuity ≤30Ω	
353	<b>AC/DC True RMS Clamp Meter</b> 2000A, 4000 count backlit display, Frequency 5.0 to 100Hz,	
355	<b>AC/DC True RMS Clamp Meter</b> 600VAC/1000VDC, 2000A, 1400 AC RMS, Voltage	
360	<b>AC Leakage Current Clamp Meter</b> 0deg C to 50deg C, 80% RH, 50/60Hz, 3200 counts, 60A	
365	<b>Detachable Jaw True RMS AC/DC Clamp Meter</b> 600V, 200A, DM - 0.71in or 18mm Max, -14 to 122deg F (-10 to 50deg C)	
373	<b>True RMS AC Clamp Meter</b> 600A, 600V AC/DC, 600Ω/6000Ω, -10deg C to 50deg C	
374	<b>True RMS AC/DC Clamp Meter</b> 600A, 600V AC/DC, 10deg C to 50deg C	
375	<b>True RMS AC/DC Clamp Meter</b> 600A, 600V AC/DC, 10deg C to 50deg C	
376	<b>True RMS AC/DC Clamp Meter with iFlex</b> 1000A, 1000V AC/DC, 5 - 500Hz, 1000 μF	
381	<b>Remote Display True RMS AC/DC Clamp Meter with iFlex</b> 1000A, 600/1000V AC/DC, 5 - 500Hz, 600Ω	
902/E	<b>True RMS HVAC Clamp Meter</b> 600V AC/DC, 600A, Resistance 9999Ω, Continuity ≤30Ω, -10deg C to 400deg C (-14deg F to 752deg F)	
i2500-18	iFlex Probe 7.5mm, 2500A, 500Hz(Twist to unluck) 18in	
i2500-10	iFlex Probe 7.5mm, 2500A, 500Hz(Pull to Open) 10in	
<b>CNX WIRELESS SYSTEM</b>		
CNX 3000	CNX Wireless Digital Multimeter,600V AC/DC 0.01mA	
CNX i3000	CNX Wireless iFlex AC Current Module	
CNX a3000	CNX Wireless AC Current Clamp Module, 600V, 400A	
CNX v3000	CNX Wireless AC Voltage Module, 1000V	
CNX t3000	CNX Wireless K-Type Temp-Module, -200 °C to 1372°	
CNX pc3000	CNX Wireless PC Adapter	
CNX 3000 ind	CNX Wireless Industrial System	
CNX 3000 gm	CNX Wireless General Maintenance System	
CNX 3000 HVAC	CNX Wireless HVAC System	
CNX t3000 KIT	<b>CNX Wireless Basic Kit with t3000</b> Fluke CNX 3000 / CNX t3000 / TL175 Test Leads / AC175 Alligator Clips / 80PK-1 K-Type Bead Thermocouple / Magnetic Hanging Strap / Soft Carrying Case	
CNX i3000 KIT	<b>CNX Wireless Basic Kit with i3000</b> Fluke CNX 3000 / CNX i3000 / iFlex i2500-10 Flexible Current Probe / TL175 Test Leads / AC175 Alligator Clips / Magnetic Hanging Strap / Soft Carrying Case	
CNX a3000 KIT	<b>CNX Wireless Basic Kit with a3000</b> Fluke CNX 3000 / CNX a3000 / TL175 Test Leads AC175 Alligator Clips / Soft Carrying Case	

Model	Description	Image
CNX v3000 KIT	<b>CNX Wireless Basic Kit with v3000</b> Fluke CNX 3000 / CNX v3000 / TL224 Test Leads / TL175 Test Leads / AC175 Alligator Clips / AC285 Alligator Clips / Magnetic Hanging Strap / Soft Carrying Case	
CNX c3001	CNX Module Soft Case	
CNX c3000	CNX Premium Modular Tool Bag	
CNX c3002	CNX DMM Soft Case	
CNX c3003	CNX 3-Compartment Soft Case	
<b>ELECTRICAL TESTERS</b>		
T110	Voltage/continuity tester with switchable load	
T130	Voltage/continuity tester with LCD, switchable load	
T150	Voltage/continuity tester with LCD, Ohms, switchable load	
T5-600	<b>Electrical Tester</b> Voltage, Continuity and Current Tester 600V AC/DC, 100A, 1000Ω, -10deg C to 50deg C	
T5-1000/L210	<b>Electrical Tester</b> Voltage, Continuity and Current Tester 1000V AC/DC, -10deg C to 50deg C	
1000FLT	<b>Fluorescent Light Tester 3000 V peak</b> Ballast Test-20 kHz, ≤3m (10 feet) distance, Pin Continuity-< 1 kΩ Operating Temp:-10 °C to +50 °C (14 °F to +122 °F)	
2042	<b>Cable Locator Transmitter and Receiver</b> 400V AC/DC/0 to 40deg C, 12V, 50V, 120V, 230V, 400V	
9040EUR	<b>Phase Rotation Indicator</b> 40-700V, 15-400Hz, 0 to 40deg C, IP 40	
9062	<b>Motor and Phase Rotation Indicator</b> 400V, 2-400Hz, 0 to 40deg C, IP 40	
LVD1	<b>Volt Light 40V AC - 300V</b> AC / Voltage detector glows blue 50 Hz - 60 Hz or 2.5 - 38 cm (1 - 5") away from source.	
LVD2	<b>Volt Light 90 to 600 V AC</b> 0°C to 50°C,Dual sensitivity, 100,000 hr bulb, Dual levels of detection	
H5	Electrical Tester Holster (Fluke T5)	
1AC II	<b>VoltAlert Pocket-sized Voltage Detector</b> 1000 V, CAT IV, IP 40, -10deg C to 50deg C	
1AC II 5PK	Volt Alert 5-pack	
2AC/90-1000V	ACV Detector 90-1000V, Flat-tip	
<b>DISTANCE METERS</b>		
414D	<b>Laser Distance Meter GZM26 - 50 m / 165 ft</b>	
419D	<b>Laser Distance Meter GZM26 - 80 m / 260 ft</b>	
424D	<b>Laser Distance Meter 100m / 330Ft / 360°</b>	

Model	Description	Image
<b>BATTERY ANALYZER</b>		
BT508	Battery Analyzer 7.7 x 5.6 cm (3 x 2.2 in)	
BT510	Battery Analyzer 15.1 x 12.5 x 9.6 inches	
BT520	Battery Analyzer 26.5 x 13.4 x 10.1 inches	
BT521	Advanced Battery Analyzer 24.8 x 11.5 x 9.4 inches	
<b>Battery Analyzer Accessories</b>		
BTL10	Standard Battery Analyzer Probes	
BTL20	Intelligent Test Probe Set, w/Extenders (no temp sensor)	
BTL21	Intelligent Test Probe Set, w/Extenders & Temp Sensor	
BTL-A	Voltage/Current Probe Adapter	
BC500	AC Power Charger	
BP500	Lithium-ion battery, 7.4V 3000 mAh	
BT500	10x replacement Probe tips, 2x long tip covers, 2x short tip covers	
i410	AC/DC Current Clamp (400 A)	
<b>INSULATION TESTERS</b>		
1503	<b>Insulation Resistance Testers</b> 600V AC/DC, 500V - 1000V, 50Hz to 400Hz	
1507	<b>Insulation Resistance Testers</b> 600V AC/DC, 50V - 1000V, 50Hz to 400Hz	
1550C	<b>Insulation Resistance Tester (5kV) / 250V - 5000V</b> 250V - 5000V / the range (-20°C to 0°C and 35°C to 50°C)	
1550C/Kit	<b>Insulation Resistance Tester Kit 5kV</b> Component: Test cables with alligator clips, Infrared adapter, AC power cord, Case, User's manual on CD-ROM,	
1555	<b>Insulation Tester 10kV</b> 250V - 10000V / Bar Graph Range 0 to 2 TΩ / temp outside the range (-20°C to 0°C & 35°C to 50°C)	
1555/Kit	<b>Insulation Resistance Tester Kit</b> Component: Test cables with alligator clips, Infrared adapter, AC power cord, Case, User's manual on CD	
1577	<b>Insulation Multimeters</b> 1000V AC/DC, Resistance 50 MΩ	
1587	<b>Insulation Multimeters</b> 1000V, AC/DC, Diode Test 6V, 100kHz, 9999µF	
1587MDT	<b>Advanced Motor &amp; Drive Troubleshooting Kit</b> 1587 Insulation Multimeter, i400 Current clamp, 9040 Phase Rotation Indicator	
<b>INSTALLATION TESTERS</b>		
1652C-05	<b>Installation Tester, W/Phase sequence</b> Insulation resistance - 250-500-1000V / AC-500V / Continuity-2000Ω / 100 - 500 VAC (50/60 Hz)	
1653B-05	<b>Multifunction Installation Tester</b> Insulation resistance - 250-500-1000V / AC-500V / Continuity-2000Ω / 100 - 500 VAC (50/60 Hz)	
1654B-05	<b>Multifunction Installation Tester</b> W/ RCD Type B, 500V AC, 50-100-250-500-1000V Insulation Resistance, Continuity Testing, Loop Impedance, RCD Testing, Tripping Time, Earth Resistance	
ES165X	Earth Spike Test Kit	

Model	Description	Image
IR189USB	IR Cable - USB (280/180 S, 1653, 789, 1550B)	
MTC77	Mains Test Cord (CEE 7 7 Schuko)	
TP165X	Remote Control Probe (1650 S)	
S-232 Cable/6500	RS-232 Cable & Connector for Fluke 6500	
ZERO ADAPTER	Zero adapter (165xB)	
TL165X	Standard Test Lead Set (1650 S)	
<b>PORTABLE APPLIANCE TESTERS</b>		
6200-2 UK	<b>Portable Appliance Tester UK, 230V</b> 90V to 264V, Test for Power-on, RPE, Insulation, Touch Current, Sub Leakage Current, Load Current, Load Power, Leakage Current, PELV	
6200-2 UK Kit	<b>Portable Appliance Tester, Kit UK 6200-2 PAT</b> 6200-2 Portable appliance tester / IRP1, Register For Pat ( Log Book ) / EXTL 100 / Ext. Lead Test Adaptor / FAIL250, Label / Pass 560R / App. Pass Labels / A5 sheet round	
6500-2 UK	<b>Portable Appliance Tester UK</b> Test for Power-on, RPE, Insulation, Touch Current, Sub Leakage Current, Load Current, Load Power, Leakage Current, PELV, RCD:Trip Current & Trip Time,	
6500-2 UK Kit	<b>Portable Appliance Tester, Kit UK 6500-2 PAT</b> Fluke 6500-2 Portable Appliance Tester, User's manual on CD, Quick reference guide, Hard carrying case, Test lead, Test probe, Crocodile clip, Mains cord, USB, USB cable	
APP1000	Barcode Appliance Number Labels 0-1000	
APP2000	Barcode Appliance Number Labels 1001-2000	
AUTO200B	Auto Code Label	
BDST3	Snap Tag (cable tie)	
0702/PAT	Software for Appliance Tester	
0702/PAT/PROF	Software "Prof"-version for Appliance Tester	
COMPL	Software for Installation and Appliance Tester	
COMPL/PROF	Software "Prof"-version for Installation and Appliance Tester	
PROF/UPD	Upgrade to software "Prof"-version	
EXTL100	Extension Lead Test Adaptor	
EXTL100	Extension Lead Test Adaptor	
IRP1	PAT Register	
SP1000	Mini Printer	
TA700	Appliance Adaptor for 110V tools	
PASS500S	Appliance Pass Labels (rectangular)	
PASS560R	Appliance Pass Labels (round)	
SP6000 Printer	Printer for Portable Appliance Testers	
SPSCAN6000	Scanner for Portable Appliance Testers	
<b>EARTH GROUND TESTERS</b>		
1621	<b>Earth Ground Tester</b> 3-pole Fall-of-Potential, 2-pole Resistance	
1630	<b>Earth Ground Clamp Meter</b> 0.025 Ω to 1500 Ω	
1623-2	<b>Basic Geo Earth Ground Tester</b> RA 3-Pole Ground Resistance Measurement (IEC 1557-5) / Current/Voltage Measurement	

Model	Description	Image
1625-2	<b>Advanced Geo Earth Ground Tester</b> Measurement of Interference Voltage DC + AC (UST) / Interference Frequency (F) / Earthing Resistance (RE) / RA 4-Pole Ground Resistance Measurement (IEC 1557-5)	
1623-2 Kit	<b>Basic Geo Earth Ground Tester Kit</b> Earth Stake, Cable Reels, Kit Stake 3-4pole, Clamp Set, Transformer split core	
1625-2 Kit	<b>Advanced Geo Earth Ground Tester, Kit</b> Batteries, Cable Reel x 3, Case, Earth Ground Stake x 4, Fluke 1625 Tester, Inducing Clamp, Sensing Clamp, Test Lead x 2, User Manual	
Earth Stake	Geo Earth Ground Tester, Earth stake	
Cable Reel 25M BL	25M Blue, Ground/Earth Cable Reel, 25M Wire	
Cable Reel 25M GR	25M Green, Ground/Earth Cable Reel, 25M Wire	
Cable Reel 50M RD	50M Red, Ground/Earth Cable Reel, 50M Wire	
C1620	Carrying Case	
ES-162P3-2	Earth Ground Stake Set for 3 Pole Measurement	
ES-162P4-2	Earth Ground Stake Set for 4 Pole Measurement	
<b>INDOOR AIR QUALITY TOOLS</b>		
922	<b>Airflow Meter</b> 0.001 in H2O, 99 Readings, 10PSI	
922/Kit	<b>Airflow Meter Kit</b> 922 Airflow Meter, 12 inch pitot tube, Two Rubber Hoses, TPak Magnetic Strip, TPak Strap, 9 inches, TPak Latch Tab, Four AA Batteries 1.5 V Alkaline	
971	<b>Temperature Humidity Meter</b> -20deg C to 60deg C (-4deg F to 140deg F)	
975	<b>AirMeter</b> Measures: Temperature, Velocity, Humidity, CO2, CO	
975V	<b>AirMeter with Velocity</b> 10% to 90% RH, non-condensing, Air Velocity-50.0 fpm to 3000 fpm, 0.25 m/sec to 15 m/sec	
CO-220	<b>Carbon Monoxide Meter</b> Range: 0 to 1000 ppm / Accuracy: 5%	
RLD2	<b>Leak Detector Flashlight</b> HVAC/R, 0 ° C to 50 ° C / Six UV LEDs (395 nm wavelength) detect leak detection dyes / Laser pointer clearly locates center of the UV field for accuracy	
CO-205	<b>Aspirator Kit</b> , 0 to 1000 ppm:accuracy 5%	
975VP	Air Velocity Probe	
PT12	Pitot Tube, 12	
985	<b>Airborne Particle Counter</b> 0.3 µm – 10 µm / Flow rate 0.1 cfm (2.83 L/min) / Light source 775 nm to 795 nm, 90 mW class 3B laser	
<b>DIGITAL THERMOMETERS</b>		
51 II	<b>Single Input Digital Thermometer</b> 100 °C, J, K, T, E, and N-type, ITS-90	
52 II	<b>Dual Input,100 °C</b> -10°C to 50°C, Measures J, K, T, and E- thermocouples	

Model	Description	Image
53 II B/50Hz	<b>Single Input Thermometer 50Hz</b> Above -100°C - J, K, T, E, and N-type: $\pm[0.05\% + 0.3^\circ\text{C}]$	
54 II B/50Hz	<b>Dual Input Thermometer 50Hz</b> -10°C to 50°C, Measures J,K,T,E,R,S, & N-type thermocou.	
59 Max	Laser Infrared Thermometer -30°C to 350°C(-22 °F to 662 °F)	
59 Max+	Infrared Thermometer -30°C to 500°C(-22 °F to 932 °F)	
61	Infrared Thermometer -18 to 275°C (-0 to 525°F)	
62 MAX	Infrared Thermometer -30 °C to 500 °C (-22 °F to 932 °F)	
62 MAX+	Infrared Thermometer - 30 °C to 650 °C (-22 °F to 1202 °F)	
63	<b>Infrared Thermometer</b> High-resolution optics / High accuracy: 1% and repeatability: 0.5% / / Measurement 535°C (999°F)	
561	<b>Multipurpose Thermometer 12:1</b> -40°C to 550° C (-40°F to 1022°F) 3 Settings / Distance 12:1	
566	<b>Multipurpose Thermometer 30:1</b> Measure -40°C to 800°C /-40°F to 1472°F (568) or -40°C to 650°C/-40°F to 1202°F (566) / Distance: 30:1	
568	<b>Multipurpose Thermometer 50:1</b> -40 °C to 800 °C (-40 °F to 1472 °F) / Type K Input: -270°C to 1372°C (-454°F to 2501°F) / Distance 50:1	
572-2	<b>High Infrared Thermometer 60:1</b> Measure -30 °C to 900 °C (-22 °F to 1652 °F) Offset dual laser, output <1 mW	
FP	FoodPro Thermometer	
FP Plus	FoodPro Plus Thermometer	
80PR-60	RTD Temperature Probe (Fluke 66/68)	
568Ex	Intrinsically safe Infrared Thermometer	
<b>VISUAL THERMOMETERS</b>		
VT04	Visual IR Thermometer N:<23 cm (9 in) / F:>23 cm (9 in)	
VT04A	Visual IR thermometer	
VT04 H-kit	HVAC Kit - VT04, 902, 116	
VT04 E-Kit	Electrical Kit - VT04, 376, 117)	
VT04-M-Kit	Preventive Maintenance Kit - VT04, 1507)	
Charger VT04	Charger & adapter set VT04	
Battery VT04	Li-ion battery VT04	
<b>THERMAL IMAGERS</b>		
<b>Thermal Imagers - Performance Series</b>		
FLK-TIS10 9Hz	Thermal Imager, Fixed Focus 128:1 / R: 80 x 60 Pixels	
FLK-TIS20 9Hz	Thermal Imager, Fixed Focus 193:1 / 120 x 90 Pixels	
FLK-TIS40 9Hz	Thermal Imager, Fixed Focus 257:1 / 160 x 120 Pixels	
FLK-TIS45 9Hz	Thermal Imager, Manual Focus 160 X 120 Pixels	
FLK-TIS50 9Hz	Thermal Imager, Fixed Focus 353:1 / 220 x 165 Pixels	
FLK-TIS55 9Hz	Thermal Imager, Manual Focus 353:1 / 220 x 165 Pixels	

## FOCUS is the single most important thing to ensure when conducting an INFRARED INSPECTION.



Many inspection sites are difficult for certain auto focus systems



Passive auto focus systems often only capture the near-field subject, in this case the chain link fence



Fluke LaserSharp™ Auto Focus clearly captures what you want to inspect. Every. Single. Time. The red dot from the laser confirms what the camera is focusing on.



**Without an in-focus image, temperature measurements may not be as accurate (sometimes as much as 20 degrees off) and you could miss a problem.**

Fluke provides customers with two superior focusing solutions—LaserSharp® Auto Focus (see page 5) and IR-OptiFlex™ Focus System (see page 7) and still gives you the flexibility of using manual if you wish.

**FLUKE**®

**Reliability matters.  
Image quality matters.  
Performance matters.**

# **UPTIME OR DOWNTIME YOUR RESULTS MATTER**



Model	Description	Image
FLK-TIS60 9Hz	Thermal Imager, Fixed Focus 417:1 / 260 x 195 Pixels	
FLK-TIS65 9Hz	Thermal Imager, Manual Focus 417:1 / 260 x 195 Pixels	
<b>Thermal Imagers - Professional Series</b>		
Ti200 9Hz	Thermal Imager, 9Hz / 2.09 mRad / 200 x 150 pixels	
Ti300 9Hz	Thermal Imager, 9Hz / 1.75 mRad / 240 X 180 pixels	
Ti400 9Hz	Thermal Imager, 9Hz / 1.31 mRad / 320 X 240 pixels	
Ti200 60Hz	Thermal Imager, 60Hz / 2.09 mRad / 200 x 150 pixels	
Ti300 60Hz	Thermal Imager, 60Hz / 1.75 mRad / 240 X 180 pixels	
Ti400 60Hz	Thermal Imager, 60Hz / 1.31 mRad / 320 X 240 pixels	
<b>Thermal Imagers Accessories</b>		
TI-CAR CHARGER	Ti Car Charger (TiR/TiR1/Ti10/Ti20/Ti25)	
TI-VISOR	Sun Visor	
TI-Visor2	Sun Visor	
Ti20-RBP	Rechargeable Battery Pack (Ti20)	
Ti-SBC	Battery Charger (IR FlexCam)	
TI-TRIPOD	Tripod Mounting Base	
TI-Tripod2	Mounting Base	
TI-SBP3	Extra battery (Ti32/TiR32)	
LENS/TELE1	Telephoto Infrared Lens (Ti32/TiR32)	
LENS/WIDE1	Wide-angle Infrared Lens (Ti32/TiR32)	
LENS/TELE2	Telephoto Infrared Lens (Ti200/Ti300/Ti400)	
LENS/WIDE2	Wide-angle Infrared Lens (Ti200/Ti300/Ti400)	
TI-SBC3B	Charging base (Ti200/Ti300/Ti400)	
Ti-Visor3	Thermal imager visor	
Ti-Tripod3	Tripod mounting base accessory	
Car charger	Car charger (IR FlexCam)	
<b>Thermal Imagers IR-Windows</b>		
050-CLKT	050-CLKT	
075-CLKT	075-CLKT	
100-CLKT	100-CLKT	
CV200	50mm IR Window, hand turn door latch	
CV201	50mm IR Windows, security turn door latch	
CV300	75mm IR Windows, hand turn door latch	
CV301	75mm IR Windows, security turn door latch	
CV400	95mm IR Windows, hand turn door latch	
CV401	95mm IR Windows, security turn door latch	
<b>SCOPEMETERS</b>		
<b>Industrial ScopeMeter</b>		
123	Industrial ScopeMeter (20 MHz)	
123/S	Industrial ScopeMeter (20 MHz) + SCC120	
124/S	Industrial ScopeMeter (40 MHz) + SCC120	
125	Industrial ScopeMeter (40 MHz) + SCC120	
125/S	Industrial ScopeMeter (40 MHz) + SCC120	
<b>190 Series ScopeMeters</b>		
190-204/UN	ScopeMeter 4 Channel 200 MHZ Color	
190-204/UN/S	ScopeMeter 4 Channel 200 MHZ Color UNI SCC	
190-104/UN	ScopeMeter 4 Channel 100 MHZ Color UNI	
190-104/UN/S	ScopeMeter 4 Channel 100 MHZ Color UNI SCC	
190-062/UN	ScopeMeter 2 Channel 60MHZ Color	
190-062/UN/S	ScopeMeter 2 Channel 60MHZ Color SCC	
190-102/UN	ScopeMeter 2 Channel 100MHZ Color SCC	

Model	Description	Image
190-102/UN/S	ScopeMeter 2 Channel 100MHZ Color SCC	
190-202/UN	ScopeMeter 2 Channel 200MHZ Color	
190-202/UN/S	ScopeMeter 2 Channel 200MHZ Color SCC	
190-502/UN	ScopeMeter 2 Channel 500 MHZColor UNI	
190-502/UN/S	ScopeMeter 2 Channel 500 MHZ Color UNI SCC	
190-504/UN	ScopeMeter 4 Channel 500MHz Color UNI	
190-504/UN/S	ScopeMeter 4 Channel 500MHz Color UNI SCC	
<b>ScopeMeter Accessories</b>		
AC120	Heavy Duty Alligator Clips	
BB120	Banana to BNC Adapter Plug	
BC190/801	Battery Charger/Line Voltage Adapter EUR (190 S)	
BC190/808	Battery Charger/Line Voltage Adapter UNIVERSAL (190 S)	
BHT190	Set of Break-out Adapters	
BP120MH	NiMH Battery Pack (120 S/43B)	
BP190	NiMH Battery Pack (190 S)	
C120	Hard Case (43B/120 S)	
C125	Soft Meter Case	
C190	Hard Case (190 S)	
C195	Soft Case	
CS20MA	Current Shunt 4-20 mA	
HC120	Hook Clips	
HC200	Hook Clips	
ITP120	Trigger Probe	
MA190	Medical Accessory Kit (190 S)	
OC4USB	Serial Interface Adapter/Cable (USB)	
PM8907/801	Battery Charger/Line Voltage Adapter EUR (120 S)	
PM8907/808	Battery Charger/Line Voltage Adapter UNIVERSAL (120 S)	
PM9080	Serial Interface Adapter/Cable (RS232)	
PM9081	Dual Banana Plug to Female BNC Adapter	
PM9082	Dual Banana Jack to Male BNC Adapter	
PM9091	Coaxial BNC Cables (1.5 m)	
PM9092	Coaxial BNC Cables (0.5 m)	
PM9093	Male BNC to Female BNC Adapter	
PM9096/201	Secondary Pick-up	
SCC120E	FlukeView Software + USB Cable + Case (120S) - English	
SCC128	Automotive Accessory Kit (120 S)	
SCC198	Automotive Accessory Kit (190 S)	
SCC190	FlukeView Software + Cable + Case (190S)	
STL90	Automotive Shielded Test Lead Set (120/190 S)	
TAS90	Automotive Accessory Set (120/190 S)	
VPS101	1:1 Voltage Probe Set, black, 30 MHz, 1.2m	
VPS210-G	10:1 Voltage Probe Set, grey, 200 MHz, 1.2m	
VPS210-R	10:1 Voltage Probe Set, 1 red, 200 MHz, 1.2m	
VPS212-G	10:1 Voltage Probe Set, grey, 200 MHz, 2.5m	
VPS212-R	10:1 Voltage Probe Set, red, 200 MHz, 2.5m	
VPS220-G	100:1 Voltage Probe Set, grey, 200 MHz, 1.2m	
VPS220-R	100:1 Voltage Probe Set, red, 200 MHz, 1.2m	
BP291	Battery Pack, Fluke 190 S	
VPS410-B	Voltage Probe Set 10:1 Blue	
VPS410-G	Voltage Probe Set 10:1 Grey	
VPS410-V	Voltage Probe Set 10:1 Green	

**FLUKE**®

**With any other power quality analyzer you're just wasting energy.**



**Fluke 430 Series II  
Power Quality and  
Energy Analyzers**

## Fluke 430 Series II Models



### 434 Series II Energy Analyzer

The Fluke 434 Series II Energy Analyzer is the ideal tool for energy logging. Utilizing the new Energy Loss Calculator function, the 434 II measures the fiscal cost of energy wasted due to poor power quality. This energy monetization capability identifies the most energy-wasteful areas of your facility, enabling you to identify energy saving solutions. Add basic power quality measurements to the package and you've got yourself one powerful troubleshooting tool.

### 435 Series II Power Quality and Energy Analyzer

Think of the Fluke 435 Series II Power Quality and Energy Analyzer as your insurance policy. No matter what goes wrong in your facility, with the 435 II you will always be prepared. Equipped with advanced power quality functions and energy monetization capabilities, there is no electrical issue this model can't handle.

- PowerWave function captures fast RMS values and allows you to see every waveform to determine how the voltage, current and frequency values are interacting.
- Power Inverter Efficiency function measures both ac power and dc power, in and out, to monitor the efficiency of your inverters.
- And, as with the other 430 Series II models, the 435 II features an Energy Loss Calculator that will monetize energy waste due to poor power quality, helping you save on the energy bill.

### 437 Series II Power Quality and Energy Analyzer

The Fluke 437 Series II Power Quality and Energy Analyzer is designed specifically for the defense and avionics industries. Equipped with all the functionalities of the 435 II including PowerWave, Power Inverter Efficiency and an Energy Loss Calculator, the 437 II goes one step further by measuring up to 400 Hz. The ability to measure at a higher frequency is necessary for those working in submarines, aircrafts, and other transport applications.

Model	Description	Image
C290	Hard-Shell Carrying Case	
SCC290	Software and Carrying Case for 190 S II	
AS400	Probe Extension Set, for VPS400 Probes	
RS400	Probe Replacement Set, for VPS400 Probes	
BP290	Battery Pack Single Cap 190-S II	
HH290	Hanging Hook, ScopeMeter S 190 II	
STL120-III	Shielded Test Lead	
VPS40-III	Voltage Probe	
RS120-III	Probe Accessory Replacement Set	
PM8907/807	POWER ADAPTOR/BATTERY CHARGER	
VPS510-R	Voltage Probe set 500 MHZ 10:1 Red	
VPS510-B	Voltage probe set 500 MHZ 10:1 Blue	
VPS510-G	Voltage probe set 500 MHZ 10:1 Grey	
VPS510-V	Voltage probe set 500 MHZ 10:1 Green	
TRM50	50 Ohm feed-through terminator BNC	
RS500	Probe accessory replacement set for VPS500 probes	
SW90SW	FlukeView Software	
BC190/820	Universal Power Supply 100-240V	
VPS410-II-R	Industrial Voltage Probe Set 500 MHz 10:1 Red	
VPS410-II-V	Industrial Voltage Probe Set 500 MHz 10:1 Green	
VPS420-R	High Working Voltage Probe 100:1 Red & Black	
VPS420-B	High Working Voltage Ruggedized Probe; Blue/Black	
VPS420-G	High Working Voltage Ruggedized Probe; Grey/Black	
VPS420-V	High Working Voltage Ruggedized Probe; Green/Black	
EBC290	External Battery Charger	

**POWER QUALITY TOOLS**

43B/008	Power Quality Analyzer (single-phase) -universal	
345	Power Quality Clamp Meter	
434-II	Power Quality and energy analyzer	
435-II	Advanced Power Quality and energy analyzer	
437-II	400 Hz Power Quality and Energy Analyzer	
1735	Power Logger (three-phase)	
1743	Power Quality Logger, Memobox	
1744	Power Quality Logger, Memobox	
1745	Power Quality Logger, Memobox	
1750	Three-Phase Power Recorder	
1760	Power Quality Recorder (three-phase), Topas	
1760TR	Power Quality Recorder (three-phase), Topas	
VR1710	Single-Phase Voltage Quality Recorder	
C1740	Softcase for 174X and 43X-II PQ analyzer	
C437-II	Hard case 430 S II with rollers	

**Power Quality Tools Accessories**

1743/1744 POLESE	Pole Mounting Kit (Fluke 1743/1744)	
3140R	Clip-on Current Transformer 2A-400A (Fluke 1750)	
3210-PR-TF-II	1000A Fluke 1750 Thin flexi 61cm	
3310-PR-TF-II	5000A Fluke 1750 Thin flexi 61cm	
3PHVL-1730	Cable Assembly, Voltage Test Lead 3-Phase+N (1730)	
3312-PR-TF-II	5000A Fluke 1750 Thin flexi 122cm	
BP120MH	NiMH Battery Pack (120 S/43B)	
BE345	Battery Eliminator (Fluke 345)	
BC430	Battery Charger/Line Voltage Adapter	



Model	Description	Image
BP1730	Li Ion Battery Pack 3.7V 2500mAh (1730)	
C120	Hard Case (43B/120 S)	
C1730	Soft Case (1730)	
CF1760-2GB	Compact Flash Card 2GB (Fluke 1760)	
CS1750	Soft Case (Fluke 1750/1760)	
i1A/10A PQ1	1-phase Mini Current Clamp Set	
i1A/10A PQ3	3-phase Mini Current Clamp Set	
i1A/10A PQ4	4-phase Mini Current Clamp Set	
i5A/50A PQ1	1-Phase 5A/50A Mini Current Clamp set for PQ	
i5A/50A PQ3	3-phase Mini Current Clamp Set	
i5A/50A PQ4	4-phase Mini Current Clamp Set	
i20/200A PQ3	3-phase Mini Current Clamp Set	
i20/200A PQ4	4-phase Mini Current Clamp Set	
i40S-EL	Clamp-on Current Transformer (1730)	
i40S-EL/3PK	Clamp-on Current Transformer (1730)	
i400s	AC Current Clamp (400A)	
i430-Flexi-TF-II	6000A Fluke 430 Thin Flexi 61cm	
i430-Flexi-TF-II-4PK	6000A Fluke 430 Thin Flexi 61cm 4 Pack	
i5s	AC Current Clamp (5 A)	
i5S-PR	1750, 5A Current Clamp	
i5sPQ3	AC Current Clamp (5 A), 3-pack	
i1730-Flex1500	AC Flex Current Clamp 1500A,12 Inch (1730)	
i1730-FLEX3000	AC Flex Current Clamp 3000A, 24 Inch (1730)	
i1730-Flex6000	AC Flex Current Clamp 6000A, 36 Inch(1730)	
i1730-Flex1500/3PK	AC Flex Current Clamp 1500A, 12 Inch, 3-pack (1730)	
i1730-Flex3000/3PK	AC Flex Current Clamp 3000A, 24 Inch, 3-pack (1730)	
i1730-Flex6000/3PK	AC Flex Current Clamp 6000A, 36 Inch, 3-pack (1730)	
1730-Hanger	Hanger kit (1730)	
1730-TL 0.1M	Test Lead;1000V CATIII, Straight Plug;10M; Silicone (1730)	
1730-TL2M	Test Lead;1000V CATIII; Straight Plug; 2M; PVC Red (1730)	
1730-Cable	Cable,AUX input cable (1730)	
1750/CASE	Hard Case (Fluke 1750)	
1750/SEAT-L	Fluke Power Analyze - Additional SEAT LICENSE	
1750/SITE-L	Fluke Power Analyze - Additional SITE LICENCE	
FS17X5-TF-II	3000A 4-PH Fluke 1735 & 1745 Thin flexi set	
FS17XX IP65-TF-II	3000A IP65 4-PH Fluke 1743/4 Thin flexi set	
FS17XX-1PH-TF-II	FS3000A/6000A 4-PH 36-Inch Thin flexi set	
FS3000/6000A-TF-4	FS3000A/6000A 4-PH 36-Inch thin flexi set	
GPS430	GPS Time Synchronization Module (430 S)	
GPS-TIME SYNC	GPS Time Synchronization Module (Fluke 1760)	
MBX USB-RS232	EP0328Z, USB to Serial RS232 Adapter	
OC4USB	Serial Interface Adapter/Cable (USB)	
PM9080	Serial Interface Adapter/Cable (RS232)	
TLS430	Test Leads and Alligator Clips (4 black, 1 green) - 430 S	
TPS CF-CARD	EP2523A, Compact Flash Card, 2GB	
TPS CLAMP 10A/1A	Clip-on Current Transformer 10A/1A (Fluke 1760)	
TPS CLAMP 50A/5A	Clip-on Current Transformer 50A/5A (Fluke 1760)	
TPS CLAMP 200A/20A	Clip-on Current Transformer 200A/20A (Fluke 1760)	
TPS FLEX 18-TF	Flexible Current Probe 500A (Fluke 1760)	
TPS FLEX 24-TF	Flexible Current Probe 1000A (Fluke 1760)	
TPS Flex 36-TF	Flexible Current Probe 6000A	

Model	Description	Image	
TPS/MBX DOLPH R	EP0326Z, Dolphin Clip, Red	 	
TPS Nullmodem Cab	A550500510, RS232 Cross Link Cable, 3M		
TPS Shunt 1A	A680501054, Shunt 1 A AC/DC		
TPS SHUNT 20MA	Shunt 20mA AC/DC (Fluke 1760)		
TPS VOLTPROBE 1	Voltage Probe 10V (Fluke 1760)		
TPS VOLTPROBE 1	Voltage Probe 100V (Fluke 1760)		
TPS VOLTPROBE 4	Voltage Probe 400V (Fluke 1760)		
TPS VOLTPROBE 6	Voltage Probe 600V (Fluke 1760)		
TPS VOLTPROBE 1	Voltage Probe 1000V (Fluke 1760)		
VL1735/45	Banana 4-Phase Voltage Lead set for 1735/45		
WC100	Color Localization Set (430 S)		
<b>VIBRATION TESTERS</b>			
805	<b>Vibration Meter</b> Low Freq: 10 Hz to 1,000 Hz/ High Freq.:4,000 Hz to 20,000 Hz Vibration Limit: 50 g peak (100 g peak-peak)		
805 FC	Vibration Meter with Fluke Connect		
810	<b>Vibration Tester</b> 200 rpm to 12000 rpm, A/D converter-4 channel, 24 bit Usable bandwidth-2 Hz to 20 kHz		
820-2	<b>LED Stroboscope</b> 0 °C to +45 °C / High-intensity 7-LED array – 4,800 Lux @ 6,000 FPM/30cm		
830	Laser Alignment Tool	    	
830/Magnet	Magnetic Bracket		
830/Shims	Laser Alignment Tool, Shims		
810S	Sensor		
810T	Tachometer		
810QDC	Quick Disconnect Cable		
810SMM	Sensor Magnet Mount		
810SMP	Sensor Mounting Pads (10-pack)		
SBP-810	Smart Battery Pack		
810PA	AC Power Adapter with International Plug Set		
<b>PROCESS CALIBRATOR</b>			
<b>700 Series Process Calibrators</b>			
705	<b>Loop Calibrator, mA accuracy of 0.02%</b> pushbutton interface for ease of use.		
707	<b>Loop Calibrator, mA accuracy of 0.015%</b> quick-click interface for easy one-handed operation.		
707Ex	<b>Intrinsically Safe Loop Calibrator 0.015% Rdg + 2 LSD</b> quick-click push rotary button for easy one-handed operation		
709	<b>Precision Loop Calibrator 10 to 95% non-condensing</b> mA source,mA simulate,mA read,mA read/loop power, and volts read		
709H	Precision HART Loop Calibrator		
712B	RTD "Resistance Temp. Detector" Calibrator 30V / 2,000 meters		
712B AR	RTD Temperature Calibrator		
714B	TC "Thermocouple" Temp-Calibrator 30V / 2,000 meters		

Model	Description	Image
714B AR	TC Temperature Calibrator	
715	Volt/mA Calibrator 0 to 200 mV / 0 to 20 V / 0 to 24 mA	
717 1G	Pressure Calibrator (68.9 mbar)	
717-15G	Pressure Calibrator (1 bar)	
717 100G	Pressure Calibrator (7 bar)	
717 30G	Pressure Calibrator (2 bar)	
717 300G	Pressure Calibrator (20 bar)	
717 500G	Pressure Calibrator (34.7 bar)	
717 1000G	Pressure Calibrator (69 bar)	
717 1500G	Pressure Calibrator (103.4 bar)	
717 3000G	Pressure Calibrator (207 bar)	
717 5000G	Pressure Calibrator (345 bar)	
717-10000G	Pressure Calibrator (690 bar)	
718 30G	Pressure Calibrator (2 bar)	
718 1G	Pressure Calibrator (68.9 mbar)	
718 100G	Pressure Calibrator (7 bar)	
718 300G	Pressure Calibrator (20 bar)	
718Ex 30G	Intrinsically Safe Pressure Calibrator (2 bar)	
718Ex 100G	Intrinsically Safe Pressure Calibrator (7 bar)	
718Ex 300G	Intrinsically Safe Pressure Calibrator (20 bar)	
719 30G	Electric Pressure Calibrator (2 bar)	
719 100G	Electric Pressure Calibrator (7 bar)	
719PRO 30G	Electric Pressure Calibrator, 2 bar	
719PRO 150G	Electric Pressure Calibrator, 10 bar	
719PRO 300G	Electric Pressure Calibrator, 20 bar	
720URTDA	Universal RTD adapter, 719Pro and 721	
721-1601	Dual Sensor Pressure Calibrator, 1.1 bar, 6.9 bar	
721-1603	Dual Sensor Pressure Calibrator, 1.1 bar, 20 bar	
721-1605	Dual Sensor Pressure Calibrator, 1.1 bar, 34 bar	
721-1610	Dual Sensor Pressure Calibrator, 1.1 bar, 69 bar	
721-1615	Dual Sensor Pressure Calibrator, 1.1 bar, 103 bar	
721-1630	Dual Sensor Pressure Calibrator, 1.1 bar, 200 bar	
721-1650	Dual Sensor Pressure Calibrator, 1.1 bar, 345 bar	
721-3601	Dual Sensor Pressure Calibrator, 2.48 bar, 6.9 bar	
721-3603	Dual Sensor Pressure Calibrator, 2.48 bar, 20 bar	
721-3605	Dual Sensor Pressure Calibrator, 2.48 bar, 34 bar	
721-3610	Dual Sensor Pressure Calibrator, 2.48 bar, 69 bar	
721-3615	Dual Sensor Pressure Calibrator, 2.48 bar, 103 bar	
721-3630	Dual Sensor Pressure Calibrator, 2.48 bar, 200 bar	
721-3650	Dual Sensor Pressure Calibrator, 2.48 bar, 345 bar	
724	Temperature Calibrator	
725	Multifunction Process Calibrator	
725Ex	Intrinsically Safe Multifunction Process Calibrator	
726	Precision Multifunction Process Calibrator	
753	Documenting Process Calibrator	
754	Documenting Process Calibrator, HART	
771	Milliamp Process Clamp Meter/mA	
772	Milliamp Process Clamp Meter/mA ,Source,Simulate	
773	Milliamp Process Clamp Meter/mA Source,Simulate and Voltage	
787/E	Process Meter 0-1 A	
789/E	Process Meter 0-1 A AC or DC	

Model	Description	Image
789/IR3000FC	Process Meter and FC connector	
<b>PRESSURE MODULES</b>		
700G01	Pressure Gauge, -10" to 10" WC (27 mbar)	
700G02	Pressure Gauge, -30" to 30" WC (69 mbar)	
700G04	Pressure Gauge, +/- 1 bar	
700G05	Pressure Gaugse, 2 bar	
700G06	Pressure Gauge, 6.9 bar	
700G07	Pressure Gauge, 34 bar	
700G08	Pressure Gauge, 69 bar	
700G27	Pressure Gauge, 20 bar	
700G29	Pressure Gauge, 200 bar	
700G30	Pressure Gauge, 345 bar	
700G31	Pressure Gauge, 690 bar	
700GA4	Pressure Gauge, 1 bar absolute	
700GA5	Pressure Gauge, 2 bar absolute	
700GA6	Pressure Gauge, 6.9 bar absolute	
700GA27	Pressure Gauge, 20 bar absolute	
700HTPK	Hydraulic Test Pump Kit, 0 to 690 bar	
700PTPK	Pneumatic Test Pump Kit, 0 to 41 bar	
700P00	Differential Pressure Module (2.5 mbar)	
700P01	Differential Pressure Module (25 mbar)	
700P01Ex	Differential Pressure Module (25 mbar)	
700P02	Differential Pressure Module (70 mbar)	
700P03	Differential Pressure Module (340 mbar)	
700P04	Differential Pressure Module (1000 mbar)	
700P05	Gage Pressure Module (2 bar)	
700P06	Gage Pressure Module (7 bar)	
700P05Ex	Gage Pressure Module (2 bar)	
700P06Ex	Gage Pressure Module (7 bar)	
700P07	Gage Pressure Module (34 bar)	
700P08	Gage Pressure Module (70 bar)	
700P09	Gage Pressure Module (100 bar)	
700P09Ex	Gage Pressure Module (100 bar)	
700P22	Differential Pressure Module Wet (70 mbar)	
700P23	Differential Pressure Module Wet (340 mbar)	
700P24	Differential Pressure Module Wet (1000 mbar)	
700P24Ex	Differential Pressure Module Wet (1001 mbar)	
700P27	Gage Pressure Module (20 bar)	
700P27Ex	Gage Pressure Module (20 bar)	
700P29	Gage Pressure Module (200 bar)	
700P29Ex	Gage Pressure Module (200 bar)	
700P30	Gage Pressure Module (340 bar)	
700P31	Gage Pressure Module (700 bar)	
700PA3	Absolute Pressure Module (340 mbar)	
700PA4	Absolute Pressure Module (1000 mbar)	
700PA4Ex	Absolute Pressure Module (1000 mbar)	
700PA5	Absolute Pressure Module (2 bar)	
700PA6	Absolute Pressure Module (7 bar)	
700PCK	Pressure Module Calibration Kit	
700PD2	Dual Pressure Module ( $\pm$ 70 mbar)	
700PD3	Dual Pressure Module ( $\pm$ 340 mbar)	



Model	Description	Image
700PD4	Dual Pressure Module ( $\pm 1000$ mbar)	
700PD5	Dual Pressure Module (-1000/+2000 mbar)	
700PD6	Dual Pressure Module (-1000 mbar/+6.9 bar)	
700PD7	Dual Pressure Module (-1000 mbar/+13.8 bar)	
700PV3	Vacuum Pressure Module (-340 mbar)	
700PV4	Vacuum Pressure Module (-1000 mbar)	
700G/TRACK	Data Logging Cable & Software	
700RG05	Pressure Gauge, Reference, +2 bar	
700RG06	Pressure Gauge, Reference, 6.9 bar	
700RG07	Pressure Gauge, Reference, 34 bar	
700RG08	Pressure Gauge, Reference, 69 bar	
700G10	Pressure Gauge, 140 bar	
700RG29	Pressure Gauge, Reference, 200 bar	
700RG30	Pressure Gauge, Reference, 345 bar	
700RG31	Pressure Gauge, Reference, 690 bar	
750P00	Pressure Module (0 - 2.5 mbar)	
750P01	Pressure Module (0 - 25 mbar)	
750P02	Pressure Module (0 - 70 mbar)	
750P22	Pressure Module (0 - 70 mbar)	
750P03	Pressure Module (0 - 350 mbar)	
750P23	Pressure Module (0 - 350 mbar)	
750P04	Pressure Module (0 - 1 bar)	
750P24	Pressure Module (0 - 1 bar)	
750P05	Pressure Module (0 - 2 bar)	
750P06	Pressure Module (0 - 7 bar)	
750P27	Pressure Module (0 - 20 bar)	
750P07	Pressure Module (0 - 35 bar)	
750P08	Pressure Module (0 - 70 bar)	
750P09	Pressure Module (0 - 100 bar)	
750P2000	Pressure Module (0 - 140 bar)	
750P29	Pressure Module (0 - 200 bar)	
750P30	Pressure Module (0 - 340 bar)	
750P31	Pressure Module (0 - 700 bar)	
750PA3	Pressure Module (0 - 350 mbar)	
750PA4	Pressure Module (0 - 1 bar)	
750PA5	Pressure Module (0 - 2 bar)	
750PA6	Pressure Module (0 - 7 bar)	
750PA27	Pressure Module (0 - 20 bar)	
750PA7	Pressure Module (0 - 35 bar)	
750PA8	Pressure Module (0 - 70 bar)	
750PA9	Pressure Module (0 - 100 bar)	
750PV3	Pressure Module (-350 mbar)	
750PV4	Pressure Module (-1 bar)	
750PD2	Pressure Module (-70 - 70 mbar)	
750PD3	Pressure Module (-350 - 350 mbar)	
750PD10	Pressure Module (-700 - 700 mbar)	
750PD4	Pressure Module (-1 - 1 bar)	
750PD5	Pressure Module (-1 - 2 bar)	
750PD50	Pressure Module (-1 - 3.5 bar)	
750PD6	Pressure Module (-1 - 7 bar)	
750PD7	Pressure Module (-1 - 14 bar)	

Model	Description	Image
750PD27	Pressure Module (-1 - 20 bar)	
750R04	Pressure Module (0 - 1 bar)	
750R06	Pressure Module (0 - 7 bar)	
750R27	Pressure Module (0 - 20 bar)	
750R07	Pressure Module (0 - 35 bar)	
750R08	Pressure Module (0 - 70 bar)	
750R29	Pressure Module (0 - 200 bar)	
750R30	Pressure Module (0 - 340 bar)	
750R31	Pressure Module (0 - 700 bar)	
750RD5	Pressure Module (-1 - 2 bar)	
750RD6	Pressure Module (-1 - 7 bar)	
750RD27	Pressure Module (-0.8 - 20 bar)	
<b>Process Calibrator Accessories</b>		
700HTH-1	Hydraulic Test Hose	
700ILF	In-Line Filter	
700LTP-1	Low Pressure Test Pump	
700-IV	Current Shunt	
700PMP	Pressure Pump (10 bar)	
700PRV-1	Pressure Relief Valve for 700HTP	
700PTP-1	Pneumatic Test Pump	
700SC	Serial Interface Cable (Fluke 725/725Ex/726)	
700TC1	Thermocouple Plug Kits (10 types)	
700TC2	Thermocouple Plug Kits (5 types)	
787CAL 230	Calibration Module (Fluke 787)	
BC7217	Battery Charger	
BE9005 220	Battery Eliminator	
BE9005 240	Battery Eliminator	
BP7235	NiMH Battery Pack	
C700	Hard Case (700 S)	
C789	Soft Meter Case	
FVF-SC2	FlukeView Forms Software+IR Cable(180S,1653,789,1550B)	
FVF-Basic	FlukeView Forms Basic+IR Cable (189,287,289,789,1550B)	
700HTP-2	Hydraulic Test Pump, 690 bar	
IR189USB	IR Cable - USB (280/180 S, 1653, 789, 1550B)	
BP7240	753/754 Spare Battery	
750SW	DPC/TRACK2-software	
BC7240	Battery Charger (753/754)	
HART DRYWELL CA	Cable Kit, Hart Drywellcontrol	
71x	Hose kit	
700TLK	Process Test Lead Kit	
709H/TRACK	Logging software with cable	
<b>GENERAL ACCESSORIES</b>		
<b>Test Leads, Probes and Clips</b>		
80K-15	Probe, Electronic Air Cleaner	
AC175	Threaded Alligator Clip Set	
AC220	SureGrip Alligator Clip Set	
AC280	SureGrip Hook Clip Set	
AC283	SureGrip Pincer Clip Set	
AC285	SureGrip Alligator Clip Set	
AC285-FTP	Alligator Clips and adaptors (FTP-1, FTPL-1)	
AC87	Heavy Duty Bus Bar Clip Set	

Model	Description	Image
AC89	Heavy Duty Insulation Piercing Test Clip	
BP980	Dual Banana Plug Kit	
FTL660	Fused Test Lead Set	
FTP-1	Fuse test probe set	
FTPL-1	Fuse test probe set with test leads	
H900	Test Lead Holder	
LEADWRAP	Durable Nylon Hook and Loop Fastener, 3 pack	
T5-Kit	T5 Tester Accessory Starter Kit	
T5-RLS	Replacement Test Lead Set (T5)	
TL175	Twist Guard Test Leads	
TL175E	Twist Guard Test Leads, 4mm	
TL220-1	SureGrip Industrial Test Lead Set	
TL221	SureGrip Extension Lead Set	
TL222	SureGrip Silicone Test Lead Set	
TL223-1	SureGrip Electrical Test Lead Set	
TL224	SureGrip Silicone Test Lead Set	
TL225-1	Stray Voltage Eliminator test Lead Set	
TL238	SureGrip High Energy Test Lead Kit	
TL27	Heavy Duty Test Lead Set	
TL40	Retractable Tip Test Lead Set	
TL71-1	TL71, Test Lead Set	
TL75-1	TL75, Test Lead Set	
TL76	All-in-one Test Lead Set	
TL80A-1	TL80A, Test Lead Set	
TL81A	Deluxe Electronic Test Lead Kit	
TL910	Electronic Test Lead Set (with replacement tips)	
TL930	Patch Cords (60 cm)	
TL932	Patch Cords (90 cm)	
TL935	Patch Cord Kit (60, 90, 120 cm)	
TL940	Mini-Hook Test Lead Set	
TL950	Mini-Pincer Test Lead Set	
TL960	Micro-Hook Test Lead Set	
TL970	Hook and Pincer Test Lead Kit	
TLK1550-RTLC	Integral test lead & 10 kV clamp	
TLK220	SureGrip Accessory Kit	
TLK-225	TLK225, SureGrip Master Set	
TLK281-1	TLK281, Automotive Test Lead Kit	
TLK-282-1	TLK282, DeLuxe Automotive Test Lead Kit	
TLK287	Electronic Master Test Lead Kit	
TLK289	Industrial Master Test Lead Kit	
TLK290	Test Probe Kit	
TLK291	Fused Test Probe Set	
TP1-1	TP1, Test Probes	
TP175	TwistGuard test Probes, 2mm dia probe tips	
TP175E	TwistGuard Test Probes, 2mm probe tips w/4mm adapters	
TP2-1	TP2, Test Probes	
TP220-1	TP220, SureGrip Test Probes	
TP38	Slim Reach Test Probe Set (insulated)	
TP74	Lantern Tip Test Probe Set	
TP80	Electronic Test Probe Set	
TP912	Replacement tips for TL910	


Model	Description	Image
TP920	Test Probe Adapter Kit	
TPF1000	Fused Test Probes	
<b>CURRENT CLAMPS</b>		
80i-110s	AC/DC Current Clamp (100 A)	
90i-610s	AC/DC Current Clamp (600 A)	
i1000s	AC Current Clamp (1000 A)	
i1010	AC/DC Current Clamp (1000 A)	
i1010 Kit	AC/DC Current Clamp (1000 A) with Soft Case	
i200	AC Current Clamp (200 A)	
i2000 flex	AC Flexible Current Clamp (2000 A)	
i200s	AC Current Clamp (200 A)	
i30	AC/DC Current Clamp (30A)	
i3000 flex-4PK	AC Flexible Current Clamp (3000 A), 4-pack	
i3000s	AC Current Clamp (3000 A)	
i3000s flex-24	AC Flexible Current Clamp (3000 A), 610 mm	
i3000s flex-36	AC Flexible Current Clamp (3000 A), 915 mm	
i30s	AC/DC Current Clamp (30A)	
i310s	AC/DC Current Clamp (300A)	
i400	AC Current Clamp (400 A)	
i400s	AC Current Clamp (400A)	
I40S-PR (1750)	40A Current Clamp (1750)	
i410	AC/DC Current Clamp (400 A)	
i410 Kit	AC/DC Current Clamp (400 A) with Soft Case	
i6000s flex-24	AC Current Clamp (6000 A)	
i6000s flex-36	AC Current Clamp (6000 A)	
i800	AC Current Clamp (800 A)	
<b>TEMPERATURE ACCESSORIES</b>		
80AK-A	Thermocouple Adapter	
80BK-A	Integrated DMM Temperature Probe (Type K)	
80CJ-M	Male Mini Connectors (Type J)	
80CK-M	Male Mini Connectors (Type K)	
80PJ-1	Bead Probe (Type J)	
80PJ-9	General Purpose Probe (Type J)	
80PJ-EXT	Extension Wire Kit (Type J)	
80PK-1	Bead Probe (Type K)	
80PK-10	Pipe Clamp Temperature Probe (Type K)	
80PK-11	Velcro Temperature Probe	
80PK-18 Kit	Pipe Clamp Temperature Probe Kit	
80PK-22	SureGrip Immersion Probe	
80PK-24	SureGrip Air Probe	
80PK-25	SureGrip Piercing Probe	
80PK-26	SureGrip General Purpose Probe	
80PK-27	SureGrip Industrial Surface Probe	
80PK-3A	Surface Probe (Type K)	
80PK-8	Pipe Clamp Temperature Probe (Type K)	
80PK-9	General Purpose Probe (Type K)	
80PK-EXT	Extension Wire Kit (Type K)	
80PR-60	RTD Temperature Probe (Fluke 66/68)	
80PT-25	SureGrip Piercing Probe	
80PT-EXT	Extension Wire Kit (Type T)	
80T-150UA	Universal Temperature Probe (for DMMS)	

Model	Description	Image
80TK	Thermocouple Module (Type K)	
<b>CASES AND HOLDERS</b>		
C10	Meter Holster	
C100	Hard Meter and Accessory Case	
C101	Hard Case	
C115	Soft Meter Case	
C116	Soft Meter Case	
C120	Hard Case (43B/120 S)	
C125	Soft Meter Case	
C12A	Soft Meter Case	
C1600	Meter and Accessory Case	
C190	Hard Case (190 S)	
C195	Soft Case	
C20	Hard Meter Case	
C23	Soft Meter Case	
C25	Soft Meter Case	
C280	Soft Meter Case	
C33	Soft Meter Case	
C345	Soft Case	
C35	Soft Meter Case	
C43	Soft Meter Case	
C50	Soft Meter Case	
C510	Leather Meter Case	
C520A	Leather Tester Case	
C550	Tool Bag	
C75	Soft Accessory Case	
C781	Soft Meter Case	
C789	Soft Meter Case	
C800	Hard Meter and Accessory Case	
C90	Soft Meter Case	
CXT170	Rugged Pelican Hard Case	
CXT280	Rugged Pelican Hard Case	
CXT80	Rugged Pelican Hard Case	
H3	Holster (330 S)	
H5	Electrical Tester Holster (Fluke T5)	
H6	Infrared Thermometer Holster (Fluke 63/65/68/561)	
H15	Belt Holster for T100 S	
H80M	Holster + Magnetic Hanger	
C150	Zippered Soft Carrying Case	
C1620	Carrying Case	
<b>AUTOMOTIVE ACCESSORIES</b>		
90i-610s	AC/DC Current Clamp (600 A)	
BP880	BNC to Female Double Stacking Banana Plug	
BP881	BNC to Male Double Stacking Banana Plug	
PV350	Pressure Vacuum Module	
RPM80	Inductive Pick-up	
SCC128	Automotive Accessory Kit (120 S)	
SCC198	Automotive Accessory Kit (190 S)	
STL90	Automotive Shielded Test Lead Set (120/190 S)	
TAS90	Automotive Accessory Set (120/190 S)	
TL28A	Automotive Test Lead Set	

Model	Description	Image
TL82	Automotive Pin and Socket Adapter Set	
TP40	Automotive Back Probe Pins (5 pcs) (4 mm)	
TP81	Insulation Piercing Clip Set (4 mm)	
TP82	Insulation Piercing Clip Set (2 mm)	
TP88	Rigid Back Probe Pin Set	
<b>OTHER ACCESSORIES</b>		
80K-40	High Voltage Probe	
80K-6	High Voltage Probe	
EBC290	External Battery Charger	
FOM	Fiber Optic Meter	
FOS-850	Fiber Optic Light Source	
FOS-850/1300	Fiber Optic Light Source	
L200	Probe Light	
L205	Mini Hat Light	
L206	Deluxe Hat Light	
L210	Probe light and probe extender	
L215	SureGrip kit with probe light and probe extender	
MC50	MeterCleaner Wipes, 50-pack	
MC6	MeterCleaner Wipes, 6-pack	
PV350	Pressure Vacuum Module	
SV225	Stray Voltage Adapter	
TPAK	ToolPak, Meter Hanging Kit	
<b>FUSES</b>		
943121	Fuse, A:440mA (F), V:1000V, IR:10kA, 10.3x34.9 mm	
803293	Fuse, A:11A (F), V:1000V, IR:20kA, 10.3x38.1 mm	
830828	Fuse, A:1A (F), V:600V, IR:10kA, 10.3x34.9 mm	
2279339	Fuse, A:315mA (f), V:1000V, IR:10kA, 6.35x32 mm	
740670	Fuse, A:630mA (F), V:250V, IR:1500A, 5x20 mm	




**Important Note:** For calibration, please note that all products are pre-calibrated at the factory and is valid from 1 year from date of first use. However, if you still need a calibration certificate, this will have to be issued from a Calibration Lab for which the certificate charges will be applicable.

## MEASURE WITH CONFIDENCE



**IR lenses.  
See the impossible.**

Close or far, with  
IR lenses see what  
you couldn't see.



Model No.	Description	Image
<b>INDUSTRIAL WIRING TESTERS</b>		
MIT200	<b>Pocket-sized insulation and continuity tester</b> 500V INS + Continuity & Buzzer, Insulation testing to 1000 MΩ, Continuity testing at 200 mA down to 0.01 Ω,CATIII 600 V	
MIT210	<b>Pocket-sized insulation and continuity tester</b> 1000V INS + Continuity & Buzzer, Insulation testing to 1000 MΩ, Continuity testing at 200 mA down to 0.01 Ω,CATIII 600 V	
MIT220	<b>250V/500V INS + Continuity &amp; Buzzer</b> , Insulation testing to 1000 MΩ, Continuity testing at 200 mA down to 0.01 Ω,CATIII 600 V	
MIT230	<b>250V/500V/1000V INS + Continuity &amp; Buzzer</b> , Insulation testing to 1000 MΩ, Continuity testing at 200 mA down to 0.01 Ω,CATIII 600 V	
MIT400	250V/500V/1000V insulation + 600 V catIV	
MIT410	50/100/250V/500V/1000V insulation + 600 V catIV + PI & DAR	
MIT415	10/25/50/100/250V/500V insulation + 600 V catIV + PI & DAR	
MIT420	AS MIT410 + result storage & recall	
MIT430	As MIT420 + Bluetooth Download	
MIT480	50/100 V teleco insulation tester	
MIT481	50/100/250/500/1000V teleco insulation tester + cable length/cap + storage	
MIT485	As MIT481 + Bluetooth Download	
MIT40X	Selectable test voltage 10 -100 V in 1V steps	
<b>ELECTRICIANS TESTERS</b>		
MIT300	250/500V with voltage warning,insulation resistance up to 999Mohms, 00mA continuity testing	
MIT310	250/500/1000V with voltage range, default voltmeter function	
MIT320	<b>Insulation Tester</b> , backlit display, illuminated range panel, insulation limit alarm, resistance measurement,	
MIT330	<b>Insulation Tester</b> with test result storage and USB Downloading, Live circuit warning, Self contained protective cover	
<b>LOOP TESTERS</b>		
LT300	50V - 550V single phase - w BS1363 mains plug test lead, CAT IV 300V applications, High current loop tester,16 Hz to 400 Hz	
LTW315	2 Wire Non-tripping loop tester, 100-280V, CATIV installation testing	
LTW325	50 to 440V testing; Max Z and R1+R2, 0.01 Ω resolution,110 V centre-tap loop testing	
LTW335	300 test result storage with recall & USB download, 2 wire + maxZ + (R1+R2)	
LTW425	High Res. tester to 1 ohm resolution (high current), 2 Wire Non-tripping loop tester, 50 V to 440 V operation	
<b>RCD TESTERS SINGLE PHASE</b>		
RCDT310	100V - 280V single phase w/ BS1363 mains plug test lead, Tests standard, DC and selective RCDs	
RCDT320	50V- 280V plus backlight, auto-sequence & 2 wire leadset	
RCDT330	With Prog- RCD testing and storage/download, Enables testing on 110 V centre tapped supplies,3 Phase safe	

Model No.	Description	Image
<b>COMBINED LOOP &amp; RCD TESTERS</b>		
LRCD200	RCD testing from 10 mA to 1000 mA, 3 phase safe, 1xI tests of 10mA to 500mA RCD	
LRCD210	Single phase loop/RCD tester UK plug, 3 phase safe, 1/2I, I, and 5I RCD testing for standard	
LRCD220	Single & 3 phase loop/RCD tester UK plug, + 2 wire fast testing, plus phase to phase and phase to earth measurement.	
<b>ELECTRICIANS TEST KITS</b>		
MTK310	MIT310 + LTW315 + RCDT310 in carry case	
MTK320	MIT320 + LTW325 + RCDT320 in carry case	
MTK330	MIT330 + LTW335 + RCDT330 in carry case	
PPK220	MIT320 + LRCD220	
<b>MULTIFUNCTION TESTERS</b>		
MFT1710	CAT IV, 3 and 2-wire non trip loop testing, with resistance and fault current display & frequency measurement, 3-phase RCD testing	
MFT1720	With auto RCD testing, phase rotation, programmable and 3-phase RCD testing and current measurement with the optional clamp	
MFT1730	Type B RCD testing, 3-pole earth electrode testing to a downloading and rechargeable instrument.	
MFT1815	CAT IV safety, 200 mA continuity, 3 and 2-wire non trip loop testing with resistance and fault current display & frequency measurement	
<b>POWER PRODUCTS</b>		
BM15	500 V/1 kV/2,5 kV/5 kV analogue, battery, Four test voltages to 5 kV, Voltage range to 600 V indicates auto discharge	
MJ15	Four test voltages to 5 kV, Voltage range to 600 V indicates auto discharge, With additional hand crank	
BM5200	<b>Contractor 5kV Insulation Tester</b> 1 TΩ, 1.4 Ma, 5 kV digital insulation tester with digital and analogue display, Five test ranges; 250 V, 500 V, 1000 V, 2500 V and 5000 V, CATIII 600 V safety rating	
MIT515-US	<b>5 kV Insulation Resistance Tester</b> 10 TΩ, 250 to 5000 V, CATIV 600 V safety rating	
MIT1025-US	10 kV Diagnostic Insulation Resistance Tester, 20 TΩ	
<b>DIGITAL EARTH TESTERS</b>		
DET14C	<b>Clamp-on Earth Tester</b> , Elliptical clamp shape improves access to earth cables and straps up to 50 mm, Measures ground resistance from 0.05 Ω to 1500 Ω, Measures true RMS ground leakage current from 0.5 mA rms to 35 A rms	

Model No.	Description	Image
DET3TD	2 & 3 terminal earth tester, digital display, with case and kit, Selectable 25 V or 50 V output, for basic requirements it provides digital ground testing and bond test capabilities	
DET3TC	2 & 3 terminal earth tester, digital display, with case and kit, ART compatible, Selectable 25V or 50V output, capable of testing on-site grounds without disconnecting the utility connection	
DET4TD2	2,3 & 4 terminal earth tester, digital display with case, basic lead and spike kit, and terminal bare wire adaptors, Dry-cell battery powered basic 4-terminal tester	
DET4TR2	2,3 & 4 terminal earth tester, rechargeable, digital display with case, basic lead and spike kit, and terminal bare wire adaptors, Rechargeable battery powered basic 4-terminal tester	
DET4TC2	2,3 & 4 terminal earth tester- Clamp ready (not included), digital display with case, basic lead and spike kit, and terminal bare wire adaptors, Dry-cell battery powered 4-terminal tester with selectable test frequencies	
<b>LOW RESISTANCE OHMMETERS</b>		
BT51	10 µOhm - 2 Ohm (2 A) Digital, High test current, Four terminal measurement, Two measuring ranges (2000 mΩ. and 20,00 mΩ.)and maximum resolution of 0,01 mΩ	
DLRO10	Ducter Digital Low Resistance Ohmmeter - 10A, Accurate results in under three seconds, 250 mW power limit, NiMH battery reduces weight, Fuse protected to 600 V, up to 10 A dc to measure resistance from 0.1 µΩ to 2000 Ω on one of seven ranges	
DLRO10X	Including memory/download, menu system controlled by a two-axis paddle	
DLRO10HD	Heavy duty Ducter Digital Low Resistance Ohmmeter - 10A, High or low output power selection for condition diagnosis, High input protection to 600 V	

**Important Note:** For calibration, please note that all products are pre-calibrated at the factory and is valid from 1 year from date of first use. However, if you still need a calibration certificate, this will have to be issued from a Calibration Lab for which the certificate charges will be applicable.



■ Unique 2-wire no-trip loop test



■ Convenient dual test buttons

Model No.	Description	Spec 1	Spec 2	Image
<b>ELECTRICAL TESTERS/MULTIMETERS</b>				
UT12B	Non Contact AC Voltage Detector	-10°~ 50°C	90-1000V	
UT15C	Multifunction Voltage Testers ( <b>UT18D</b> )	12-690V	90-1000V	
UT118B	Pen Type Meter	3-300V	3-300V	
UT20B	Pocket type Multimeters	200mV-300V	200V-300V	
UT120B	Pocket type Multimeter	4V - 600V	400mV - 600V	
UT33C	Palm Sized Digital Multimeters	200mV-500V	200V-500V	
UT39C	Digital Multimeter	200mV-1000V	2V-750V	
UT50B	Digital Multimeter	200mV-1000V	200mV-750V	
UT139C	True RMS Digital Multimeter	2V - 600V	200mV - 600V	
UT61C	Digital Multimeter	600mV-1000V	60mV-750V	
UT61E	Digital Multimeter	600mV-1000V	60mV-750V	
UT71C	Digital Multimeter	400mV-1000V	4V-1000V	

Model No.	Description	Spec 1	Spec 2	Image
UT81B	Digital Scope Multimeter	400mV-1000V	4V-750V	
<b>CLAMP METERS</b>				
UT201	Digital Clamp Meters 400A	200mV-600V	2V-600V	
UT203	Digital Clamp Meters 400A	400mV-600V	4V-600V	
UT213C	Digital Clamp Meters True RMS 400A <i>(New)</i>	400mV-600V	4V-600V	
UT204	Digital Clamp Meters True RMS 600A	400mV-600V	4V-600V	
UT206A	Digital Clamp Meters True RMS 1000A <i>(New)</i>	400mV-600V	4V-600V	
UT208A	Clamp Meters 1000A	400mV-1000V	400mV-750V	
UT209A	Clamp Meters True RMS 1000A	400mV-1000V	400mV-750V	
UT221	Clamp Meters True RMS 2000A	6V-750V	6V-750V	
UT233	Power Clamp Meter 600kW/600kVa	1000A	15V-600V	
UT251C	Leakage Current Clamp Meter	0-600A	0-600V	
UT253B	Leakage Current Clamp Meter	2000A	0-600V	

Model No.	Description	Spec 1	Spec 2	Image
UT255B	High Voltage Clamp Ammeter	0-600A	0-69kV	
UT265B	Intellegent Double Clamp Phase Voltammeters	20A	0-600V	
UT267B	Intellegent Three Clamp Phase Voltammeters	20A	0-600V	
<b>RESISTANCE &amp; GROUND TESTERS</b>				
UT502	Insulation Resistance Tester, 500-2500V	30V-1000V	30V - 750V	
UT512	Insulation Resistance Tester, 500-2500V	600V	600V	
UT513	Insulation Resistance Tester, 500-2500V	750V	1000V	
UT522	Earth Ground Tester	40W / 400W / 4000W	0-400V	
UT523A	Earth Ground Tester			
UT525	Electrical Tester (Multifunction device as Megger/RCD Tester/Voltage Tester/Earth Resistance) <b>(UT526)</b>	0-440V	0-440V	
UT527	Safety Tester	500V		
UT533	Insulation Resistance Multimeter	6V-1000V	60mV-1000V	
UT582	Digital RCD (ELCB) Tester	10mA/20mA/ 30mA/100mA/ 300mA/500mA		

Model No.	Description	Spec 1	Spec 2	Image
UT592	Multifunction Loop Tester	250V / 500V / 1000V		
UT278A	Clamp Earth Ground Tester		50Hz / 60Hz	
<b>HVAC TESTING EQUIPMENT</b>				
UT300C	Infrared Thermometer	-18°C ~ 400°C	- 4°F ~ 752°F	
UT301C	Infrared Thermometer	- 18°C ~ 550°C	0°F ~ 1022°F	
UT303C	Infrared Thermometer	32°C ~ 1050°C	26°F ~ 1922°F	
UT303D	Infrared Thermometer (°C & °F)	32°C ~ 1250°C	26°F ~ 2282°F	
UT352	Sound Level Meter	Range:30 - 130dB	31.5Hz ~ 8000Hz	
UT362	Anemoscope (Wind Speed Measurement)	Speed:2-30m/s	0°~40°C/ 32°~104°F	
UT372	Tachometer (Motor Speed Measurement)	Speed:10-99,999 rpm	10KHz	
UT382	Luminometer (Illuminance Measurement)	Lux:20-20,000	2-2000CD	
UT323	Thermometer	200° ~ 1372°C	328° ~ 2501°F	
UT332	Digital Hygrometer	- 20° ~ -60°C	- 4° ~ -140°F	

Model No.	Description	Spec 1	Spec 2	Image
UT337A	Carbon Monoxide Meter <i>(New)</i>	0-1000ppm		
UT262A	Non Contact Phase Detector	70V	0-600V	
UT230B	Timing Power Meter Socket	10A	180~260V	
UT312	Portable Vibration Tester	0.1-199.9m/s <sup>2</sup>	10-1500Hz≤±5%	
UT315	Vibration tester	10Hz ~ 10KHz	0.1 ~ 199.9m/s <sup>2</sup>	
<b>LASER DISTANCE METER</b>				
UT390B	Laser Distance Meter 45M	-10'C~40'C	0.05~45m ±2mm	
UT391A	Laser Distance Meter 70M	-10'C~40'C	0.05~70m ±1.5mm	
UT392	Laser Distance Meter 80M <i>(No Rep)</i>	-10'C~40'C	0.05~80m ±1.5mm	
UT393	Laser Distance Meter 100M	-10'C~40'C	0.05~100m ±1.5mm	
<b>THERMAL IMAGERS</b>				
UTi100A	Infrared Thermal Imager Resolution: 100 x 80 2.5in TFT LCD Screen			
UTi160A	Infrared Thermal Imager Resolution: 160 x 120 2.5in TFT LCD Screen			
UTi160C	Infrared Thermal Imager / Full Color Resolution: 160 x 120 2.5in TFT LCD Screen			

Model No.	Description	Spec 1	Spec 2	Image
<b>ACCESSORIES</b>				
UT-C03	Alligator Clip			
UT-C07	Multipurpose Probe clip			
UT-T02	Temperature Probe K-Type			
UT-T03	Temperature Probe for liquids			
UT-L07	Standard Probe			
UT-L09	Probe Extension Wire			

**Important Note:** For calibration, please note that all products are pre-calibrated at the factory and is valid from 1 year from date of first use. However, if you still need a calibration certificate, this will have to be issued from a Calibration Lab for which the certificate charges will be applicable.


**Uni-Trend**  
**Your Testing Specialist !**

**UNI-T**<sup>®</sup>





## Power Tools



- Cordless
- Metal Working
- Drilling
- Diamond Drilling
- Wood-Working
- Lasers
- Hammers
- Machinery
- Fastening
- Saws



# DEWALT®

## NEW MOTION SENSITIVE SCREWDRIVERS

DCF680G2

SWITCH BETWEEN  
PISTOL OR IN-LINE GRIP  
POSITIONS



PISTOL



IN-LINE GRIP



7.2V  
LITHIUM ION

1.0  
AH

- The motion of your hand determines speed and drive direction for ultimate control
- ¼ inch drop in load chuck
- LED light ring for visibility in tight spaces
- State of Charge indicator

GYROSCOPIC  
TECHNOLOGY

Model No.	Description	Image
<b>ROTARY DRILLS</b>		
DWD010-B5	<b>Rotary Drill, 6.5mm</b> 0-3600 rpm, 220V	
DWD112-B5	<b>Rotary Drill with keyed chuck</b> 10mm, 701W, 0-2500 rpm, 220V	
DWD112S-B5	<b>Rotary Drill with keyless chuck</b> 10mm, 701W, 0-2500 rpm, 220V	
D21160-QS	<b>Right Angle Rotary Drill 10mm</b> 350W, 1200 rpm, 220V	
D21520-QS	<b>Mixer and Rotary Drill 13mm</b> 710W, 0-550rpm, 220V	
D21520-LX	<b>Mixer and Rotary Drill 13mm</b> 710W, 0-550rpm, 110V	
DWE1622K-B5	<b>Magnetic Drill Press 50mm</b> 1200W, 3800N, 350/450rpm, 220V	
DWE1622K-LX	<b>Magnetic Drill Press 50mm</b> 1200W, 3800N, 350/450rpm, 110V	
<b>PERCUSSION DRILLS</b>		
DWD024K-B5	<b>Percussion Drill, 13mm</b> 650W, 2800rpm, 220V	
DWD024K-LX	<b>Percussion Drill with kitbox, 13mm</b> 650W, 2800rpm, 110V	
D21805-QS	<b>Percussion Drill with kitbox, 13mm</b> 770W, 1100/2700rpm, 220V	
D21805-LX	<b>Percussion Drill with kitbox, 13mm</b> 770W, 1100/2700rpm, 110V	
DWD524KS-GB	<b>Pistol Percussion Drill, 2 Speed, 10mm</b> 701W, 2500rpm, 220V	
D21570K-B5	<b>Dry Diamond Drill with 16mm keyed chuck</b> 2 Speed, 1300W, 1250/3500rpm, 220V	
D21570K-LX	<b>Dry Diamond Drill with 16mm keyed chuck</b> 2 Speed, 1300W, 1250/3500rpm, 110V	
<b>COMPACT HAMMERS - SDS PLUS</b>		
D25012K-B5	22 mm Comb. Hammer - 2 Mode - <b>TE1</b> , 220V ( <a href="#">D25032K</a> )	
D25033C-B5	<b>SDS Plus Comb. Hammer, 22mm</b> 3 Mode + C & A, 650W, 4550bpm, <b>TE1</b> , 220V	
D25033C-LX	<b>SDS Plus Comb. Hammer, 22mm</b> 3 Mode + C & A, 650W, 4550bpm, <b>TE1</b> , 110V	
D25133K-B5	<b>H.D SDS Plus Comb. Hammer, 26mm</b> 800W, 4300bpm, <b>TE2</b> , 220V	
D25133K-LX	<b>H.D SDS Plus Comb. Hammer, 26mm</b> 800W, 4300bpm, <b>TE2</b> , 110V	
D25052K-B5	<b>L-Shape SDS Plus Rotary Hammer, 20mm</b> 650W, 6200bpm <b>TE7</b> , 220V	
D25052K-LX	<b>L-Shape SDS Plus Rotary Hammer, 20mm</b> 650W, 6200bpm <b>TE7</b> , 110V	
D25134K-GB	<b>H.D SDS Plus Comb. Hammer with QCC, 26mm</b> 800W, 4300bpm, VSR, <b>TE2M</b> , 220V	
D25134K-LX	<b>H.D SDS Plus Comb. Hammer with QCC, 26mm</b> 800W, 4300bpm, VSR, <b>TE2M</b> , 110V ( <a href="#">D25124K</a> )	

Model No.	Description	Image
D25213-LX	<b>SDS Plus VSR Hammer, 26mm</b> 4300bpm, TE2M, 110V	
D25144K-GB	<b>H.D SDS Plus Comb. Hammer with QCC, 28mm</b> 900W, 4300bpm, VSR, GBH 2-28, 220V	
D25323K-GB	<b>L-Shape SDS Plus Comb. Hammer with AVC</b> 26mm, 800W, 4300bpm, TE7C, 220V	
D25323K-LX	<b>L-Shape SDS Plus Comb. Hammer with AVC</b> 26mm, 800W, 4300bpm, TE7C, 110V	
D25324K-GB	<b>L-Shape SDS Plus Comb. Hammer + QCC + AVC</b> 26mm, 800W, 4300bpm, TE7C, 220V	
D25324K-LX	<b>L-Shape SDS Plus Comb. Hammer + QCC + AVC</b> 26mm, 800W, 4300bpm, TE7C, 110V	
D25404K-LX	32mm, 900W, Hammer, 730rpm, 4100bpm, 110V ( <b>D25413K</b> )	
D25413K-B5	<b>H.D SDS Plus Comb. Hammer, 32mm (4kg)</b> 1000W, 4700bpm, TE30, 220V	
D25413K-LX	<b>H.D SDS Plus Comb. Hammer, 32mm (4kg)</b> 1000W, 4700bpm, TE30, 110V	
<b>MID-SIZE HAMMERS - SDS-MAX</b>		
D25820K-B5	<b>SDS Max Dedicated Chipping Hammer, 5kg</b> 1150W, 2740bpm TE500, 220V	
D25820K-LX	<b>SDS Max Dedicated Chipping Hammer, 5kg</b> 1150W, 2740bpm TE500, 110V	
D25501K-GB	<b>SDS Max Comb. Hammer with AVC, 40mm, 5kg</b> 1100W, 2740bpm, TE50, 220V	
D25501K-LX	<b>SDS Max Comb. Hammer with AVC, 40mm, 5kg</b> 1100W, 2740bpm, TE50, 110V	
D25601K-GB	<b>SDS Max Comb. Hammer with AVC, 45mm, 6kg</b> 1250W, 1430-2840 bpm, 220V	
D25601K-LX	<b>SDS Max Comb. Hammer with AVC, 45mm, 6kg</b> 1250W, 1430-2840 bpm, 110V	
D25721K-B5	<b>SDS Max Comb. Hammer, 48mm, 7kg</b> 1350W, 1225-2450bpm TE70, 220V	
D25721K-LX	<b>SDS Max Comb. Hammer, 48mm, 7kg</b> 1350W, 1225-2450bpm TE70, 110V	
D25713K-GB	<b>Fully Featured Combi Hammer with UTC</b> 7kg, 220V ( <b>D25723K</b> )	
D25723K-B5	<b>SDS Max Comb. Hammer with UTC, 48mm, 7kg</b> 1400W, 1260-2520bpm TE70, 220V	
D25763K-B5	<b>SDS Max Comb. Hammer with UTC, 52mm, 9kg</b> 1500W, 1150-2300bpm, 220V	
D25831K-GB	<b>SDS Max Chipping Hammer with AVC, 5kg</b> 1250W, TE60, 220V	
D25831K-LX	<b>SDS Max Chipping Hammer with AVC, 5kg</b> 1250W, TE60, 110V	
D25871K-B5	<b>SDS Max Dedicated Demolition Hammer, 7kg</b> 1400W, 1260-2520bpm TE700, 220V	
D25871K-LX	<b>SDS Max Dedicated Demolition Hammer, 7kg</b> 1400W, 1260-2520bpm TE700, 110V	

Model No.	Description	Image
<b>DEMOLITION HAMMERS</b>		
D25899K-GB	<b>SDS Max Demolition Hammer, 10kg</b> 1500W, 2040bpm, 220V	
D25899K-LX	<b>SDS Max Demolition Hammer, 10kg</b> 1500W, 2040bpm, 110V	
D25901K-B5	<b>SDS Max Demolition Hammer with AVC, 10kg</b> 1500W, 1020-2040bpm <b>TE1000</b> , 220V	
D25901K-LX	<b>SDS Max Demolition Hammer with AVC, 10kg</b> 1500W, 1020-2040bpm <b>TE1000</b> , 110V	
D25941K-QS	<b>Hex Demolition Hammer with AVC, 19mm, 12kg</b> 1600W, 1620bpm, 220V	
D25941K-LX	<b>Hex Demolition Hammer with AVC, 19mm, 12kg</b> 1600W, 1620bpm, 110V	
D25960K-GB	<b>Hex Demolition Breaker with AVC, 28mm, 16kg</b> 1600W, 1450bpm, <b>TE1500</b> , 220V	
D25980K-QS	<b>2 Speed Magnetic Drill Press, 50mm, 30kg</b> 2100W, 900bpm <b>TE3000</b> , 220V	
<b>100MM SMALL ANGLE GRINDER</b>		
DWE4001-B5	<b>Angle Grinder</b> 800W, 12000rpm, Toggle Switch, 220V	
DWE4001-B4	<b>Angle Grinder</b> 800W, 12000rpm, Toggle Switch, 110V	
DWE4002-B5	<b>Angle Grinder</b> 800W, 12000rpm, Paddle Switch, 220V	
DWE4002-B4	<b>Angle Grinder</b> 800W, 12000rpm, Paddle Switch, 110V	
<b>115MM SMALL ANGLE GRINDER</b>		
DWE4010-B5	<b>Angle Grinder</b> 730W, 11000rpm, Slide Switch w/Handle, 220V	
DWE4010T-B5	<b>Angle Grinder</b> 730W, 11000rpm, Toggle Switch, 220V	
DWE4120-B5	<b>Angle Grinder</b> 900W, 11800rpm, Paddle Switch, 220V	
DWE4120-B4	<b>Angle Grinder</b> 900W, 11800rpm, Paddle Switch, 110V	
DWE4212-B5	<b>Angle Grinder</b> 1100W, Paddle Switch, 220V	
DWE4212-B4	<b>Angle Grinder</b> 1100W, Paddle Switch, 110V	
D28114-B5	<b>Angle Grinder, 4.5" / 5" (115mm / 125mm)</b> 1700W, 11000rpm, Paddle Switch, 220V	
D28114-B4	<b>Angle Grinder, 4.5" / 5" (115mm / 125mm)</b> 1700W, 11000rpm, Paddle Switch, 110V	
D28117-GB	<b>Autobalancer Small Angle Grinder</b> 1100W, 2800 - 10500 rpm, Variable Speed, 220V	

Model No.	Description	Image
<b>125MM SMALL ANGLE GRINDER</b>		
DWE4151-QS	<b>Small Angle Grinder</b> 900W, 11800rpm, Slide Switch, 220V	
D28065-GB	<b>Small Angle Grinder</b> 1250W, 9000rpm, with Dust Ejection System, 220V	
D28065-LX	<b>Small Angle Grinder</b> 1250W, 9000rpm, with Dust Ejection System, 110V	
D28135K-B5	<b>Small Angle Grinder</b> 1400W, 10000rpm, with Dust Ejection System, 220V	
D28135K-LX	<b>Small Angle Grinder</b> 1400W, 10000rpm, with Dust Ejection System, 110V	
<b>LARGE ANGLE GRINDER / SANDER</b>		
DWE493-B5	<b>Angle Grinder, 180mm</b> 2200W, 8500rpm, 220V	
DWE493-LX	<b>Angle Grinder, 180mm</b> 2200W, 8500rpm, 110V	
D28495-QS	<b>Large Angle Grinder, 180mm</b> 2400W, 220V	
DWE4557-B5	<b>Angle Grinder, 180mm</b> 2400W, 8500rpm, 220V	
DWE4557-B4	<b>Angle Grinder, 180mm</b> 2400W, 8500rpm, 110V	
DWE4597-B5	<b>Featured Angle Grinder, 180mm</b> 3650W, 8500rpm, 4.9HP, 220V	
DWE492-B5	<b>Angle Grinder, 230mm</b> 2200W, 6500rpm, 220V	
DWE492-LX	<b>Angle Grinder, 230mm</b> 2200W, 6500rpm, 110V	
D28411-B4	<b>H.D Angle Grinder, 230mm</b> 2100W, 6500rpm, 110V	
D28414-B4	<b>H.D Angle Grinder, 230mm</b> 2200W, 6500rpm, 110V	
DWE4559-B5	<b>H.D Large Angle Grinder, 230mm</b> 2400W, 6500rpm, 220V	
DWE4559-B4	<b>H.D Large Angle Grinder, 230mm</b> 2400W, 6500rpm, 110V	
DWE4579-QS	<b>H.D Large Angle Grinder, 230mm</b> 2600W, 6500rpm, 220V	
DWE4599-QS	<b>Full Featured High Performance Angle Grinder</b> 230mm, 2600W, 6500rpm, 220V	
DWP849X-B5	<b>Variable Speed Polisher, 150mm &amp; 180mm</b> 1250W, 600/3500rpm, 220V	
<b>DIE GRINDER</b>		
DWE4887N-B5	<b>Die Grinder, 40mm</b> 450W, 2500rpm, 4.2 Amp, 6mm collet, 220V	

Model No.	Description	Image
DWE4887N-DB	<b>Die Grinder, 40mm</b> 450W, 2500rpm, 4.2 Amp, 6mm collet, 110V	
D28886-QS	<b>Variable Speed Die Grinder</b> 710W, 7000-27000rpm, 6mm Collet, 220V	
<b>CHOPSAW (CUT-OFF MACHINE)</b>		
D28710-B4	<b>Abrasive Chopsaw</b> , 355mm, 3800rpm, 110V	
D28720-B5	<b>Abrasive Chop Saw</b> , 355mm, 2300W, 3800rpm, 220V	
D28715-GB	<b>High Performance Chopsaw</b> , 355mm, 2200W, 220V	
D28715-LX	<b>High Performance Chopsaw</b> , 355mm, 2200W, 220V	
<b>CORDLESS - 7.2V/10.8V/12V - Li-ion - Compact</b>		
DCF680G2-QW	Motion Activated Screwdriver 7.2V, 1.0Ah, 430rpm	
DCD710C2-B5	<b>XR Li-Ion Compact Drill Driver</b> 12V, 400/1500rpm, 220V	
<b>CORDLESS - 14.4V - Li-ion</b>		
DCD734C2-B5	<b>XR Li-Ion Compact Drill Driver</b> 14.4V, 13mm, 400/1300rpm, 1.3Ah, 220V	
DCD732D2-GB	<b>XR Li-Ion Brushless Compact Drill Driver</b> 14.4V, 310W, 2Ah, 550/2000rpm, 220V	
DCD732M2-GB	<b>XR Li-Ion Brushless Compact Drill Driver</b> 14.4V, 310W, 4Ah, 550/2000rpm, 220V	
DCF830M2-QW	<b>XR Li-Ion Compact Impact Wrench</b> 14.4V, 4Ah, 2300rpm, 185Nm Max Torque	
<b>CORDLESS - 18V - Li-ion</b>		
DCD776C2-GB	<b>XR Li-Ion Compact Hammer Drill Driver</b> 18V, 1.3Ah, 13mm, 400/1500rpm, 2 Speed, 220V	
DCD790D2-GB	<b>XR Li-Ion Brushless Compact Hammer Drill Driver</b> 18V, 2Ah, 13mm, 600/2000rpm, 220V	
DCD790M2-GB	<b>XR Li-Ion Brushless Compact Hammer Drill Driver</b> 18V, 4Ah, 13mm, 600/2000rpm, 220V (DCD790P2)	
DCD795D2-GB	<b>XR Li-Ion Brushless Compact Hammer Drill Driver</b> 18V, 2Ah, 13mm, 600/2000rpm, 220V	
DCD795P2-GB	<b>XR Li-Ion Brushless Compact Hammer Drill Driver</b> 18V, 4Ah, 13mm, 600/2000rpm, 220V	
DCD995P2-GB	<b>XR Li-Ion Brushless Premium Hammer Drill Driver</b> 18V, 4Ah, 13mm, 450/1300/2000rpm, 220V	
DCF886D2-GB	<b>XR Lithium Ion Brushless Impact Driver</b> 18V, 2Ah, 2800rpm, 220V	
DCF886M2-GB	<b>XR Lithium Ion Brushless Impact Driver</b> 18V, 4Ah, 2800rpm, 220V	

Model No.	Description	Image
DCF880M2-GB	<b>XR Li-Ion Compact Impact Wrench</b> 18V, 4Ah, 2300rpm, 220V	
DCF895M2-GB	<b>XR Lithium Ion Brushless Impact Driver</b> 18V, 4Ah, 2850/1900/950rpm, 3 Speed, 220V	
DCF899P2-GB	<b>XR Li-Ion High Torque Impact Wrench</b> 18V, 5Ah, 950Nm, 0-1900rpm, 220V ( <i>DCF889M2</i> )	
DCD740C1-GB	<b>Right Angle Drill/Driver, 10mm</b> 18V, 1.5Ah, 650/2000rpm, 220V	
DCG412M2-GB	<b>4.5in Grinder</b> 18V, 4Ah, 7000rpm, 220V	
DCS331M2-GB	<b>XR Li-Ion Jigsaw</b> 18V, 4Ah, 400W, 3000spm, 220V	
DCS391M2-GB	<b>XR Li-Ion Circular Saw</b> 18V, 4Ah, 165mm, 460W, 220V	
DCS380M2-GB	<b>XR Li-Ion Reciprocating Saw</b> 18V, 4Ah, 560W, 220V	
DCH253M2-GB	<b>XR Li-Ion H.D SDS Plus Cordless Hammer</b> 3 Modes, 4Ah, 1200rpm, 220V ( <i>DCH273P2</i> )	
DCS355M2-GB	<b>XR Brushless Oscillating Multi Tool</b> 18V, 4Ah, 300W, 220V	
DCS355D2-GB	<b>XR Brushless Oscillating Multi Tool</b> 18V, 2Ah, 300W, 220V	
DCGG571M1-GB	<b>Cordless Grease Gun</b> 18V, 10000psi, 220V	
DCL040-XJ	<b>Lithium Ion LED Work Light</b> 18V, Bright LED output	

Model No.	Description	Image
DCK655X-QU	<b>Cordless XRP™ 6-Tool Combo Kit</b> 18V, Hammerdrill, Circ. Saw, Recip. Saw, Impact Driver, Cut-off Tool, Flexible Floodlight, 110V	
DCK591M3-QW	<b>XR Li-Ion 5-Piece Cordless Package</b> 18V, Drill, Jigsaw, Recipraw, Circ.Saw & Light	
<b>DIAMOND DRILLING</b>		
D21583K-QS	<b>H.D Wet &amp; Dry Diamond Drill</b> For Concrete, 3 Speed, 1910W, 1000/2400/4600rpm, 220V	
D21585-QS	<b>H.D Wet Diamond Drilling Motor</b> For Concrete, 3-Speed, 2500W, 500/1200/2000rpm, 220V	
D21585-LX	<b>H.D Wet Diamond Drilling Motor</b> For Concrete, 3-Speed, 2500W, 500/1200/2000rpm, 110V	
<b>MITRE SAW</b>		
DW713-B5	<b>Compound Mitre Saw</b> 250mm, 1600W, 5000rpm, 220V	
DWS780-GB	<b>Compound Slide Mitre Saw with XPS</b> 305mm, 1675W, 1900-3800rpm, 220V	
DWS780-LX	<b>Compound Slide Mitre Saw with XPS</b> 305mm, 1675W, 1900-3800rpm, 110V	
<b>JIGSAW</b>		
DW349-B5	<b>High Performance Jigsaw</b> , 500W, 660-3200rpm, 220V	
DW341-LX	<b>Top Handle Compact Jigsaw</b> , 550W, 3100spm, 110V	
DW331K-GB	<b>H.D Top Handle Jigsaw</b> , 701W, 3100rpm, 220V	
DW331K-LX	<b>H.D Top Handle Jigsaw</b> , 701W, 3100rpm, 110V	
<b>RECIPROCATING SAW</b>		
DW304PK-GB	<b>Reciprocating Saw</b> 1050W, 2800spm, 220V	
DWE305K-QU	<b>Reciprocating Saw</b> 12Amps, 2900spm, 110V	
DW311K-GB	<b>Reciprocating Saw Kit</b> 12Amps, 2700spm, 220V	
<b>CIRCULAR SAWS</b>		
DWE560-GB	<b>65mm DOC Compact Circ Saw</b> 184mm, 1350W, 5500rpm, 220V	
DWE560-LX	<b>65mm DOC Compact Circ Saw</b> 184mm, 1350W, 5500rpm, 110V	
D23700-GB	<b>Circular Saw, 235mm</b> 1750W, 4700rpm, 220V	
D23700-LX	<b>Circular Saw, 235mm</b> 1750W, 4700rpm, 110V	

Model No.	Description	Image
DWS520KR-GB	<b>H.D Plunge Saw</b> 55mm, 1300W, 1750-4000rpm, 1.5m Guide Rail, 220V	
<b>SANDERS</b>		
D26441-GB	<b>1/4 Sheet Orbital Palm Sander</b> 230W, 28000 Orbit per minute, 220V	
D26453-GB	<b>Random Orbit Palm Grip Sander</b> 125mm, 13mm, 710W, 550rpm, 220V	
D26410-GB	<b>Pistol Grip Dual Orbit Random Orbit Sander</b> 150mm, 400W, 4000-10000rpm, 220V	
D26421-GB	<b>1/2 Sheet Electronic Orbital Sander</b> 350W, 12000-22000rpm, 220V	
DW432-QS	<b>Belt Sander</b> 800W, 75mm, 220V ( <i>DWP352VS</i> )	
<b>ROUTERS</b>		
DW625E-QS	<b>Variable Speed Plunger Router</b> 12mm, 2000W, 8000-20000rpm, 220V	
D26203-GB	<b>Variable Speed Plunge Router</b> 8mm, 900W, 16000-27000rpm, 220V ( <i>D26204K</i> )	
DW622K-GB	<b>Variable Speed Plunge Router</b> 12mm, 1400W, 8000-24000rpm, 220V	
DW626-QS	<b>Variable Speed Plunge Router</b> 12mm, 2300W, 3HP, 8000-21000rpm, 220V	
<b>PLANERS</b>		
D26676-B5	<b>Planer, 1.5mm</b> 550W, 17000rpm, 220V	
DW680-QS	<b>Planer Kit, 2.5mm</b> 600W, 15000rpm, 220V	

Model No.	Description	Image
D26500-QS	<b>Planer, 4mm</b> 1050W, 13500 rpm, 220V	
<b>SCREW DRIVERS</b>		
DW274KN-QS	<b>Drywall Screwdriver</b> 540W, 10Nm, 4000rpm, 220V	
DW266-B1	<b>Depth Sensitive Screwdriver</b> 540W, 2500 rpm	
DW266-QU	<b>Depth Sensitive Screwdriver</b> 540W, 2500 rpm, 110V	
DW268-B5	<b>Versaclutch Screwdriver</b> , 540W, 2500 rpm, 220V	
DW268-QU	<b>Versaclutch Screwdriver</b> , 540W, 2500 rpm, 110V	
DW269-B5	<b>High Torque Versaclutch Screwdriver</b> , 540W, 1000 rpm, 220V	
DW269-QU	<b>High Torque Versaclutch Screwdriver</b> , 540W, 1000 rpm, 110V	
<b>OTHER WOOD WORKING</b>		
DWB800-QS	<b>Heavy Duty Corded Blower</b> 800W, Variable Speed, 220V	
DWV902M-QS	<b>38L Construction Dust Extractor M Class</b> 1400W, 35ltr Cap., 220V	
<b>IMPACT WRENCH</b>		
DW292-GB	<b>H.D Impact Wrench</b> , 1/2in, 710W, 2200rpm, 220V	
DW292-LX	<b>H.D Impact Wrench</b> , 1/2in, 710W, 2200rpm, 110V	
DW294-GB	<b>H.D Impact Wrench</b> , 3/4in, 710W, 2200rpm, 220V	
<b>LASERS</b>		
DW03050-XJ	Laser Distance Meter 50m (165ft)	
DW03101-XJ	Laser Distance Meter 100m (330ft)	
DW083K-XJ	<b>3 Beam Laser Pointer</b> 100ft Range	
DW084K-XJ	<b>Self Levelling 4 Beam Laser Pointer</b> 100ft Range	

Model No.	Description	Image
DW087K-XJ	<b>Self Levelling Cross Line Laser</b> 30ft Range	
DW088K-XJ	<b>Self Levelling Cross Line Laser</b> Ultra Bright, 30ft Range	
DW088KTRI-XJ	<b>Self Leveling Cross Line Laser</b> With pulse mode and tripod, 50ft Range	
DW089KTRI-XJ	<b>Multi Line Laser</b> With New Tripod, 50ft Range	
DW096PK-XJ	<b>26x Auto Level Package</b> 300ft Range	
DW075PK-XJ	<b>Full Self Levelling Rotary Laser Application Kit</b> 15m Indoor Range, 100m Max. Range with Receiver	
DW079PKH-QW	<b>Horizontal and Vertical Rotary Laser Kit</b> 30m Indoor Range, 300m Max. Range with Receiver	
<b>OTHERS</b>		
D26411-QS	<b>Heatgun, 1800W</b> 230W, 14000rpm, 50-600 deg C, 220V	
D26414-QS	<b>Digital LED Heatgun, 2000W</b> 50-600 deg C, 650 l/min, 220V	
D26414-LX	<b>Digital LED Heatgun, 2000W</b> 50-600 deg C, 650 l/min, 110V	
DW862-B5	<b>Tile Cutter</b> 1270W, 13000rpm, 110mm, 220V	
DW752R-B5	Bench Grinder 6in, 373W, 2950rpm, 220V	
DWE315KT-QS	<b>Multi Oscillating Tool</b> 300W, 22000rpm, Variable Speed Switch, 220V	

Model No.	Description	Image
<b>STATIONARY MACHINES</b>		
DW745-GB	<b>H.D Lightweight Table Saw</b> 1700W, 3800rpm, 220V	
D27400-GB	<b>H.D Site Saw, 315mm</b> 2100W, 2800rpm, 220V	
DW876-GB	<b>Band Saw, 200mm</b> 1000W, 380/880 m/min, 2 Speed, 220V	
D24000S-QS	<b>Slide Table Wet Tile Saw &amp; Leg Stand</b> 250mm, 1600W, 4200rpm, 220V	
<b>TOOL STORAGE</b>		
1-79-209	<b>Power Tool Open Mouth Bag</b> Dimensions: 50 x 30 x 31cm	
1-79-211	<b>Power Tool Rigid Bag</b> Dimensions: 50 x 33 x 31cm	
<b>BATTERIES</b>		
DE9062-XJ	9.6V, 1.3Ah NiCd battery	
DE9061-XJ	9.6V, 2.0Ah NiCd battery	
DCB121-XJ	10.8V Subcompact Li-Ion battery	
DCB123-XJ	10.8V 1.5Ah XR Li-Ion Battery Pack	
DE9074-XJ	12V, 1.3Ah NiCd battery	
DE9075-XJ	12V, 2.4Ah, NiMH battery	
DE9501-XJ	12V, 2.6Ah, NiMH battery	
DE9094-XJ	14.4V, 1.3Ah NiCd battery	
DE9091-XJ	14.4V, 2.0Ah NiCd battery	
DE9092-XJ	14.4V, 2.4Ah NiCd battery	
DE9502-XJ	14.4V, 2.6Ah, NiMH battery	
DE9140-XJ	14.4V Nano Li-Ion Battery Pack	
DCB142-XJ	14.4V 4.0Ah XR Li-Ion Battery Accessory Pack	
DCB141-XJ	14.4V 1.5Ah Battery Pack	
DE9141-XJ	14.4V 1.1AH Lithium Ion Battery	
DCB145	14.4V 1.3 Ah Battery	
DE9095-XJ	18V, 2.0Ah NiCd battery	
DE9096-XJ	18V, 2.4Ah NiCd Battery	
DE9503-XJ	18V, 2.6Ah, NiMH battery	
DE9181-XJ	18V Compact Li-Ion battery accessory	
DE9180-XJ	18V, 2.0Ah Lithium Ion Battery	
DCB182-XJ	18V 4.0Ah XR Li-Ion Battery Accessory Pack	
DCB181-XJ	18V 1.5Ah Battery Pack	
DCB180-XJ	18V 3.0Ah Battery Pack	

Model No.	Description	Image
DCB185	18V 1.3Ah Battery	
DE9360-XJ	36V,2.2Ah Lithium Ion battery (DCB361-XJ)	
DCB361-XJ	36V 2.0Ah Li-Ion Battery Pack	
DCB360-XJ	36V 4.0Ah Li-Ion Battery Pack	
<b>CHARGERS</b>		
DE9219-QW	3.6V, 1 hour battery charger	
DE9116-QW	7.2V-18V, 1 hour charger NiCd/ NiMH	
DC9116-QU	7.2V-18V, 1 hour charger NiCd/ NiMH (110V)	
DE9135-QW	7.2V-18V, 40 Min charger Multi Chemistry	
DE9216-QW	7.2V-18V, 1 hour dual port charger NiCd/ NiMH	
DE9130-QW	7.2V-18V, 30 Min charger NiCd/ NiMH	
DCB100-QW	10.8V Subcompact charger	
DCB105-QW	10.8V/14.4V/18V Li-ion Charger	
DCB101-QU	10.8V/14.4V/18V Li-ion Charger	
DCB107-QW	Charger 10.8V - 18V	
DE0246-QW	24V, 1 hour NiCd battery charger	
632033-00	36V,2.2Ah Lithium Ion battery (110V)	
DE9000-QW	Battery Charger 36V	
DC9000	Battery Charger Lithium 36V 120V	
<b>ROUTER ATTACHMENT</b>		
DE6257-XJ	12.7mm collet (DW626)	
DE6259-XJ	10mm collet (DE626)	
DE6260-XJ	8mm collet (DW626)	
DE6262-XJ	6mm collet (DW626)	
DE6272-XJ	6mm collet	
DE6273-XJ	6.35mm (1/4") collet	
DE6274-XJ	8mm collet	
DE6276-XJ	10mm collet	
DE6277-XJ	12mm Collet	
DE6278-XJ	12.7mm (1/2") collet	
DE6950-XJ	6mm collet	
DE6951-XJ	6.35mm (1/4")collet	
DE6952-XJ	8mm collet	
<b>DIAMOND ATTACHMENTS</b>		
D215821-XJ	Small drilling stand - 53 mm collar	
D215824-XJ	10 litre water tank (D21582K/D21583K/D21585)	
D215825-XJ	Fastening set for concrete	
D215826-XJ	Fastening set for masonry	
D215827-XJ	Spare dowel for concrete	
D215828-XJ	Spare dowel for Masonry	
D215831-XJ	Medium drilling stand + integrated vacuum base	
D215832-XJ	Water collection ring (D21583K)	
D215833-XJ	3 x Spare seals (D21583K)	
D215834-XJ	Reduction ring 60 to 53mm collar (D21583K)	
D215835-XJ	Quick action bracing bracket	
D215837-QS	Vacuum Pump	
D215839-XJ	Vacuum set - seal & valve (D21582/3K)	
D215851-XJ	Stand for drilling motor (D21585)	
D215852-XJ	Water collection ring ( D21585K)	
D215853-XJ	3 x Spare seals (D21585K)	
D215859-XJ	Vacuum set - seal & valve (D21585K)	

Model No.	Description	Image
<b>MITRE SAW WORK STATION</b>		
DE7023-XJ	1.7m - 3.9m Heavy duty Mitre saw station	
DE7035-XJ	Heavy Duty Work Support Stand	
DE7080-XJ	Extension kit for DW713/DW718	
<b>OTHER ATTACHMENTS</b>		
D259801-XJ	Trolley for D25980, 30 kg breaker	
DWS5021-XJ	1m Guide rail	
DWS5022-XJ	1.5m Guide Rail	
DWS5023-XJ	2.6M Guide rail (new item added)	
DE7400-XJ	Heavy Duty Rolling Saw Workstation	
DE7450-XJ	Stand for DW745	
DE7330-XJ	Planer Blades 317mm HSS (for Dw733)	
DE7333-XJ	Knives HSS (pair)	

## DEWALT MULTI-TOOL SYSTEM



**PERFORMANCE SO GOOD  
IT RAISES YOURS**



## MULTI-TOOL SYSTEM

**DEWALT DELIVERS MORE...**  
MORE CONTROL, MORE POWER,  
MORE SPEED AND MORE  
VERSATILITY.



# DEWALT®

## HSS-G DIN 338 JOBBER METAL DRILL BIT



### LIST OF HSS-G DIN 338 JOBBER METAL DRILL BITS

Cat No	Diameter mm	Length mm	Working Length mm	Pack Qty
DT50465-XJ	1.0	34	12	10
DT50466-XJ	1.5	40	18	10
DT50467-XJ	1.6	43	20	10
DT50468-XJ	2.0	49	24	10
DT50469-XJ	2.5	57	30	10
DT50470-XJ	3.0	61	33	10
DT50471-XJ	3.2	65	36	10
DT50472-XJ	3.5	70	39	10
DT50473-XJ	4.0	75	43	10
DT50474-XJ	4.5	80	47	10
DT50475-XJ	4.8	86	52	10
DT50476-XJ	5.0	86	52	10
DT50477-XJ	5.5	93	57	10
DT50478-XJ	6.0	93	57	10
DT50480-XJ	6.5	101	63	10
DT50481-XJ	7.0	109	69	10
DT50482-XJ	7.5	117	75	10
DT50483-XJ	7.9	117	75	10
DT50484-XJ	8.0	117	75	5
DT50485-XJ	8.5	117	75	5
DT50486-XJ	9.0	125	81	5
DT50487-XJ	9.5	125	81	5
DT50488-XJ	10.0	133	87	5
DT50489-XJ	10.5	133	87	5
DT50490-XJ	11.0	142	94	5
DT50491-XJ	11.5	142	94	5
DT50492-XJ	12.0	151	101	5
DT50493-XJ	12.5	151	101	5
DT50494-XJ	13.0	151	101	5
DT50495-XJ	14.0	160	108	1
DT50496-XJ	15.0	169	114	1
DT50497-XJ	16.0	178	120	1
DT50498-XJ	18.0	191	130	1
DT50499-XJ	20.0	205	140	1

**DeWALT** is extending its high-performance technology to include the new HSS-G DIN 338 Jobber Metal Drill Bits Series. Its groundbreaking design combines 135° point angle tip for precision, diameter tolerance to h8 grade for excellent concentricity, and precision ground twist body for longer life and rapid drilling.

### FEATURES & BENEFITS

- PRECISION**  
135° point angle - enables self centering & eliminates walking
- ABILITY TO BE RESHARPENED**  
Bit tip can be resharpened to restore profile and sharpness
- LONGER LIFE & RAPID DRILLING**  
Precision ground twist – better debris removal - longer life & rapid drilling
- CONCENTRICITY**  
Diameter tolerance to h8 grade – concentricity – Accurate hole diameter


The new HSS-G DIN 338 Jobber Metal Drill Bits deliver rapid drilling, long life & excellent concentricity through precision ground twist drill from solid stock right hand cutting, Type N flute with 135° point angle and diameter tolerance to h8 grade.

### COMPATIBLE POWER TOOLS





## Power Tool Accessories



- Metal Drilling
- Wood Drilling
- Masonary Drilling
- Holesaws
- Screwdriving
- Saw Blades



Model No.	Description	Image
<b>DRILLING</b>		
DT6952-QZ	5 piece masonry Drill Bit set 4,5,6,8,10	
DT6956-QZ	5 piece set in plastic cassette - D4,5,6,8,10	
<b>Metal Drilling</b>		
DT50465-XJ	HSS-G Drill Bit 1.0mm - Pack of 10	
DT50466-XJ	HSS-G Drill Bit 1.5mm - Pack of 10	
DT50468-XJ	HSS-G Drill Bit 2.0mm - Pack of 10	
DT50469-XJ	HSS-G Drill Bit 2.5mm - Pack of 10	
DT50470-XJ	HSS-G Drill Bit 3.0mm - Pack of 10	
DT50472-XJ	HSS-G Drill Bit 3.5mm - Pack of 10	
DT50473-XJ	HSS-G Drill Bit 4.0mm - Pack of 10	
DT50474-XJ	HSS-G Drill Bit 4.5mm - Pack of 10	
DT50476-XJ	HSS-G Drill Bit 5.0mm - Pack of 10	
DT50477-XJ	HSS-G Drill Bit 5.5mm - Pack of 10	
DT50478-XJ	HSS-G Drill Bit 6.0mm - Pack of 10	
DT50480-XJ	HSS-G Drill Bit 6.5mm - Pack of 10	
DT50481-XJ	HSS-G Drill Bit 7.0mm - Pack of 10	
DT50484-XJ	HSS-G Drill Bit 8.0mm - Pack of 5	
DT50486-XJ	HSS-G Drill Bit 9.0mm - Pack of 5	
DT50488-XJ	HSS-G Drill Bit 10.0mm - Pack of 5	
DT50490-XJ	HSS-G Drill Bit 11.0mm - Pack of 5	
DT50492-XJ	HSS-G Drill Bit 12.0mm - Pack of 5	
DT50494-XJ	HSS-G Drill Bit 13.0mm - Pack of 5	
DT50495-XJ	HSS-G Drill Bit 14.0mm - Pack of 1	
DT50496-XJ	HSS-G Drill Bit 15.0mm - Pack of 1	
DT50497-XJ	HSS-G Drill Bit 16.0mm - Pack of 1	
DT50498-XJ	HSS-G Drill Bit 18.0mm - Pack of 1	
DT50499-XJ	HSS-G Drill Bit 20.0mm - Pack of 1	
<b>SDS+ Drill Bit - Industrial</b>		
DW00700-AE	4mm X 50mm X 110mm	
DW00701-AE	5mm X 45mm X 110mm	
DW00702-AE	6mm X 50mm X 110mm	
DW00703-AE	6mm X 95mm X 160mm	
DW00733-AE	6mm X 150mm X 210mm	
DW00705-AE	8mm X 50mm X 110mm	
DW00706-AE	8mm X 95mm X 160mm	
DW00707-AE	8mm X 150mm X 210mm	
DW00708-AE	10mm X 50mm X 110mm	
DW00709-AE	10mm X 95mm X 160mm	
DW00710-AE	10mm X 150mm X 210mm	
DW00711-AE	10mm X 270mm X 350mm	
DW00712-AE	12mm X 95mm X 160mm	
DW00736-AE	12mm X 150mm X 200mm	
DW00739-AE	12mm X 200mm X 266mm	
DW00713-AE	12mm X 410mm X 460mm	
DW00714-AE	13mm X 100mm X 160mm	
DW00715-AE	13mm X 250mm X 300mm	
DW00716-AE	14mm X 100mm X 160mm	
DW00737-AE	14mm X 150mm X 200mm	

Model No.	Description	Image
DW00740-AE	14mm X 350mm X 300mm	
DW00717-AE	16mm X 100mm X 160mm	
DW00718-AE	16mm X 150mm X 200mm	
DW00719-AE	16mm X 250mm X 300mm	
DW00720-AE	16mm X 410mm X 460mm	
DW00721-AE	18mm X 150mm X 200mm	
DW00725-AE	20mm X 150mm X 200mm	
DW00726-AE	20mm X 250mm X 300mm	
DW00729-AE	22mm X 250mm X 300mm	
DW00730-AE	22mm X 400mm X 450mm	
DW00731-AE	25mm X 200mm X 250mm	
DW00732-AE	25mm X 400mm X 450mm	
<b>SDS-Max Drill Bit - Industrial</b>		
DT60200-XJ	16mm X 340mm X 200mm	
DT60201-XJ	16mm X 540mm X 400mm	
DT60202-XJ	18mm X 340mm X 200mm	
DT60203-XJ	18mm X 540mm X 400mm	
DT60204-XJ	20mm X 340mm X 200mm	
DT60205-XJ	20mm X 540mm X 400mm	
DT60206-XJ	22mm X 340mm X 200mm	
DT60207-XJ	22mm X 540mm X 400mm	
DT60208-XJ	24mm X 340mm X 200mm	
DT60209-XJ	24mm X 550mm X 400mm	
DT60210-XJ	25mm X 340mm X 200mm	
DT60211-XJ	25mm X 540mm X 400mm	
DT60212-XJ	26mm X 340mm X 200mm	
DT60213-XJ	26mm X 540mm X 400mm	
DT60214-XJ	28mm X 380mm X 250mm	
DT60215-XJ	28mm X 570mm X 450mm	
DT60216-XJ	28mm X 670mm X 550mm	
DT60217-XJ	30mm X 380mm X 250mm	
DT60218-XJ	30mm X 570mm X 450mm	
DT60219-XJ	32mm X 380mm X 250mm	
DT60220-XJ	32mm X 570mm X 450mm	
<b>SDS-Plus Bit - Professional</b>		
DT9504-QZ	5mm X 110mm X 50mm	
DT9505-QZ	5mm X 160mm X 100mm	
DT9506-QZ	5mm X 210mm X 150mm	
DT9514-QZ	6mm X 110mm X 50mm	
DT9515-QZ	6mm X 160mm X 100mm	
DT9516-QZ	6mm X 210mm X 150mm	
DT9517-QZ	6mm X 260mm X 200mm	
DT9518-QZ	6mm X 460mm X 400mm	
DT9521-QZ	6.5mm X 210mm X 150mm	
DT9524-QZ	7mm X 110mm X 50mm	
DT9525-QZ	7mm X 160mm X 100mm	
DT9526-QZ	7mm X 210mm X 150mm	
DT9527-QZ	7mm X 260mm X 200mm	
DT9528-QZ	8mm X 110mm X 50mm	
DT9529-QZ	8mm X 160mm X 100mm	
DT9530-QZ	8mm X 210mm X 150mm	

Model No.	Description	Image
DT9531-QZ	8mm X 260mm X 200mm	
DT9532-QZ	8mm X 310mm X 250mm	
DT9533-QZ	8mm X 410mm X 350mm	
DT9534-QZ	8mm X 460mm X 400mm	
DT9536-QZ	9mm X 160mm X 100mm	
DT9539-QZ	10mm X 110mm X 50mm	
DT9540-QZ	10mm X 160mm X 100mm	
DT9541-QZ	10mm X 210mm X 150mm	
DT9542-QZ	10mm X 260mm X 200mm	
DT9543-QZ	10mm X 310mm X 250mm	
DT9544-QZ	10mm X 350mm X 300mm	
DT9545-QZ	10mm X 460mm X 400mm	
DT9550-QZ	11mm X 260mm X 200mm	
DT9552-QZ	12mm X 160mm X 100mm	
DT9553-QZ	12mm X 200mm X 150mm	
DT9554-QZ	12mm X 260mm X 200mm	
DT9555-QZ	12mm X 300mm X 250mm	
DT9556-QZ	12mm X 350mm X 300mm	
DT9557-QZ	12mm X 450mm X 400mm	
DT9558-QZ	12mm X 600mm X 550mm	
DT9560-QZ	13mm X 160mm X 100mm	
DT9566-QZ	14mm X 160mm X 100mm	
DT9567-QZ	14mm X 200mm X 150mm	
DT9568-QZ	14mm X 260mm X 200mm	
DT9569-QZ	14mm X 300mm X 250mm	
DT9570-QZ	14mm X 450mm X 400mm	
DT9578-QZ	16mm X 160mm X 100mm	
DT9579-QZ	16mm X 200mm X 150mm	
DT9580-QZ	16mm X 260mm X 200mm	
DT9581-QZ	16mm X 300mm X 250mm	
DT9582-QZ	16mm X 450mm X 400mm	
DT9583-QZ	16mm X 600mm X 550mm	
DT9587-QZ	18mm X 200mm X 150mm	
DT9588-QZ	18mm X 250mm X 200mm	
DT9589-QZ	18mm X 300mm X 250mm	
DT9590-QZ	18mm X 450mm X 400mm	
DT9597-QZ	20mm X 200mm X 150mm	
DT9598-QZ	20mm X 300mm X 250mm	
DT9599-QZ	20mm X 450mm X 400mm	
DT9600-QZ	20mm X 600mm X 550mm	
DT9601-QZ	20mm X 1000mm X 950mm	
DT9602-QZ	22mm X 250mm X 200mm	
DT9603-QZ	22mm X 300mm X 250mm	
DT9604-QZ	22mm X 450mm X 400mm	
DT9609-QZ	24mm X 250mm X 200mm	
DT9610-QZ	24mm X 450mm X 400mm	
DT9611-QZ	25mm X 250mm X 200mm	
DT9612-QZ	25mm X 300mm X 250mm	
DT9613-QZ	25mm X 450mm X 400mm	
DT9700-QZ	4pc set in plastic cassette 5,6,8,10	

Model No.	Description	Image
<b>SDS-Max Bit Professional</b>		
DT9400-QZ	12mm X 340mm X 200mm - 2 Cutters	
DT9401-QZ	12mm X 540mm X 400mm - 2 Cutters	
DT9403-QZ	13mm X 340mm X 200mm - 2 Cutters	
DT9404-QZ	13mm X 540mm X 400mm - 2 Cutters	
DT9405-QZ	14mm X 340mm X 200mm - 2 Cutters	
DT9406-QZ	14mm X 540mm X 400mm - 2 Cutters	
DT9407-QZ	15mm X 340mm X 200mm - 2 Cutters	
DT9408-QZ	15mm X 540mm X 400mm - 2 Cutters	
DT9409-QZ	16mm X 340mm X 200mm - 4 Cutters	
DT9410-QZ	16mm X 540mm X 400mm - 4 Cutters	
DT9411-QZ	18mm X 340mm X 200mm - 4 Cutters	
DT9412-QZ	18mm X 540mm X 400mm - 4 Cutters	
DT9413-QZ	19mm X 340mm X 200mm - 4 Cutters	
DT9414-QZ	19mm X 540mm X 400mm - 4 Cutters	
DT9416-QZ	20mm X 340mm X 200mm - 4 Cutters	
DT9417-QZ	20mm X 540mm X 400mm - 4 Cutters	
DT9418-QZ	20mm X 920mm X 800mm - 4 Cutters	
DT9419-QZ	22mm X 340mm X 200mm - 4 Cutters	
DT9420-QZ	22mm X 540mm X 400mm - 4 Cutters	
DT9421-QZ	22mm X 920mm X 800mm - 4 Cutters	
DT9422-QZ	24mm X 340mm X 200mm - 4 Cutters	
DT9423-QZ	24mm X 540mm X 400mm - 4 Cutters	
DT9424-QZ	25mm X 340mm X 200mm - 4 Cutters	
DT9425-QZ	25mm X 540mm X 400mm - 4 Cutters	
DT9426-QZ	25mm X 920mm X 800mm - 4 Cutters	
DT9427-QZ	26mm X 340mm X 200mm - 4 Cutters	
DT9428-QZ	26mm X 540mm X 400mm - 4 Cutters	
DT9429-QZ	28mm X 380mm X 250mm - 4 Cutters	
DT9430-QZ	28mm X 570mm X 450mm - 4 Cutters	
DT9431-QZ	28mm X 670mm X 550mm - 4 Cutters	
DT9432-QZ	30mm X 380mm X 250mm - 4 Cutters	
DT9433-QZ	30mm X 570mm X 450mm - 4 Cutters	
DT9434-QZ	32mm X 380mm X 250mm - 4 Cutters	
DT9435-QZ	32mm X 570mm X 450mm - 4 Cutters	
DT9436-QZ	32mm X 920mm X 800mm - 4 Cutters	
DT9438-QZ	35mm X 570mm X 450mm - 4 Cutters	
DT9439-QZ	35mm X 670mm X 550mm - 4 Cutters	
DT9440-QZ	36mm X 570mm X 450mm - 4 Cutters	
DT9441-QZ	38mm X 380mm X 250mm - 4 Cutters	
DT9442-QZ	38mm X 570mm X 450mm - 4 Cutters	
DT9444-QZ	40mm X 380mm X 250mm - 4 Cutters	
DT9445-QZ	40mm X 570mm X 450mm - 4 Cutters	
DT9448-QZ	45mm X 570mm X 450mm - 4 Cutters	
DT9450-QZ	52mm X 570mm X 450mm - 4 Cutters	
<b>Chisels - Souq Series</b>		
DWA0801-B1	SDS Plus Point Chisel 250 mm	
DWA0802-B1	SDS Plus Flat Chisel 250 x 20 mm	
DWA0803-B1	SDS Plus Flat Chisel 200 x 40 mm	
DWA0804-B1	SDS Max Pointed Chisel 300 mm	
DWA0805-B1	SDS Max Pointed Chisel 400 mm	



Model No.	Description	Image
DWA0806-B1	SDS Max Flat Chisel 300 x 25 mm	
DWA0807-B1	SDS Max Flat Chisel 400 x 25 mm	
DWA0808-B1	SDS Max Flat Chisel 400 x 50 mm	
DWA0809-B1	19mm Hex Pointed Chisel 400 mm	
DWA0810-B1	19mm Hex Pointed Chisel 600 mm	
DWA0811-B1	19mm Hex Flat Chisel 400 x 25 mm	
DWA0812-B1	19mm Hex Flat Chisel 600 x 25 mm	
DWA0813-B1	19mm Hex Flat Chisel 300 x 50 mm	
<b>Chisels - Professional Series</b>		
DT6801-QZ	SDS-Plus Pointed 250mm Length	
DT6802-QZ	SDS-Plus Flat 250mm X 20mm	
DT6803-QZ	SDS-Plus Flat 200mm X 40mm	
DT6804-QZ	SDS-Plus Sliding Chasing 250mm X 22mm	
DT6805-QZ	SDS-Plus Hollow / Gouge 240mm X 22mm	
DT6806-QZ	SDS-Plus Tile Chisel 200mm X 40mm	
DT6807-QZ	SDS-Plus TCT Comb 130mm X 32mm	
DT6810-QZ	SDS-Plus TCT Comb 200mm X 32mm	
DT6820-QZ	SDS-Max Pointed 300mm	
DT6821-QZ	SDS-Max Pointed 400mm	
DT8087-QZ	SDS-Max Pointed 600mm	
DT6822-QZ	SDS-Max Flat 300mm X 25mm	
DT6823-QZ	SDS-Max Flat 400mm X 25mm	
DT6824-QZ	SDS-Max Flat 360mm X 50mm	
DT6825-QZ	SDS-Max Flat 300mm X 80mm	
DT8088-QZ	SDS-Max Flat - L600XW25	
DT6826-QZ	SDS-Max Hollow / Gouge - L300XW26	
DT6832-QZ	SDS-Max Sliding Chasing 380mm X 32mm	
DT6833-QZ	SDS-Max Sliding Chasing 380mm X 35mm	
DT6834-QZ	SDS-Max Tile Chisel 300mm X 80mm	
DT6837-QZ	SDS-Max TCT Comb Chisel 280mm X 38mm	
DT6838-QZ	SDS-Max Bush Hammer 240mm X 45mm	
DT8090-QZ	SDS-Max Clay Spade 400mm X 110mm	
DT8091-QZ	SDS-Max Asphalt Cutter 400mm X 90mm	
DT8092-QZ	SDS-Max Earth Rod Driver 260mm X 13mm	
DT8093-QZ	SDS-Max Earth Rod Driver 260mm X 16.5mm	
DT6940-QZ	19mm HEX Pointed 400mm Length	
DT6941-QZ	19mm HEX Pointed 600mm Length	
DT6942-QZ	19mm HEX Flat 400mm x 25mm	
DT6943-QZ	19mm HEX Flat 600mm x 25mm	
DT6944-QZ	19mm HEX Flat 300mm x 60mm	
DT6945-QZ	19mm HEX Flat 450mm x 60mm	
DT6946-QZ	19mm HEX Flat Wide 350mm x 140mm	
DT6939-QZ	19mm HEX Earth Rod Driver 260mm X 16mm	
DT6947-QZ	19mm HEX Clay Spade 400mm x 115mm	
DT6948-QZ	19mm HEX Asphalt Cutter 400mm X 90mm	
DT6927-QZ	28mm HEX Bull Point 28mm	
DT6928-QZ	28mm HEX Clay Spade 28mm	
DT6929-QZ	28mm HEX Cold Chisel 28mm	
DT6932-QZ	28mm HEX Scaling Tool 28mm	
DT6933-QZ	28mm HEX Ground Rod Driver 28mm	
DT6830-QZ	SDS Max to SDS Plus	

Model No.	Description	Image
DT7030-QZ	SDS Plus 1/2in x 20 UNF (Chuck Adaptor)	
<b>XLR Self-Sharpening Chisels</b>		
DT6978-QZ	SDS+ Pointed Chisel 300mm	
DT6979-QZ	SDS+ Flat Chisel 200 x 25mm	
DT6984-QZ	SDS+ Flat Chisel 200 x 40mm	
DT6888-QZ	SDS Max Pointed Chisel 300mm	
DT6889-QZ	SDS Max Pointed Chisel 400mm	
DT6811-QZ	SDS Max Flat Chisel 300 x 25mm	
DT6812-QZ	SDS Max Flat Chisel 400 x 25mm	
DT6818-QZ	SDS Max Flat Chisel 400 x 50mm	
DT6953-QZ	19mm Hex Pointed Chisel 400mm	
DT6958-QZ	19mm Hex Flat Chisel 400 x 25mm	
<b>Magnetic Drill Cutter</b>		
DT84500-XJ	50mm Cutter - 14mm Dia	
DT84501-XJ	50mm Cutter - 16mm Dia	
DT84502-XJ	50mm Cutter - 18mm Dia	
DT84503-XJ	50mm Cutter - 20mm Dia	
DT84504-XJ	50mm Cutter - 22mm Dia	
DT84505-XJ	50mm Cutter - 24mm Dia	
DT84506-XJ	50mm Cutter - 26mm Dia	
DT84507-XJ	50mm Cutter - 28mm Dia	
DT84508-XJ	50mm Cutter - 30mm Dia	
DT84509-XJ	50mm Cutter - 32mm Dia	
DT84510-XJ	50mm Cutter - 40mm Dia	
DT84511-XJ	50mm Cutter - 50mm Dia	
DT84512-XJ	2 x Pilot pin	
<b>Wood Auger Drill Bit</b>		
DT4600-QZ	6mm X 200mm X 100mm	
DT4602-QZ	8mm X 200mm X 100mm	
DT4604-QZ	10mm X 200mm X 100mm	
DT4606-QZ	12mm X 200mm X 100mm	
DT4608-QZ	14mm X 200mm X 100mm	
DT4610-QZ	16mm X 200mm X 100mm	
DT4612-QZ	18mm X 200mm X 100mm	
DT4615-QZ	22mm X 200mm X 100mm	
DT4616-QZ	24mm X 200mm X 100mm	
DT4618-QZ	26mm X 200mm X 100mm	
DT4619-QZ	28mm X 200mm X 100mm	
DT4620-QZ	30mm X 200mm X 100mm	
DT4621-QZ	32mm X 200mm X 100mm	
DT4632-QZ	8mm X 380mm X 280mm	
DT4636-QZ	12mm X 380mm X 280mm	
DT4638-QZ	14mm X 380mm X 280mm	
DT4640-QZ	16mm X 380mm X 280mm	
DT4642-QZ	18mm X 380mm X 280mm	
DT4644-QZ	20mm X 380mm X 280mm	
DT4645-QZ	22mm X 380mm X 280mm	
DT4646-QZ	24mm X 380mm X 280mm	
DT4648-QZ	26mm X 380mm X 280mm	
DT4649-QZ	28mm X 380mm X 280mm	
DT4650-QZ	30mm X 380mm X 280mm	



Model No.	Description	Image
DT4651-QZ	32mm X 380mm X 280mm	
<b>Mixer Tools</b>		
DT4950-QZ	100mm X 600mm HEX	
DT4951-QZ	120mm X 600mm HEX	
<b>Chucks</b>		
DT7011-QZ	1/2in X 20 UNF - Chuck Cap 10mm	
DT7012-QZ	1/2in X 20 UNF - Chuck Cap 13mm	
DT7014-QZ	5/8in X 16 UNF - Chuck Cap 13mm	
DT7021-QZ	Chuck Key Fits 10mm and 13mm chucks (S2)	
DT7005-QZ	1/2in X 20 UNF keyed chuck with SDS adaptor - Chuck Cap 13mm	
DT7030-QZ	SDS Plus - 1/2in X 20 UNF (Chuck Adaptor)	
DT6829-QZ	SDS Plus - 1/2in X 20 UNF Chuck Adaptor/screw driver bit holder	
<b>Drill Set</b>		
DT5911-QZ	10piece set in plastic cassette - D1,2,3,4,5,6,7,8,9,10	
DT5912-QZ	13piece set in plastic cassette - D1.5, to 6.5	
DT5913-QZ	19piece set in metal cassette - D1 to 10	
DT7612-XJ	Pz2,No8,10,12 counter sink and Pilot bits,Pz2x2,Ph2x2-NO6,8,10,12	
DT5921-QZ	10piece set in plastic cassette - D1,2,3,4,5,6,7,8,9,10	
DT5923-QZ	19 piece set in metal cassette - 1-10mm	
DT7942-QZ	Tough case with Extreme Cobalt Bits1-7mm	
DT7926-XJ	Extreme Dewalt Metal drill bits set 1-13mm 25pc	
DT71563-QZ	100piece Combination Drill Bit Set, 13 Wood Bits / 12Metal Drill Bits	
<b>HOLE SAWS</b>		
DT8116-QZ	16mm Dia X 38mm Depth of Cut	
DT8119-QZ	19mm Dia X 38mm Depth of Cut	
DT8120-QZ	20mm Dia X 38mm Depth of Cut	
DT8122-QZ	22mm Dia X 38mm Depth of Cut	
DT8125-QZ	25mm Dia X 38mm Depth of Cut	
DT8127-QZ	27mm Dia X 38mm Depth of Cut	
DT8129-QZ	29mm Dia X 38mm Depth of Cut	
DT8130-QZ	30mm Dia X 38mm Depth of Cut	
DT8132-QZ	32mm Dia X 38mm Depth of Cut	
DT8135-QZ	35mm Dia X 38mm Depth of Cut	
DT8138-QZ	38mm Dia X 40mm Depth of Cut	
DT8140-QZ	41mm Dia X 40mm Depth of Cut	
DT8141-QZ	40mm Dia X 40mm Depth of Cut	
DT8145-QZ	44mm Dia X 40mm Depth of Cut	
DT8148-QZ	48mm Dia X 40mm Depth of Cut	
DT8151-QZ	51mm Dia X 40mm Depth of Cut	
DT8154-QZ	54mm Dia X 40mm Depth of Cut	
DT8157-QZ	57mm Dia X 40mm Depth of Cut	
DT8160-QZ	60mm Dia X 40mm Depth of Cut	
DT8164-QZ	64mm Dia X 40mm Depth of Cut	
DT8167-QZ	67mm Dia X 40mm Depth of Cut	
DT8170-QZ	70mm Dia X 40mm Depth of Cut	
DT8173-QZ	73mm Dia X 40mm Depth of Cut	
DT8176-QZ	76mm Dia X 40mm Depth of Cut	
DT8179-QZ	79mm Dia X 40mm Depth of Cut	
DT8183-QZ	83mm Dia X 40mm Depth of Cut	
DT8186-QZ	86mm Dia X 40mm Depth of Cut	
DT8189-QZ	89mm Dia X 40mm Depth of Cut	

Model No.	Description	Image
DT8192-QZ	92mm Dia X 40mm Depth of Cut	
DT8195-QZ	95mm Dia X 40mm Depth of Cut	
DT8202-QZ	102mm Dia X 40mm Depth of Cut	
DT8214-QZ	114mm Dia X 40mm Depth of Cut	
DT8221-QZ	121mm Dia X 40mm Depth of Cut	
DT8227-QZ	127mm Dia X 40mm Depth of Cut	
DT8240-QZ	140mm Dia X 40mm Depth of Cut	
DT8252-QZ	152mm Dia X 40mm Depth of Cut	
DT8101-QZ	Mandrel fro 14-29mm dia hole saws for 10mm	
DT8102-QZ	Quick release mandrel for 32-210mm .For 13mm chk	
DT8103-QZ	Replacement pilot drill bit (6.3mm dia )	
DT8107-QZ	Quick release mandrel - SDS +-for 14030mm dia	
DT8104-XJ	General purpose set in kit box.9 hole saws dia 16,19,25,32,38,44,48,51,64mm	
DT8106-XJ	Plumbers set in kit box,2xhex shank mandrels,2xpilot drill bits,9 hole saws dia 19,22,29,35,38,44,57,64,76mm	
DT8110-XJ	Electricians set in kit box,2xhex shank mandrels,2xpilot drill bits,7 hole saws dia 16,20,25,32,40,51,64mm	
DT8111-XJ	Electricians set in kit box,2xhex shank mandrels.2xpilot drills bits,7 hole saws dia 20,25,35,32,40,51,64mm	
<b>SAW BLADES</b>		
<b>Bandsaw Blades</b>		
DT8481-QZ	General purpose 12mm - for DW738	
DT8482-QZ	Wood - Thick Cuts - 16mm - for DW738	
DT8483-QZ	Wood - Contour - 6mm - for DW738	
DT8484-QZ	Non ferrous metals - 6mm -for DW738	
DT8485-QZ	Non ferrous metals - 12mm - for DW738	
DT8486-QZ	Wood, laminates - 10mm - for DW738	
DT8470-QZ	Wood - Fret Saw blade - 4mm -for DW876	
DT8472-QZ	Wood - Cross Cut - 10mm- for DW876	
DT8473-QZ	Wood - Rip Cut - 16mm- for DW876	
DT8474-QZ	Wood - Rip Cut, - 20mm - for DW876	
DT8475-QZ	Metal - Non Ferrous - 6mm - for DW876	
DT8476-QZ	Metal - Non Ferrous - 12mm- for DW876	
<b>Framing Circular Saw Blade</b>		
DT10624-QZ	For Cordless Saw 165 x 20 x 24T	
DT10640-QZ	For Cordless Saw 165 x 20 x 40T	
DT10300-QZ	For Circular Saw 165 x 20 x 24T	
DT10301-QZ	For Circular Saw 165 x 20 x 40T	
DT10302-QZ	For Circular Saw 184 x 16 x 24T	
DT10303-QZ	For Circular Saw 184 x 16 x 40T	
DT10304-QZ	For Circular Saw 190 x 30 x 24T	
<b>Circular Saw Blades - Series 60</b>		
DT4310-QZ	Dia 216 Bore 30 -5DEG 24 Teeth	
DT4320-QZ	Dia 216 Bore 30 -5DEG 48 Teeth	
DT4322-QZ	Dia 250 Bore 30 10DEG 40 Teeth	
DT4327-QZ	Dia 300 Bore 30 10DEG 48 Teeth	
DT4328-QZ	Dia 300 Bore 30 10DEG 60 Teeth	
DT4331-QZ	Dia 305 Bore 30 -5DEG 60 Teeth	
DT4332-QZ	Dia 315 Bore 30 10DEG 48 Teeth	
DT4333-QZ	Dia 350 Bore 30 10DEG 42 Teeth	

Model No.	Description	Image
DT4334-QZ	Dia 350 Bore 30 10DEG 54 Teeth	
DT4338-QZ	Dia 400 Bore 30 10DEG 60 Teeth	
DT4353-QZ	Dia 250 Bore 30 10DEG 80 Teeth	
DT4354-QZ	Dia 250 Bore 30 -5DEG 80 Teeth	
DT4358-QZ	Dia 315 Bore 30 10DEG 72 Teeth	
DT4360-QZ	Dia 350 Bore 30 10DEG 84 Teeth	
<b>Circular Saw Blades - Series 40</b>		
DT4026-QZ	Dia 165 Bore 20 ATB 25DEG 24 Teeth	
DT4031-QZ	Dia 184 Bore 16 ATB 25DEG 28 Teeth	
DT4036-QZ	Dia 235 Bore 30 ATB 25DEG 28 Teeth	
DT4063-QZ	Dia 184 Bore 16 ATB 10DEG 40 Teeth	
DT4067-QZ	Dia 235 Bore 30 ATB 10DEG 40 Teeth	
DT4087-QZ	Dia 165 Bore 20 TCG -5DEG 48 Teeth	
DT4092-QZ	Dia 184 Bore 16 TCG -5DEG 48 Teeth	
DT4097-QZ	Dia 235 Bore 30 TCG -5DEG 56 Teeth	
DT4098-QZ	Dia 235 Bore 25.4 TCG -5DEG 56 Teeth	
DT4210-QZ	Dia 305 Bore 30 ATB -5DEG 32 Teeth	
DT4215-QZ	Dia 315 Bore 30 ATB 10DEG 24 Teeth	
DT4226-QZ	Dia 250 Bore 30 ATB 20DEG 30 Teeth	
DT4256-QZ	Dia 230 Bore 30 TCG -5DEG 56 Teeth	
DT4260-QZ	Dia 305 Bore 30 ATB -5DEG 60 Teeth	
DT4281-QZ	Dia 300 Bore 30 TCG -5DEG 80 Teeth	
DT4282-QZ	Dia 250 Bore 30 TCG -5DEG 80 Teeth	
DT4283-QZ	Dia 305 Bore 30 TCG -5DEG 80 Teeth	
DT4286-QZ	Dia 216 Bore 30 TCG -5DEG 80 Teeth	
DT4287-QZ	Dia 250 Bore 30 TCG -5DEG 80 Teeth	
DT4288-QZ	Dia 305 Bore 30 TCG -5DEG 80 Teeth	
DT4290-QZ	Dia 305 Bore 30 TCG -5DEG 96 Teeth	
DT4291-QZ	Dia 350 Bore 30 TCG -5DEG 96 Teeth	
DT4202-QZ	Dia 250 Bore 30mm FT/DL 24 Teeth	
<b>Circular Saw Blades - Series 30</b>		
DT1154-QZ	Dia 216 Bore 30mm ATB -5Deg 24 Teeth	
DT1155-QZ	Dia 216 Bore 30mm ATB -5Deg 40 Teeth	
DT1158-QZ	Dia 250 Bore 30mm ATB 10Deg 24 Teeth	
DT1159-QZ	Dia 250 Bore 30mm ATB 10Deg 48 Teeth	
DT1160-QZ	Dia 305 Bore 30mm ATB -5Deg 24 Teeth	
DT1161-QZ	Dia 305 Bore 30mm ATB 10Deg 40 Teeth	
DT1162-QZ	Dia 305 Bore 30mm ATB -5Deg 60 Teeth	
DT1163-QZ	Dia 315 Bore 30mm ATB 20Deg 24 Teeth	
DT1140-QZ	Dia 152 Bore 20 ATB 20DEG 12 Teeth	
DT1144-QZ	Dia 165 Bore 30 ATB 20DEG 18 Teeth	
DT1148-QZ	Dia 184 Bore 30 ATB 20DEG 18 Teeth	
DT1149-QZ	Dia 184 Bore 16 ATB 20DEG 18 Teeth	
DT1152-QZ	Dia 190 Bore 30 ATB 20DEG 18 Teeth	
DT1156-QZ	Dia 235 Bore 30 ATB 20DEG 24 Teeth	
DT1150-QZ	Dia 184 Bore 30 ATB 10DEG 30 Teeth	
DT1151-QZ	Dia 184 Bore 16 ATB 10DEG 30 Teeth	
DT1153-QZ	Dia 190 Bore 30 ATB 10DEG 40 Teeth	
DT1157-QZ	Dia 235 Bore 30 ATB 10DEG 40 Teeth	
DT1900-QZ	Dia 355 Bore 25 70 Teeth ferrous & non ferrous metals	

Model No.	Description	Image
<b>Jigsaw Blades</b>		
DT2050-QZ	Scroller blade - for softwoods,plywood and chip board- basic cutting upto 15mm - L76XWL48XTP2	
DT2164-QZ	For fast straight cuts in wood chipbaord,plywood,laminated chip board and plastic upto 60mm - L100XWL68XTP4	
DT2165-QZ	For straight fine cuts in wood chipboard,plywood,laminated chip board and plastic upto 30mm - L100XWL73XTP2.5	
DT2168-QZ	For fine curve cutting in wood chipboard,ply wood ,laminated chip board and plastic up to 30mm - H47XTP1.4XL76XWL47	
DT2049-QZ	For clean extra straight cutting in wood and chip board upto 60mmL100XWL68XTP4	
DT2053-QZ	For wood and laminates - down cutter for splinter free cuts - L100XWL73XTP2.3	
DT2052-QZ	Wood ,chip and fiberboard - fast/clean cutting upto 60mm - L116XWL87XTP3	
DT2166-QZ	For fast straight cuts in wood and chip baord upto 60mm - L100XWL68XTP4	
DT2169-QZ	For fast straight cuts in wood and chip baord upto 100mm - L152XWL116XTP4	
DT2167-QZ	For fast,rough cuts in construction timber upto 120mm - L180XWL155XTP4	
DT2185-QZ	For straight fine cuts in wood,chip board,plywood,laminated chipboard and plastic upto 30mm - L100XWL73XTP2.5	
DT2162-QZ	For straight cuts in very thin metal,non ferrous metal and aluminium from 0.8 mm to 2mm - L76XWL50XTP0.7	
DT2160-QZ	For straight cuts in very thin metal,non ferrous metal,sheet metal and aluminium from 1.5 mm to 4mm - L76XWL50XTP1.2	
DT2161-QZ	For straight cuts in very thin metal,non ferrous metal and aluminium from 2.5 mm to 6mm - L76XWL50XTP2	
DT2085-QZ	For straight cuts in thin metal,non ferrous metal (1.5 - 3mm )and aluminium upto 65mm - L132XWL108XTP1.2	
DT2163-QZ	For fast,straight cuts in aluminium 4-15mm:metal and on ferrous metal , 4-6mm and plastic upto 30mm - L100XWL72XTP3	
DT2058-QZ	For metal plate - and thin pipes and profiles,aluminium,for nesses of 1.5 - 10mm - L100XWL74XTP1.2TO2.6	
DT2059-QZ	BIM-for wood upto 65m and metals,pipes and profiles 3-10mm - L132XWL101XTP2.4TO5	
DT2062-QZ	For basic cuts in wood and chip board upto 60mm - L91XWL70XTP2.5	
DT2061-QZ	For fast straight cuts in wood and chipboard upto 60mm - L100XWL76XTP4	
DT2063-QZ	Metal cutting blade - medium sheet steel 2.5 - 6mm - L70XWL50XTP2	
DT2081-QZ	For clean and curved cuts in all laminates upto 15mm - L82XWL59XTP1.4	
DT2101-QZ	Tungsten carbide for stainless steel,sheet and mils steel 1.2 to 3mm - L76XWL47XTP1	
DT2083-QZ	For medium metal and inox cutting - new technology upto 4 mm - L82XWL59XTP1.4	
DT2056-QZ	Tungsten carbide tipped blade for fibre glass,plastics and corian upto 65mm - L132XWL100XTP4.3	

Model No.	Description	Image
DT2084-QZ	For straight and curved cuts in sandwich materials and medium sheet metal upto 120mm - L180XWL148XTP2	
DT2290-QZ	10 Blade set wood cutting -	
DT2292-QZ	10 Blade set metal cutting - DT2160X3,DT2172X2,DT2054X1,DT2161X2,DT2163X2	
DT2294-QZ	10 Blade set - wood / metal cutting - DT2165X2,DT2050X2,DT2163X2,DT2177X2,DT2160X2	
DT3905-QZ	82mm HSS Reversible planer blades	
DT3906-QZ	82mm TCT Reversible planer blades	
<b>Reciprocating Saw Blades</b>		
DT2348-QZ	For use in tough plastics,sndwich material and pipes from 3-12mm - L152XTP1.8-2.5	
DT2349-QZ	Fast cuts in wood and nails and tough plastics - L228XTP3.6-5.1	
DT2350-QZ	Fast cuts in wood and nails and tough plastics - L305XTP 3.6-5.1	
DT2353-QZ	Fast cuts in ferrous and non ferrous metal,sheet metal,pipes and profiles from 3-8mm - L203XTP1.8	
DT2354-QZ	Cuts in metal,sheet metal,pipes and profiles upto 3mm - L203XTP1.4	
DT2355-QZ	For use in heavy guage metal,rubber a,fiberglass and angle iron - L305XTP1.8-2.5	
DT2359-QZ	Fast cuts in wood and nails and tough plastics - L152XTP3.6TO5.1	
DT2361-QZ	Fast cuts in ferrous and non ferrous metal,sheet metal,pipes and profiles from 3-8mm - L152XTP1.8	
DT2384-QZ	Cuts in metal,sheet metal,pipes and profiles upto 3mm - L152XTP1.4	
DT2385-QZ	Fine cuts in metal.sheet material,pipes and profiles upto 1.5mm - L152XTP1.1	
DT2387-QZ	For use in tough plastics ,sandwich material and pipes from 3-12 mm - L203XTP1.8-2.5	
<b>SCREWDRIVING</b>		
DT7506-QZ	17 pc Impact Socket Set(6,8,10,11,12,13,14,16,17,18,19,20,21,22,24,27mm&1/4"to 1/2" Adaptor )	
DT7231-QZ	Torsion Bit - 25mm PH1	
DT7232-QZ	Torsion Bit - 25mm PH2	
DT7238-QZ	Torsion Bit - 25mm PH2	
DT7253-QZ	Torx Bit - 25mm T10	
DT7255-QZ	Torx Bit - 25mm T20	
DT7256-QZ	Torx Bit - 25mm T25	
DT7226-QZ	Torsion Bit 50mm PZ2	
DT7245-QZ	Torsion Bit 50mm PH1	
DT7246-QZ	Torsion Bit 50mm PH2	
DT7247-QZ	Torsion Bit 50mm PH3	
DT7401-QZ	Magnetic Nut Holder 7mm	
DT7402-QZ	Magnetic Nut Holder 8mm	
DT7403-QZ	Magnetic Nut Holder 10mm	

Model No.	Description	Image
DT7404-QZ	Magnetic Nut Holder 13mm	
DT7501-QZ	Non magnetic Bit Holder - L57	
DT7500-QZ	Magnetic Bit Holder - L60	
Screwdriving Set		
DT7915-QZ	Torsion with extra grip ribs Incl Pz 1,2,3,Ph 1,2,3 Slotted 4.5,5.5,6.5,8,Magnetic bit holder	
DT7916-QZ	Torsion with extra grip ribs Incl Pz 1,2,3,Ph 1,2,3 T10,15,20,25 Magnetic bit holderr	

# DEWALT® ACCESSORIES

At DeWALT, we mean business.

We know that you take your job seriously – and we are serious about providing you with the tools to get that job done.

But that doesn't stop at the tool – because without the right accessory, you're working harder than you have to.

Our accessories have all been developed for you, to meet and exceed your needs.

We spend thousands of hours on the jobsite every year, testing and re-testing our accessories with the people who know best – you.

So when you buy a DeWALT accessory, you can be confident that we have put as much thought into it as you would.

We mean long life.

We mean efficient performance.

We mean innovative solutions to solve your frustrations.

# WE MEAN BUSINESS.



**ACCESSORIES**

**GUARANTEED TOUGH®**

Model No.	Description	Image
<b>MASONRY DRILLING</b>		
<b>Masonry Drill bits</b>		
10501812	3.0 x 70mm	
10501814	4.0 x 80mm	
10501817	5.0 x 90mm	
10501819	5.5 x 95mm	
10501821	6.0 x 100mm	
10501822	6.0 x 160mm	
10501826	6.5 x 100mm	
10501830	7.0 x 110mm	
10501834	8.0 x 120mm	
10501835	8.0 x 160mm	
10501842	9.5 x 135mm	
10501846	10.0 x 140mm	
10501853	11.0 x 160mm	
10501854	12.0 x 160mm	
10501867	16.0 x 160mm	
<b>Cordless Multi-Drill Bits</b>		
10501919	3.0 x 70mm	
10501922	5.0 x 90mm	
10501923	6.0 x 95mm	
10501925	6.0 x 100mm	
10501926	6.0 x 160mm	
10501928	6.5 x 105mm	
10501930	7.0 x 110mm	
10501931	7.0 x 160mm	
10501932	8.0 x 120mm	
10501933	8.0 x 200mm	
10501934	10.0 x 140mm	
10501935	10.0 x 200mm	
10501936	12.0 x 160mm	
10501937	14.0 x 160mm	
10501938	5 Pcs Set 4/5/6/8/10mm	
<b>Granite Drill Bits</b>		
10501896	4.0 x 80mm	
10501897	5.0 x 90mm	
10501901	6.0 x 100mm	
10501902	6.0 x 160mm	
10501903	6.5 x 105mm	
10501907	8.0 x 120mm	
10501911	10.0 x 140mm	
10501914	12.0 x 160mm	
<b>METAL DRILLING</b>		
<b>HSS Cobalt Drill Bits</b>		
10502515	3.0 x 61mm	
10502519	3.5 x 70mm	
10502520	4.0 x 75mm	
10502524	4.5 x 80mm	
10502527	5.0 x 86mm	
10502530	6.0 x 93mm	
10502532	7.0 x 109mm	

Model No.	Description	Image
10502534	8.0 x 117mm	
10502538	10.0 x 133mm	
10502540	12.0 x 151mm	
10502541	13.0 x 151mm	
10503730	Set, 25Pcs 1.0-13.0mm	
10503990	Set, 15Pcs 1.0-10.0mm	
<b>HSS Pro Drill Bits</b>		
10502241	1.0 x 34mm	
10502246	1.5 x 40mm	
10502251	2.0 x 49mm	
10502256	2.5 x 57mm	
10502261	3.0 x 61mm	
10502266	3.5 x 70mm	
10502271	4.0 x 70mm	
10502273	4.2 x 75mm	
10502276	4.5 x 80mm	
10502281	5.0 x 86mm	
10502286	5.5 x 93mm	
10502289	5.8 x 93mm	
10502291	6.0 x 93mm	
10502296	6.5 x 101mm	
10502301	7.0 x 109mm	
10502306	7.5 x 109mm	
10502311	8.0 x 117mm	
10502316	8.5 x 117mm	
10502321	9.0 x 125mm	
10502326	9.5 x 125mm	
10502331	10.0 x 133mm	
10502336	10.5 x 133mm	
10502341	11.0 x 142mm	
10502351	12.0 x 151mm	
10502361	13.0 x 151mm	
10502363	14.0 x 160mm	
10502365	15.0 x 169mm	
10502367	16.0 x 178mm	
10502369	17.0 x 184mm	
10502371	18.0 x 191mm	
10502375	20.0 x 205mm	
10503989	15 Pcs Set 1.5-10.0mm	
10502504	25 Pcs Set 1.0-13.0mm	
10503991	<b>HSS Pro Titanium Drill Set 15Pcs</b> Sizes 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 9 and 10mm	
<b>TCT Drill Bits (Hard &amp; Abrasive materials)</b>		
10502620	3.0 x 61mm	
10502626	3.5 x 70mm	
10502631	4.0 x 75mm	
10502636	4.5 x 80mm	

Model No.	Description	Image
10502641	5.0 x 86mm	
10502646	5.5 x 93mm	
10502651	6.0 x 93mm	
10502656	6.5 x 101mm	
10502661	7.0 x 109mm	
10502671	8.0 x 117mm	
<b>Step Drill Bits</b>		
10502850	9 Hole sizes, 4-12mm	
10502852	7 Hole sizes, 6-18mm	
10502853	10 Hole sizes, 4-22mm	
10502855	10 Hole sizes, 5-28mm	
10502854	13 Hole sizes, 5-35mm	
<b>WOOD DRILLING</b>		
<b>Blue Groove Wood Drill Bit 4x Flat</b>		
10502826	<b>Flat Drill Bit Set, 6Pcs</b> 10, 13, 16, 19, 22, 25 mm - wallet / Irwin 4xFaster Blue Groove flat bit with patented groove point and cutting edge designed to cut and not scrape the timber 4 times faster.	
10506629	<b>Flat Drill Bit Set, 8Pcs</b> 12,16,18,20,22,25,28,32 mm - hard pro set case	
10506628	<b>Wood Boring Bit Set, 6pc</b> 16,18,20,22,25, 32 mm / Cutting Spurs - clean holes with minimal 'break out' / Full Screw Tip - ease of use and pull through	
10502824	Zip Bit Extension 12"/300mm	
10502825	Zip Bit Extension 6"/300mm	
<b>Auger Drill Bit</b>		
10502749	12.0 x 400mm	
10502755	14.0 x 400mm	
10502758	16.0 x 400mm	
10502762	18.0 x 400mm	
10502767	20.0 x 400mm	
10502770	22.0 x 400mm	
10502773	24.0 x 400mm	
10502777	26.0 x 400mm	
10502781	30.0 x 400mm	
10502783	32.0 x 400mm	
10502786	36.0 x 400mm	
10502787	38.0 x 240mm,	
<b>Scotch Screw-Eyed Auger Bits</b>		
TR200-3/4	Hand Auger Bit 3/4 x 23 in	
IW475	Hand Auger Bit 1 x 24 in	
IW473	Hand Auger Bit 3/4 x 24 in	
<b>SCREWDRIVING</b>		
<b>Phillips - PH Insert Bits</b>		
10504330	Ph1 - 1/4" / 25mm - 10 pcs	
10504331	Ph2 - 1/4" / 25mm - 10 pcs	
10504332	Ph3 - 1/4" / 25mm - 10 pcs	
10504334	Ph2 - 1/4" / 25mm Titanium Coated - 10 pcs	

Model No.	Description	Image
10504384	Ph2 - 1/4" / 25mm - Single Piece	
<b>Phillips - Power bits</b>		
10504364	Ph2 - 1/4" / 50mm - 5pcs	
10504365	Ph2 - 1/4" / 70mm - 1pc	
10504394	Ph2/Ph2 - Dbl End 50mm	
<b>Torx Bits 1/4"</b>		
10504351	Insert Bit T10 - 25mm - 10pcs	
10504352	Insert Bit T15 - 25mm - 10pcs	
10504353	Insert Bit T20 - 25mm - 10pcs	
10504373	Power Bit T20 - 50mm - 5pcs	
10504374	Power Bit T25 - 50mm - 5pcs	
<b>Hexagonal Bits</b>		
10504347	4.0 - 1/4" / 25mm - 10pcs	
10504348	5.0 - 1/4" / 25mm - 10pcs	
10504349	6.0 - 1/4" / 25mm - 10pcs	
10504350	8.0 - 1/4" / 25mm - 10pcs	
<b>Slotted Screw Bits</b>		
10504359	4.5 25mm 10Pc	
10504360	5.5 25mm 10Pc	
10504361	6.5 25mm 10Pc	
<b>Power Bit Holder</b>		
10504378	Mag. Bit Holder 75mm	
10504379	SDS Magnetic Bit Holder	
10504380	Quick-Release Bit Holder 1/4"	
10504381	Screw Drive Guide 9.5mm D., 80mm	
<b>Screwdriver Bit Sets</b>		
10504385	<b>Screw Bit Set 30Pcs</b> Pro Set Case: Ph1, 5 x Ph2, Ph3, Pz1, 5 x Pz2, Pz3, T20, T25,	
10504386	<b>Screw Bit Set 31Pcs</b> Pro Set Case: Ph1, 5 x Ph2, Ph3, Pz1, 5 x Pz2, Pz3, 2x Ph2TiN,	
<b>CIRCULAR SAW BLADES</b>		
<b>Professional Wood Circular Saw Blades</b>		
1907699	184x24x16 mm	
1907198	184x40x30 mm (10506803)	
1892705	230x24x30 mm (10506813)	
1892706	230x40x30 mm (10506814)	
1907700	250x60x30 mm (10506820)	
10506821	250x80x30 mm	
10506823	300x48x30 mm (1897212)	
1897213	300x60x30 mm (10506824)	
10506825	300x96x30 mm	
1892715	350x40x30 mm (10506827)	
1897346	350x84x30 mm (10506828)	
1897348	400x60x30 mm	
<b>Professional Aluminium Circular Saw Blades</b>		
1907773	184x48x30 mm	
1907779	250x100x30 mm	

<b>Model No.</b>	<b>Description</b>	<b>Image</b>
1907782	350x84x30 mm	
<b>LINEAR EDGE</b>		
<b>Bi-Metal Holesaws</b>		
10504161	14mm - 9/16in	
10504162	16mm - 5/8in	
10504163	17mm - 11/16in	
10504164	19mm - 3/4in	
10504165	20mm - 25/32in	
10504166	21mm - 13/16in	
10504167	22mm - 7/8in	
10504168	24mm - 15/16in	
10504169	25mm - 1in	
10504170	27mm - 1.1/16in	
10504171	29mm - 1.1/86in	
10504172	30mm - 1.3/16in	
10504173	32mm - 1.1/4in	
10504174	33mm - 1.5/16in	
10504175	35mm - 1.3/8in	
10504176	37mm - 1.7/16in	
10504177	38mm - 1.1/2in	
10504178	40mm - 1.9/16in	
10504179	41mm - 1.5/8in	
10504180	43mm - 1.11/16in	
10504181	44mm - 1.3/4in	
10504182	46mm - 1.13/16in	
10504183	48mm - 1.7/8in	
10504184	51mm - 2in	
10504185	52mm - 2.1/16in	
10504186	54mm - 2.1/8in	
10504187	57mm - 2.1/4in	
10504188	59mm - 2.5/16in	
10504189	60mm - 2.3/8in	
10504190	64mm - 2.1/2in	
10504191	65mm - 2.9/16in	
10504192	67mm - 2.5/8in	
10504193	68mm - 2.11/16in	
10504194	70mm - 2.3/4in	
10504195	73mm - 2.7/8in	
10504196	76mm - 3in	
10504197	79mm - 3.1/8in	
10504198	83mm - 3.1/4in	
10504199	86mm - 3.3/8in	
10504200	89mm - 3.1/2in	
10504201	92mm - 3.5/8in	
10504202	95mm - 3.3/4in	
10504203	98mm - 3.7/8in	
10504204	102mm - 4in	
10504205	105mm - 4.1/8in	
10504206	108mm - 4.1/4in	
10504207	111mm - 4.3/8in	
10504208	114mm - 4.1/2in	



Model No.	Description	Image
10504209	117mm - 4.5/8in	
10504210	121mm - 4.3/4in	
10504211	127mm - 5in	
10504212	140mm - 5.1/2in	
10504213	152mm - 6in	
10506441	Holesaw Kit 16-51mm (16,20,25,32,38,51)	
10506439	Holesaw Kit 22-64mm (22,29,35,44,51,64)	
10506444	Holesaw Kit 16-76mm (16,19,22,25,29,32,35,38,44,51,64,76)	
<b>Holesaw Accessories</b>		
10504532	Holesaw Pilot Drill, Bi-metal, 6.35mm x 76 mm	
10504536	Holesaw Mandrel 9.5mm fits 14-30mm	
10504534	Holesaw Mandrel 9.5mm fits 32-210mm	
<b>Bi-Metal Reciprocating Saw Blades</b>		
10504152	Metal Cutting 614R 14TPI, 150mm, 5Pcs	
10504153	Metal Cutting 618R 18TPI, 150mm, 5Pcs	
10504154	Metal Cutting 624R 24TPI, 150mm, 5Pcs	
10504156	Metal Cutting 818R 18TPI, 200mm, 5Pcs	
10504151	Metal & Wood Cutting 610R 10TPI, 150mm, 5Pcs	
10504157	Metal & Wood Cutting 810R 10TPI, 200mm, 5Pcs	
10504159	Metal & Wood Cutting 110R 10TPI, 300mm, 5Pcs	
10504142	Metal & Wood Cutting 110R 10TPI, 300mm, 25Pcs	

**TIP GEOMETRY****118° STANDARD POINT**

- For drilling in alloyed and non-alloyed steels, non-ferrous metals, cast iron and hard plastics
- Can be easily resharpened
- Requires higher feed pressure
- Best for stationary drills

**118° SPLIT POINT**

- For drilling in alloyed and non-alloyed steels, non-ferrous metals, cast iron and hard plastics
- Very good centering
- Requires less effort / feed pressure

**135° SPLIT POINT**

- For drilling in high strength steel and high-alloy steels
- Very good centering
- Requires less effort / feed pressure

**TURBOMAX® JET POINT**

- Specially designed for portable drills
- Excellent centering, will not walk on any surface
- Precision-ground to stay sharp longer and drill faster

**HSS DRILL BITS**

HSS TURBOMAX



HSS TITANIUM

**SPECIALITY DRILL BITS**

STEP DRILLS



HSS COBALT



HSS PRO



TCT

# DEWALT®

**HP HIGH**  
Performance™



## NEW BONDED ABRASIVES

**Sharp abrasives**  
Rough on grinding surface

**Proprietary material mix**  
Ensures durable long life wheel

**Adheres to EN & ANSI standards**  
Controlled dimensional tolerances  
Consistent performance

**High grain concentration-**  
Aggressive grinding action –  
Rapid removal rate - Smooth running wheels

**3 Sheets of fiberglass –**  
Increases strength & provides wheel safety

**Well balanced wheel**  
Reduces tool vibration



CUT OFF WHEELS FOR METAL



## Abrasives



- Cutting Discs
- Grinding Wheels
- Diamond Blades
- Diamond Drills
- Sanding Discs
- Sanding Belts
- Waterproof Sanding Sheets
- Sharpening Stones
- Mounted Points
- Sanding Rolls
- Velcro-Backed Discs



Model No.	Description	Image
<b>Cutting Discs - Hi Performance Series - DeWalt</b>		
DWA4520IA-AE	Metal Cutting Wheel 100 x 3 x 16 mm	
DWA8434IA-AE	Metal Cutting Wheel 115 x 3 x 22 mm	
DWA4522IA-AE	Metal Cutting Wheel 125 x 3 x 22 mm	
DWA4524IA-AE	Metal Cutting Wheel 180 x 3 x 22 mm	
DWA4525IA-AE	Metal Cutting Wheel 230 x 3 x 22 mm	
DWA4500IA-AE	Metal Grinding Wheel 100 x 6 x 16 mm	
DWA4514IA-AE	Metal Grinding Wheel 115 x 6 x 22 mm	
DWA4514FCIA-AE	Metal Grinding Wheel 115 x 6 x 22 mm Fast Cut	
DW4543AIA-AE	Metal Grinding Wheel 125 x 6 x 22 mm	
DW4547AIA-AE	Metal Grinding Wheel 180 x 6 x 22 mm	
DW4547AFCIA-AE	Metal Grinding Wheel 180 x 6 x 22 mm Fast Cut	
DW4549AIA-AE	Metal Grinding Wheel 230 x 6 x 22 mm	
DWA8011RFCI-AE	Chopsaw Metal Cutting Wheel 355 x 3 x 25 mm	
DWA8012RIA-AE	Chopsaw Metal Cutting Wheel 400 x 3 x 25 mm	
DWA8060SIA-AE	Extra Thin SS Cutting Wheel 100 x 1.0 x 16 mm	
DWA8062SIA-AE	Extra Thin SS Cutting Wheel 115 x 1.2 x 22 mm	
DWA4520SIA-AE	Stainless Steel Cutting Wheel 100 x 3 x 16 mm	
DWA8434SIA-AE	Stainless Steel Cutting Wheel 115 x 3 x 22 mm	
DWA4522SIA-AE	Stainless Steel Cutting Wheel 125 x 3 x 22 mm	
DWA4524SIA-AE	Stainless Steel Cutting Wheel 180 x 3 x 22 mm	
DWA4525SIA-AE	Stainless Steel Cutting Wheel 230 x 3 x 22 mm	
DWA4500SIA-AE	Stainless Steel Grinding Wheel 100 x 6 x 16 mm	
DWA4514SIA-AE	Stainless Steel Grinding Wheel 115 x 6 x 22 mm	
DW4543SIA-AE	Stainless Steel Grinding Wheel 125 x 6 x 22 mm	
DW4547SIA-AE	Stainless Steel Grinding Wheel 180 x 6 x 22 mm	
DWA4549SIA-AE	Stainless Steel Grinding Wheel 230 x 6 x 22 mm	
<b>Cutting Discs - Professional Series - Black &amp; Decker</b>		
A17907N-AE	Metal Cutting Disc 100 x 16 x 3mm	
A17927N-AE	Metal Cutting Disc 115 x 22 x 3mm	
A17947N-AE	Metal Cutting Disc 125 x 22 x 3mm	
A17967N-AE	Metal Cutting Disc 180 x 22 x 3mm	
A17987N-AE	Metal Cutting Disc 230 x 22 x 3mm	
A17901N-AE	Metal Grinding Disc 100 x 16 x 6mm	
A17921N-AE	Metal Grinding Disc 115 x 22 x 6mm	
A17941N-AE	Metal Grinding Disc 125 x 22 x 6mm	
A17961N-AE	Metal Grinding Disc 180 x 22 x 6mm	
A17981N-AE	Metal Grinding Disc 230 x 22 x 6mm	
AS17907N-AE	S. Steel Cutting Disc 100 x 16 x 3mm	
AS17927N-AE	S. Steel Cutting Disc 115 x 22 x 3mm	
AS17947N-AE	S. Steel Cutting Disc 125 x 22 x 3mm	
AS17967N-AE	S. Steel Cutting Disc 180 x 22 x 3mm	
AS17901N-AE	S. Steel Grinding Disc 100 x 16 x 6mm	
AS17921N-AE	S. Steel Grinding Disc 115 x 22 x 6mm	
AS17961N-AE	S. Steel Grinding Disc 180 x 22 x 6mm	
A17908N-AE	Stone Cutting Disc 100 x 16 x 3mm	
A17928N-AE	Stone Cutting Disc 115 x 22 x 3mm	
A17948N-AE	Stone Cutting Disc 125 x 22 x 3mm	
A17968N-AE	Stone Cutting Disc 180 x 22 x 3mm	
A17988N-AE	Stone Cutting Disc 230 x 22 x 3mm	
A17701N-AE	Metal Cutting Disc 300 x 25 x 2.8mm Flat	

Model No.	Description	Image
A17711N-AE	Metal Cutting Disc 350 x 25 x 3.1mm Flat	
A17721N-AE	Metal Cutting Disc 400 x 25 x 3.2mm Flat	
<b>Cutting Discs - Professional Series - DeWalt</b>		
DX7907-AE	Metal Cutting Disc 100 x 16 x 3mm	
DX7927-AE	Metal Cutting Disc 115 x 22.2 x 3mm	
DX7947-AE	Metal Cutting Disc 125 x 22.2 x 3mm	
DX7967-AE	Metal Cutting Disc 180 x 22.2 x 3mm	
DX7987-AE	Metal Cutting Disc 230 x 22.2 x 3mm	
DWA8011R-AE	Chopsaw Wheel 350 x 25 x 3mm	
DX7701-AE	Metal Cutting Disc 300 x 25 x 2.8mm	
DX7711-AE	Metal Cutting Disc 350 x 25 x 3mm	
DX7721-AE	Metal Cutting Disc 400 x 25 x 3.2mm	
DX7901-AE	Metal Grinding Disc 100 x 16 x 6mm	
DX7921-AE	Metal Grinding Disc 115 x 22.2 x 6mm	
DX7941-AE	Metal Grinding Disc 125 x 22.2 x 6mm	
DX7961-AE	Metal Grinding Disc 180 x 22.2 x 6mm	
DX7981-AE	Metal Grinding Disc 230 x 22.2 x 6mm	
DT3405-QZ	Metal Cutting Disc 115 x 22.2 x 1.6mm	
DT3409-QZ	Metal Cutting Disc 125 x 22.2 x 1.6mm	
DT3410-QZ	Metal Cutting Disc 125 x 22.2 x 2.5mm	
DT3440-QZ	Thin Metal Cutting Disc 100 x 16 x 1mm	
DT3442-QZ	Thin Metal Cutting Disc 115 x 22.2 x 1mm	
DT3445-QZ	Thin Metal Cutting Disc 125 x 22.2 x 1mm	
DT3446-QZ	Thin Metal Cutting Disc 125 x 22.2 x 2.5	
DT3447-QZ	Thin Metal Cutting Disc 180 x 22.2 x 2.5	
<b>Diamond Cup Wheels - DeWalt</b>		
DW4772T-AE	100mm double row diamond cup wheel	
DW4774T-AE	115mm double row diamond cup wheel	
DW4777T-AE	125mm double row diamond cup wheel	
DW4775T-AE	180mm double row diamond cup wheel	
DX4001	Turbo Grinding Wheel 105 x 22.2 mm	
DX4041	Turbo Grinding Wheel 125 x 22.2 mm	
DX4061	Turbo Grinding Wheel 180 x 22.2 mm	
<b>Diamond Blades - Industrial Series - DeWalt</b>		
DW47402L-AE	Segmented Rim 100 x 7 x 22 mm	
DW47452L-AE	Segmented Rim 115 x 7 x 22 mm	
DW47702L-AE	Segmented Rim 178 x 7 x 22 mm	
DW47902L-AE	Segmented Rim 230 x 7 x 22 mm	
DW47400L-AE	Turbo Rim 100 x 7 x 22 mm	
DW47450L-AE	Turbo Rim 115 x 7 x 22 mm	
DW47700L-AE	Turbo Rim 178 x 7 x 22 mm	
DW47900L-AE	Turbo Rim 230 x 7 x 22 mm	
DW47401L-AE	Continuous Rim 100 x 5 x 22 mm	
DW47451L-AE	Continuous Rim 115 x 5 x 22 mm	
DW47701L-AE	Continuous Rim 178 x 5 x 22mm	
DW47901L-AE	Continuous Rim 230 x 5 x 22 mm	
<b>Diamond Blades - Professional Series - DeWalt</b>		
DX3101	Tile 100 x 16 mm	
DX3121	Tile 115 x 22 mm	
DX3701	Laser Blade Concrete 100 x 20 mm	
DX3721	Laser Blade Concrete 115 x 22 mm	



Model No.	Description	Image
DX3761	Laser Blade Concrete 180 x 22 mm	
DX3781	Laser Blade Concrete 230 x 22 mm	
DX3801	Marble & Granite 100 x 20 mm	
DX3821	Marble & Granite 115 x 22.2 mm	
DX3861	Marble & Granite 180 x 22.2 mm	
DX3881	Marble & Granite 230 x 22.2 mm	
DX3901	Rim Blade Marble & Granite 100 x 20 mm	
DX3921	Rim Blade Marble & Granite 115 x 22.2 mm	
DX3961	Rim Blade Marble & Granite 180 x 22.2 mm	
DX3981	Rim Blade Marble & Granite 230 x 22.2 mm	
DX4701	Block Cutting 100 x 20 mm	
DX4721	Block Cutting 115 x 22.2 mm	
DX4761	Block Cutting 180 x 22.2 mm	
DX4781	Block Cutting 230 x 22.2 mm	
DX3012	Marble 306 x 48 x 10 mm	
DX3016	Marble 406x 48 x 10 mm	
DX3212	Granite 306 x 40 x 10 mm	
DX3214	Granite 356 x 40 x 10 mm	
DX3220	Granite 500 x 40 x 10 mm	
DX3412	Concrete 300 mm	
DX3424	Concrete 600 x 40 x 7 mm	
DX3514	Asphalt 354 x 40 x 5.5 mm	
DT3752	BSL Chop Saw Wheel 350mm	
<b>COATED ABRASIVES</b>		
<b>Flap Disc - Type 29 Angled</b>		
DT3269-QZ	100mm 60 grit	
DT3274-QZ	100mm 80 grit	
DT3255-QZ	115mm 36 grit	
DT3256-QZ	115mm 60 grit	
DT3257-QZ	115mm 80 grit	
DT3258-QZ	115mm 120 grit	
<b>Flap Disc - Type 27 Flat</b>		
DT3208-QZ	100mm 36 grit	
DT3209-QZ	100mm 60 grit	
DT3293-QZ	115mm 60 grit	
DT3294-QZ	115mm 80 grit	
<b>High Performance Flap Disc - Type 27 Flat</b>		
DT30601-QZ	115mm 40 grit	
DT30611-QZ	115mm 60 grit	
DT30621-QZ	115mm 80 grit	
DT30602-QZ	125mm 40 grit	
DT30612-QZ	125mm 60 grit	
DT30622-QZ	125mm 80 grit	
DT30603-QZ	180mm 40 grit	
DT30613-QZ	180mm 60 grit	
DT30623-QZ	180mm 80 grit	
<b>Multi Purpose Wood/Paint - Sanding Belt</b>		
DT3301-QZ	75mm x 533mm 40 grit 10 Pack	
DT3302-QZ	75mm x 533mm 60 grit 10 Pack	
DT3303-QZ	75mm x 533mm 80 grit 10 Pack	
DT3304-QZ	75mm x 533mm 100 grit 10 Pack	

Model No.	Description	Image
DT3629-QZ	75mm x 533mm 120 grit 10 Pack	
DT3305-QZ	75mm x 533mm 150 grit - Anti-Static 10 Pack	
DT3307-QZ	75mm x 533mm 220 grit - Anti-Static 10 Pack	
<b>Quick Fit Nylon Loop Discs - Wood/Paint - Dry 8 Holes</b>		
DT3101-QZ	125mm x 40 grit 10 Pack	
DT3102-QZ	125mm x 60 grit 10 Pack	
DT3103-QZ	125mm x 80 grit 10 Pack	
DT3105-QZ	125mm x 120 grit 10 Pack	
DT3106-QZ	125mm x 180 grit 10 Pack	
DT3107-QZ	125mm x 240 grit 10 Pack	
DT3108-QZ	125mm x 320 grit 10 Pack	
<b>Quick Fit Nylon Loop Discs - Wood/Paint - Dry 6 Holes</b>		
DT3121-QZ	150mm x 40 grit 10 Pack	
DT3122-QZ	150mm x 60 grit 10 Pack	
DT3123-QZ	150mm x 80 grit 10 Pack	
DT3125-QZ	150mm x 120 grit 10 Pack	
DT3126-QZ	150mm x 180 grit 10 Pack	
DT3127-QZ	150mm x 240 grit 10 Pack	
DT3128-QZ	150mm x 320 grit 10 Pack	
<b>Mesh Sanding Discs</b>		
DTM3113-QZ	Mesh Sanding Discs 125mm 80 grit 10 Pack	
DTM3115-QZ	Mesh Sanding Discs 125mm 120 grit 10 Pack	
DTM3117-QZ	Mesh Sanding Discs 125mm 240 grit 10 Pack	
DTM3133-QZ	Mesh Sanding Discs 150mm 80 grit 10 Pack	
DTM3135-QZ	Mesh Sanding Discs 150mm 120 grit 10 Pack	
DTM3137-QZ	Mesh Sanding Discs 150mm 240 grit 10 Pack	
<b>Quick Fit Platens</b>		
DT3600-QZ	Velcro Backing Pad 125mm	
DT3601-QZ	Velcro Backing Pad 150mm	
<b>Backing Pads and Bonnets</b>		
DT3610-QZ	115mm M14 Bore	
DT3611-QZ	125mm M15 Bore	
DT3612-QZ	178mm M16 Bore	
<b>Angle grinder polishing bonnet</b>		
DT3620-QZ	115mm	
DT3622-QZ	178mm	
<b>Wire Brushes</b>		
DT3418-QZ	Wire brushes for drills; 75 x 10 x 9 mm	
DT3456-QZ	Crimped wheel wire brush 150 x 25 x 32 mm	
DT3459-QZ	Crimped wheel wire brush 200 x 25 x 32 mm	
DT3502-QZ	Twist knot wire wheel brushes D115X 22xB23	
DT3452-QZ	Twist knot wire wheel brushes D150X 22xB24	

Model No.	Description	Image
DT3480-QZ	Crimped wire cup brushes D65X 19XM14	
DT3465-QZ	Crimped wire cup brushes D125X 26XM14	
DT3500-QZ	Twist knot wire cup brushes D65X 18xM14	
DT3492-QZ	Twist knot wire cup brushes D75X 22xM14	
DT3501-QZ	Twist knot wire cup brushes D100X 24xM14	
<b>DIAMOND</b>		
<b>Adaptors</b>		
DT3800-QZ	1/2in BSPM X TCT 1 1/4in UNC M	
DT3801-QZ	DCM1/DD80 X TCT 1/2in BSPF WET	
DT3803-QZ	DCM1.5,DD1160,DCM2,DD2 1 1/4in UNC M	
<b>Extension Rods</b>		
DT3829-QZ	200mm 1 1/4in UNC F X 1 1/4in UNC M	
DT3839-QZ	300mm 1 1/4in UNC F X 1 1/4in UNC M	
DT3844-QZ	150mm 1/2in BSP F X 1/2in BSP M	
DT3847-QZ	300mm 1/2in BSP M X 1/2in BSP F	
<b>Core Bits</b>		
DT9861-QZ	10mm Dia X 1/2in BSP(M) X 400mm L	
DT9862-QZ	12mm Dia X 1/2in BSP(M) X 400mm L	
DT9863-QZ	14mm Dia X 1/2in BSP(M) X 400mm L	
DT9864-QZ	16mm Dia X 1/2in BSP(M) X 400mm L	
DT9865-QZ	18mm Dia X 1/2in BSP(M) X 400mm L	
DT9866-QZ	20mm Dia X 1/2in BSP(M) X 400mm L	
DT9867-QZ	22mm Dia X 1/2in BSP(M) X 400mm L	
DT9868-QZ	25mm Dia X 1/2in BSP(M) X 400mm L	
DT9871-QZ	32mm Dia X 1/2in BSP(M) X 400mm L	
DT9872-QZ	35mm Dia X 1/2in BSP(M) X 400mm L	
DT9874-QZ	42mm Dia X 1/2in BSP(M) X 400 mm L	
DT9875-QZ	47mm Dia X 1/2in BSP(M) X 400mm L	
DT9708-QZ	52mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9732-QZ	65mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9733-QZ	72mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9734-QZ	78mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9759-QZ	102mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9782-QZ	107mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9783-QZ	112mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9785-QZ	127mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9788-QZ	152mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9790-QZ	172mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9793-QZ	200mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9796-QZ	250mm Dia X 1 1/4in UNC(F) X 500mm L	
DT9797-QZ	300mm Dia X 1 1/4in UNC(F) X 500mm L	

**DEMAND DEWALT  
ABRASIVES**



Model No.	Item	Image
<b>CUTTING &amp; GRINDING WHEELS</b>		
<b>Metal Cutting Discs</b>		
GMC4	4in - 100 x 3 x 16 mm	
GMC4.5	4.5in - 115 x 3 x 22mm	
GMC5	5in - 125 x 3 x 22mm	
GMC7	7in - 180 x 3 x 22mm	
GMC9	9in - 230 x 3 x 22mm	
<b>Metal Grinding Discs</b>		
GMG4	4in - 100 x 6 x 16mm	
GMG4-4	4in - 100 x 4.2 x 16mm	
GMG4.5	4.5in - 115 x 6 x 22mm	
GMG5	5in - 125 x 6 x 22mm	
GMG7	7in - 180 x 6 x 22mm	
GMG7-4	7in - 180 x 4 x 22mm	
GMG9	9in - 230 x 6 x 22mm	
GMG4.5-Rapid	4.5in - 115 x 6 x 22mm Rapid	
GMG7-Rapid	7in - 180 x 6 x 22mm Rapid	
GMG9-Rapid	9in - 230 x 6 x 22mm Rapid	
<b>Large Cut Off Wheels</b>		
GMC12	12in - 300 x 3 x 25mm	
GMC14	14in - 350 x 3 x 25mm	
GMC16	16in - 400 x 3 x 25mm	
GSSC14	14in - 350 x 3 x 25mm S.S	
GSSC16	16in - 400 x 3 x 25mm S.S	
<b>Stainless Steel Cutting Discs</b>		
GSSC4	4in - 100 x 3 x 16 mm	
GSSC4.5	4.5in - 115 x 3 x 22mm	
GSSC5	5in - 125 x 3 x 22mm	
GSSC7	7in - 180 x 3 x 22mm	
GSSC9	9in - 230 x 3 x 22mm	
<b>Stainless Steel Grinding Discs</b>		
GSSG4	4in - 100 x 6 x 16mm	
GSSG4-4	4in - 100 x 4.2 x 16mm	
GSSG4.5	4.5in - 115 x 6 x 22mm	
GSSG5	5in - 125 x 6 x 22mm	
GSSG7	7in - 180 x 6 x 22mm	
GSSG7-4	7in - 180 x 4 x 22mm	
<b>Extra Thin Cutting Discs</b>		
GTD100	4in - 100 x 1 x 16mm	
GTD115	4.5in - 115 x 1 x 22 mm	
GTD125	5in - 125 x 1.2 x 22mm	
<b>Stone Cutting Discs</b>		
GSC4	4in - 100 x 3 x 16 mm	
GSC4.5	4.5in - 115 x 3 x 22mm	
GSC7	7in - 180 x 3 x 22mm	
GSC9	9in - 230 x 3 x 22mm	
<b>COATED ABRASIVES</b>		
<b>Coated Fibre Discs</b>		
GSD4/24	4in - 100mm x 24G	
GSD4/36	4in - 100mm x 36G	
GSD4/60	4in - 100mm x 60G	

Model No.	Item	Image
GSD4/80	4in - 100mm x 80G	
GSD4/100	4in - 100mm x 100G	
GSD4/120	4in - 100mm x 120G	
GSD4.5/24	4.5in - 115mm x 24G	
GSD4.5/36	4.5in - 115mm x 36G	
GSD4.5/60	4.5in - 115mm x 60G	
GSD4.5/80	4.5in - 115mm x 80G	
GSD4.5/100	4.5in - 115mm x 100G	
GSD4.5/120	4.5in - 115mm x 120G	
GSD7/24	7in - 180mm x 24G	
GSD7/36	7in - 180mm x 36G	
GSD7/60	7in - 180mm x 60G	
GSD7/80	7in - 180mm x 80G	
GSD7/100	7in - 180mm x 100G	
GSD7/120	7in - 180mm x 120G	
F826-4.5/36	ZIRCON 115mm x 36G	
F826-4.5/60	ZIRCON 115mm x 60G	
F826-4.5/80	ZIRCON 115mm x 80G	
<b>Flap Discs</b>		
GFDA4536G	4.5in - 115mm x 36G ALO Brown	
GFDA4560G	4.5in - 115mm x 60G ALO Brown	
GFDA4580G	4.5in - 115mm x 80G ALO Brown	
GFDA45100G	4.5in - 115mm x 100G ALO Brown	
GFDA45120G	4.5in - 115mm x 120G ALO Brown	
GFDZ460G	4in - 100mm x 60G ZIR Blue	
GFDZ480G	4in - 100mm x 80G ZIR Blue	
GFDZ412G	4in - 100mm x 120G ZIR Blue	
GFDZ4540G	4.5in - 115mm x 40G ZIR Blue	
GFDZ4560G	4.5in - 115mm x 60G ZIR Blue	
GFDZ4580G	4.5in - 115mm x 80G ZIR Blue	
GFDZ45120G	4.5in - 115mm x 120G ZIR Blue	
GFDZ760G	7in - 180mm x 60G ZIR Blue	
GFDZ780G	7in - 180mm x 80G ZIR Blue	
GFDZ7120G	7in - 180mm x 120G ZIR Blue	
<b>Flap Wheels</b>		
GFW2525120	25 x 25 x 6mm, 120G	
GFW252540	25 x 25 x 6mm, 40G	
GFW252560	25 x 25 x 6mm, 60G	
GFW252580	25 x 25 x 6mm, 80G	
GFW3020100	30 x 20 x 6mm, 100G	
GFW302040	30 x 20 x 6mm, 40G	
GFW302060	30 x 20 x 6mm, 60G	
GFW30206120	30 x 20 x 6mm, 120G	
GFW302080	30 x 20 x 6mm, 80G	
GFW4025120	40 x 25 x 6mm, 120G	
GFW402540	40 x 25 x 6mm, 40G	
GFW4025605	40 x 25 x 6mm, 60G	
GFW402580	40 x 25 x 6mm, 80G	
GFW5025120	50 x 25 x 6mm, 120G	
GFW502540	50 x 25 x 6mm, 40G	
GFW502560	50 x 25 x 6mm, 60G	

Model No.	Item	Image
GFW502580	50 x 25 x 6mm, 80G	
GFW503060	50 x 30 x 6mm, 60G	
GFW6040120	60 x 40 x 6mm, 120G	
GFW604040	60 x 40 x 6mm, 40G	
GFW604060	60 x 40 x 6mm, 60G	
GFW604080	60 x 40 x 6mm, 80G	
<b>Velcro Backed Discs (Pack of 50)</b>		
GVD5/80	5in - 125mm x 80G	
GVD5/100	5in - 125mm x 100G	
GVD5/120	5in - 125mm x 120G	
GVD5/150	5in - 125mm x 150G	
GVD5/180	5in - 125mm x 180G	
GVD5/220	5in - 125mm x 220G	
GVD5/320	5in - 125mm x 320G	
GVD6/80	6in - 150mm x 80G	
GVD6/120	6in - 150mm x 120G	
GVD6/150	6in - 150mm x 150G	
GVD6/180	6in - 150mm x 180G	
GVD6/220	6in - 150mm x 220G	
GVD6/320	6in - 150mm x 320G	
GVD6/400	6in - 150mm x 400G	
GVD6/600	6in - 150mm x 600G	
<b>Abrasive Cloth Rolls (50m Rolls)</b>		
GSCR1/60	1in - 25mm x 60G	
GSCR1/80	1in - 25mm x 80G	
GSCR1/100	1in - 25mm x 100G	
GSCR1/120	1in - 25mm x 120G	
GSCR1/150	1in - 25mm x 150G	
GSCR1/180	1in - 25mm x 180G	
GSCR1/220	1in - 25mm x 220G	
GSCR1/320	1in - 25mm x 320G	
GSCR2/60	2in - 50mm x 60G	
GSCR2/80	2in - 50mm x 80G	
GSCR2/100	2in - 50mm x 100G	
GSCR2/120	2in - 50mm x 120G	
GSCR2/150	2in - 50mm x 150G	
GSCR2/180	2in - 50mm x 180G	
GSCR2/220	2in - 50mm x 220G	
GSCR2/320	2in - 50mm x 320G	
GSCR3/60	3in - 50mm x 60G	
GSCR3/80	3in - 50mm x 80G	
GSCR3/100	3in - 50mm x 100G	
GSCR3/120	3in - 50mm x 120G	
GSCR3/150	3in - 50mm x 150G	
GSCR3/180	3in - 50mm x 180G	
GSCR3/220	3in - 50mm x 220G	
GSCR3/320	3in - 50mm x 320G	
GSCR4.5/60	4.5in - 115mm x 60G	
GSCR4.5/80	4.5in - 115mm x 80G	
GSCR4.5/100	4.5in - 115mm x 100G	
GSCR4.5/120	4.5in - 115mm x 120G	

Model No.	Item	Image
GSCR4.5/150	4.5in - 115mm x 150G	
GSCR4.5/180	4.5in - 115mm x 180G	
GSCR4.5/220	4.5in - 115mm x 220G	
GSCR4.5/320	4.5in - 115mm x 320G	
GSCR6/60	6in - 150mm x 60G	
GSCR6/80	6in - 150mm x 80G	
GSCR6/100	6in - 150mm x 100G	
GSCR6/120	6in - 150mm x 120G	
GSCR6/150	6in - 150mm x 150G	
<b>Waterproof Sheets 8 x 11in (Pack of 50)</b>		
GWP60	60G	
GWP80	80G	
GWP100	100G	
GWP120	120G	
GWP150	150G	
GWP180	180G	
GWP220	220G	
GWP240	240G	
GWP320	320G	
GWP400	400G	
GWP600	600G	
GWP800	800G	
GWP1000	1000G	
GWP1200	1200G	
GWP1500	1500G	
GWP2000	2000G	
<b>BONDED ABRASIVES</b>		
<b>Bench Grinding Wheels - Aluminium Oxide</b>		
GAZ-15020-46B	150 x 20 x 46G	
GAZ-15020-60B	150 x 20 x 60G	
GAZ-15020-80B	150 x 20 x 80G	
GAZ-15020-100B	150 x 20 x 100G	
GAZ-15025-46B	150 x 25 x 46G	
GAZ-15025-60B	150 x 25 x 60G	
GAZ-15025-80B	150 x 25 x 80G	
GAZ-15025-100B	150 x 25 x 100G	
GAZ-20020-36B	200 x 20 x 36G	
GAZ-20020-46B	200 x 20 x 46G	
GAZ-20020-80B	200 x 20 x 80G	
<b>Bench Grinding Wheels - Silicon Carbide</b>		
GAZ-15020-60G	150 x 20 x 60G	
GAZ-15020-80G	150 x 20 x 80G	
GAZ-15025-60G	150 x 25 x 60G	
GAZ-15025-80G	150 x 25 x 80G	
GAZ-20020-46G	200 x 20 x 46G	
GAZ-20020-60G	200 x 20 x 60G	
GAZ-20020-80G	200 x 20 x 80G	
<b>Sharpening Stones</b>		
GCSTN6	Combination Stone 6in	
GCSTN8	Combination Stone 8in	
<b>Cup Grinding Stones</b>		

Model No.	Item	Image	
GCP40G	110/90mm x 40G		
GCP60G	110/90mm x 60G		
GCP80G	110/90mm x 80G		
<b>Mounted Points</b>			
A11-35A-C	A11/ 21 x 45mm - ALO Pink		
A3/2571	A3/ 25 x 71mm - ALO Pink		
A5/2028	A5/ 20 x 28mm - ALO Brown		
<b>DIAMOND ABRASIVES</b>			
<b>Concrete Cutting Blades</b>			
GGP100	100mm 4in		
GGP115	115mm 4.5in		
GGP180	180mm 7in		
GGP230	230mm 9in		
GXP230	230mm 9in - High Performance		
GGP300	300mm		
GGP350	350mm		
GGP400	400mm		
<b>Marble/Granite Cutting Blades</b>			
GMG100	100mm 4in		
GMG115	115mm 4.5in		
GMG180	180mm 7in		
GMG230	230mm 9in		
GMG300	300mm		
GMG350	350mm		
GMG400	400mm		
<b>Tile Cutting Blades</b>			
GRT100	100mm 4in		
GRT115	115mm 4.5in		
GRT115TD	115mm 4.5in Thin blade		
GRT180	180mm 7in		
GRT230	230mm 9in		
GRT350	350mm 14in		
<b>Electroplated Blade</b>			
ELP100	3.9inch		
ELP115	4.5inch		
ELP180	7inch		
<b>Core Drills</b>			
DCS-14	14 x 300mm		
DCS-16	16 x 300mm		
DCS-20	20 x 300mm		
DCS-22	22 x 300mm		
DCS-25	25 x 300mm		
DCS-32	32 x 300mm		
DCS-40	40 x 400mm		
DCS-52	52 x 400mm		
DCS-77	77 x 400mm		
DCS-102	102 x 400mm		
DCS-127	127 x 400mm		
DCS-152	152 x 400mm		
DCS-200	200 x 400mm		
DCS-ADAP	Adaptor 1-1/4 x 1/2		

# DEWALT®

FASTENERS ENGINEERED BY POWERS®

## ANCHORS & FASTENING SYSTEMS



GUARANTEED TOUGH.®

[DEWALT.com/anchors](http://DEWALT.com/anchors)



## Anchors & Fasteners




FASTENERS ENGINEERED BY POWERS®

- Direct Fastening
- Chemical Anchors
- Mechanical Anchors
- Light Duty Anchors



Model No.	Description	Box Qty	Image
<b>DIRECT FASTENING - GAS</b>			
DDF5110500	C5 Trak-It Kit - Long Track	1	
DDF5140500	C5 Trak-It Gas Canister	1	
DDF6770000	Stick-E Eye Clip	100	
DDF6110000	C5 Pins - 15mm x 2,6mm Shank	800	
DDF6110050	C5 Pins - 20mm x 2,6mm Shank	800	
DDF6110100	C5 Pins - 25mm x 2,6mm Shank	800	
DDF6110150	C5 Pins - 30mm x 2,6mm Shank	800	
DDF6110200	C5 Pins - 35mm x 2,6mm Shank	800	
DDF6310100	C5 XH Pins - 22mm x 3mm Shank	800	
DDF6310150	C5 XH Pins - 27mm x 3mm Shank	800	
DDF6310200	C5 XH Gas&Pins - 32mm x 3mm Shank	800	
DDF6310250	C5 XH Gas&Pins - 38mm x 3mm Shank	800	
DDF6750000	Stick-E 25mm Lathing Washer	200	
<b>DIRECT FASTENING - POWDER</b>			
DDF2120400	PA3500 .27 Caliber Strip Tool-Deluxe Kit	1	
DDF1350050	.27 Caliber Yellow Safety Stip Loads	100	
DDF1350100	.27 Caliber Red Safety Strip Loads	100	
DDF3000100	PAT Std 7.6mm Head Pin - 25mm Length	100	
DDF3000150	PAT Std 7.6mm Head Pin - 27mm Length	100	
DDF3000200	PAT Std 7.6mm Head Pin - 32mm Length	100	
DDF3000250	PAT Std 7.6mm Head Pin - 38mm Length	100	
DDF3060000	PAT Std 7.6mm Head Pin - 25mm w/Washer	100	
DDF3060050	PAT Std 7.6mm Head Pin - 37mm w/Washer	100	
DDF4050000	PAT Ceiling Clip - 7.6mm Hd x 25mm	100	
<b>CHEMICAL ANCHOR - ADHESIVE ANCHOR</b>			
DFC1110000	PURE150-PRO - 385ml Adhesive Cartridge	10	
DFC1110050	PURE150-PRO - 585ml Adhesive Cartridge	10	
DFC1130050	Pure110-PRO - 620ml Adhesive Cartridge	10	
DFC1230000	AC100-PRO - 410ml Adhesive Cartridge	10	
DFC1320100	PV45-PRO - 410ml Cartridge	10	
<b>CHEMICAL ANCHOR - CAPSULES</b>			
DFC1510000	SC-PRO Capsule M8	10	
DFC4130000	ChsIPt ThrdRod STM8x110-5.8Stl w/Nt&Wsh	10	
DFC4150000	ChsIPt ThrdRod STM8x110 A4SS w/Nt&Wsh	10	
DFC1510050	SC-PRO Capsule M10	10	
DFC4130050	ChsIPt ThrdRod STM10x130-5.8Stl w/Nt&Wsh	10	
DFC4150050	ChsIPt ThrdRod STM10x130 A4SS w/Nt&Wsh	10	
DFC1510100	SC-PRO Capsule M12	10	
DFC4130100	ChsIPt ThrdRod STM12x160-5.8Stl w/Nt&Wsh	10	
DFC4150100	ChsIPt ThrdRod STM12x160 A4SS w/Nt&Wsh	10	
DFC1510150	SC-PRO SPINNIG CAPSULE M16	10	
DFC4130150	ChsIPt ThrdRod STM16x190-5.8Stl w/Nt&Wsh	10	
DFC4150150	ChsIPt ThrdRod STM16x190 A4SS w/Nt&Wsh	10	
DFC1510200	SC-PRO Capsule M20	10	
DFC4130200	ChsIPt ThrdRod STM20x260-5.8Stl w/Nt&Wsh	5	
DFC4150200	ChsIPt ThrdRod STM20x260 A4SS w/Nt&Wsh	5	
DFC1510250	SC-PRO Capsule M24	10	
DFC4130250	ChsIPt ThrdRod STM24x300-5.8Stl w/Nt&Wsh	5	

Model No.	Description	Box Qty	Image
<b>CHEMICAL ANCHORS - THREADED STUDS</b>			
DFC4130400	StrtCut ThdRod CHMANSTD-M10x190 w/Nt&Wsh	50	
DFC4130450	StrtCut ThdRod CHMANSTD-M12x165 w/Nt&Wsh	25	
DFC4130500	StrtCut ThdRod CHMANSTD-M12x220 w/Nt&Wsh	25	
DFC4130550	StrtCut ThdRod CHMANSTD-M16x160 w/Nt&Wsh	25	
DFC4130600	StrtCut ThdRod CHMANSTD-M16x190 w/Nt&Wsh	25	
DFC4130700	StrtCut ThdRod CHMANSTD-M20x260 w/Nt&Wsh	5	
DFC4170760	Cut threaded rod M12X1000-HDG 8.8 Steel	10	
DFC4170800	Cut threaded rod M16X1000-HDG 8.8 Steel	10	
DFC4170840	Cut threaded rod M20X1000-HDG 8.8 Steel	10	
DFC4170880	Cut threaded rod M24X1000-HDG 8.8 Steel	10	
DFC4170920	Cut threaded rod M30X1000-HDG 8.8 Steel	5	
<b>CHEMICAL ANCHOR - ACCESSORIES</b>			
DFC1610100	410ml Manual Adhesive Dispensing Tool	1	
DFC1610150	410ml HD Manual Adhesive Tool	1	
DFC1610300	620ml Manual Adhesive Dispensing Tool	1	
DFC1610350	385/585ml Manual Adhesive Dispenser Tool	1	
DFC1640200	Adhesive Mixing Nozzle Extension - 500mm	10	
DFC1640350	Adhesive Mix Nozzle - White - 18 Element	10	
DFC1640450	Adhesive Mix Nozzle - Black - 14 Element	10	
DFC1640500	Adhesive Mixing Nozzle Extension - 200mm	10	
DFC1650050	DEWALT Blow Pump	1	
DFC1660000	Nylon Brush - 8-10mm Diameter	1	
DFC1660050	Nylon Brush - 10-14mm Diameter	1	
DFC1660100	Nylon Brush - 16-28mm Diameter	1	
DFC1670000	SDS Connection for Steel Brushes	1	
DFC1670050	300mm Extension for Steel Brushes	1	
DFC1670100	Steel Brush for SDS - 12mm Diameter	1	
DFC1670150	Steel Brush for SDS - 14mm Diameter	1	
DFC1670200	Steel Brush for SDS - 16mm Diameter	1	
DFC1670250	Steel Brush for SDS - 18mm Diameter	1	
DFC1670300	Steel Brush for SDS - 20mm Diameter	1	
DFC1670350	Steel Brush for SDS - 22mm Diameter	1	
DFC1670400	Steel Brush for SDS - 26mm Diameter	1	
DFC1670450	Steel Brush for SDS - 30mm Diameter	1	
<b>MECHANICAL ANCHOR - HEAVY DUTY</b>			
DFM1220000	PB-PRO-S 12-M8/10 HD Load Anchr-ZncPlt	50	
DFM1220050	PB-PRO-S 12-M8/30 HD Load Anchr-ZncPlt	50	
DFM1220200	PB-PRO-S 15-M10/25 HD Load Anchr-ZnPlt	25	
DFM1220450	PB-PRO-S 18-M12/35 HD Load Anchr-ZnPlt	10	
DFM1220500	PB-PRO-S 18-M12/55 HD Load Anchr-ZnPlt	10	
DFM1220550	PB-PRO-S 18-M12/85 HD Load Anchr-ZnPlt	10	
DFM1220650	PB-PRO-S 24-M16/20 HD Load Anchr-ZnPlt	5	
DFM1220700	PB-PRO-S 24-M16/50 HD Load Anchr-ZnPlt	5	
DFM1220750	PB-PRO-S 28-M20/10 HD Load Anchr-ZnPlt	5	
DFM1220800	PB-PRO-S 28-M20/300 HD Load Anchr-ZnPlt	5	
DFM1220850	PB-PRO-S 28-M20/60 HD Load Anchr-ZnPlt	5	
<b>MECHANICAL ANCHORS - THROUGHBOLT</b>			
DFM1110030	VTB-CS M8 x 100-Znc Pltd 5µm	50	
DFM1110090	VTB-CS M10 x 90-Znc Pltd 5µm	50	
DFM1110110	VTB-CS M10 x 100-Znc Pltd 5µm	50	
DFM1110130	VTB-CS M12 x 100-Znc Pltd 5µm	25	

Model No.	Description	Box Qty	Image
DFM1110170	VTB-CS M12 x 120-Znc Pltd 5µm	25	
DFM1110190	VTB-CS M12 x 150-Znc Pltd 5µm	25	
DFM1110210	VTB-CS M16 x 120-Znc Pltd 5µm	20	
DFM1110240	VTB-CS M16 x 140-Znc Pltd 5µm	20	
DFM1110000	PTB-PRO M6x55 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110020	PTB-PRO M6x60 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110040	PTB-PRO M6x85 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110060	PTB-PRO M8x60 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110080	PTB-PRO M8x65 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110100	PTB-PRO M8x75 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110120	PTB-PRO M8x85 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110140	PTB-PRO M8x95 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110160	PTB-PRO M8x105 Std Anchr-Znc Pltd ETA Approved	100	
DFM1110260	PTB-PRO M10x85 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110280	PTB-PRO M10x90 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110320	PTB-PRO M10x100 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110340	PTB-PRO M10x110 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110360	PTB-PRO M10x120 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110400	PTB-PRO M10x130 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110440	PTB-PRO M10x160 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110460	PTB-PRO M10x180 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110480	PTB-PRO M10x220 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110520	PTB-PRO M12x90 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110540	PTB-PRO M12x95 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110560	PTB-PRO M12x100 Std Anchr-Znc Pltd ETA Approved	50	
DFM1110580	PTB-PRO M12x105 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110600	PTB-PRO M12x115 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110620	PTB-PRO M12x120 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110640	PTB-PRO M12x135 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110660	PTB-PRO M12x165 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110680	PTB-PRO M12x175 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110700	PTB-PRO M12x185 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110720	PTB-PRO M12x220 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110740	PTB-PRO M16x115 Std Anchr-Znc Pltd ETA Approved	25	
DFM1110760	PTB-PRO M16x125 Std Anchr-Znc Pltd ETA Approved	20	
DFM1110780	PTB-PRO M16x135 Std Anchr-Znc Pltd ETA Approved	20	
DFM1110800	PTB-PRO M16x150 Std Anchr-Znc Pltd ETA Approved	20	
DFM1110810	PTB-PRO M16x160 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110830	PTB-PRO M16x210 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110870	PTB-PRO M20x125 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110880	PTB-PRO M20x160 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110900	PTB-PRO M20x170 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110920	PTB-PRO M20x175 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110940	PTB-PRO M20x185 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110960	PTB-PRO M20x200 Std Anchr-Znc Pltd ETA Approved	10	
DFM1110980	PTB-PRO M20x215 Std Anchr-Znc Pltd ETA Approved	10	
DFM1150050	PTB-G 8x50 Stud Anchor - Hot dipped Galvanized	100	
DFM1150080	PTB-G 8x65 Stud Anchor - Hot dipped Galvanized	100	
DFM1150120	PTB-G 8x85 Stud Anchor - Hot dipped Galvanized	100	
DFM1150160	PTB-G 8x105 Stud Anchor - Hot dipped Galvanized	100	
DFM1150230	PTB-G 10x60 Stud Anchor - Hot dipped Galvanized	100	
DFM1150250	PTB-G 12x80 Stud Anchor - Hot dipped Galvanized	50	



Model No.	Description	Box Qty	Image
DFM1150280	PTB-G 10x90 Stud Anchor - Hot dipped Galvanized	50	
DFM1150320	PTB-G 10x100 Stud Anchor - Hot dipped Galvanized	50	
DFM1150360	PTB-G 10x120 Stud Anchor - Hot dipped Galvanized	50	
DFM1150440	PTB-G 10x160 Stud Anchor - Hot dipped Galvanized	50	
DFM1150580	PTB-G 12x105 StdAnchr- Hot dipped Galvanized	25	
DFM1150620	PTB-G 12x120 StdAnchr- Hot dipped Galvanized	25	
DFM1150640	PTB-G 12x135 StdAnchr- Hot dipped Galvanized	25	
DFM1150660	PTB-G 12x165 StdAnchr- Hot dipped Galvanized	25	
DFM1150680	PTB-G 12x175 StdAnchr- Hot dipped Galvanized	25	
DFM1150730	PTB-G 16x100 Stud Anchor - Hot dipped Galvanized	25	
DFM1150780	PTB-G 16-25x135 StdAnchr- Hot dipped Galvanized	20	
DFM1150810	PTB-G 16x160 StdAnchr- Hot dipped Galvanized	10	
DFM1150830	PTB-G 16x210 StdAnchr- Hot dipped Galvanized	10	
DFM1150840	PTB-G 16x220 StdAnchr- Hot dipped Galvanized	10	
DFM1150850	PTB-G 20x170 Stud Anchor - Hot dipped Galvanized	10	
DFM1150860	PTB-G 20x120 Stud Anchor - Hot dipped Galvanized	10	
<b>MECHANICAL ANCHORS - THROUGHBOLT SS</b>			
DFM1140000	PTB-SS 6/5x55	200	
DFM1140020	PTB-SS 6/30x85	200	
DFM1140050	PTB-SS 8/5x50	200	
DFM1140190	PTB-SS-8/10x65	100	
DFM1140200	PTB-SS-8/20x75	100	
DFM1140220	PTB-SS-8/30x85	100	
DFM1140250	PTB-SS-8/40x95	100	
DFM1140270	PTB-SS-8/50x105	100	
DFM1140300	PTB-SS-8/65x120	50	
DFM1140310	PTB-SS-8/75x130	50	
DFM1140350	PTB-SS 10/5x60	100	
DFM1140360	PTB-SS 10/10x80	50	
DFM1140400	PTB-SS-10/5x85	50	
DFM1140430	PTB-SS-10/10x90	50	
DFM1140450	PTB-SS-10/20x100	50	
DFM1140480	PTB-SS-10/30x110	50	
DFM1140500	PTB-SS-10/50x130	50	
DFM1140530	PTB-SS-10/80x160	50	
DFM1140550	PTB-SS-10/100x180	25	
DFM1140600	PTB-SS 12/10x80	50	
DFM1140700	PTB-SS-12/15x100	50	
DFM1140750	PTB-SS-12/20-40x125	25	
DFM1140800	PTB-SS-12/30-50x135	25	
DFM1140850	PTB-SS 16/5x100	25	
DFM1140870	PTB-SS-16/15x125	20	
DFM1140900	PTB-SS-16/20-40x150	20	
DFM1140930	PTB-SS 20/5x120	10	
DFM1140950	PTB-SS 20/25x160	10	
<b>MECHANICAL ANCHORS - THROUGHBOLT SS A4 ETA - OPTION 7</b>			
DFM1140080	M8X65 Standard Anchor - A4/316SS	100	
DFM1140100	M8X75 Standard Anchor - A4/316SS	100	
DFM1140150	M8X100 Standard Anchor - A4/316SS	100	
DFM1140170	M8X120 Standard Anchor - A4/316SS	50	
DFM1140280	M10X90 Standard Anchor - A4/316SS	50	
DFM1140320	M10X100 Standard Anchor - A4/316SS	50	

Model No.	Description	Box Qty	Image
DFM1140420	M10X140 Standard Anchor - A4/316SS	50	
DFM1140560	M12X100 Standard Anchor - A4/316SS	50	
DFM1140650	M12X140 Standard Anchor - A4/316SS	25	
<b>MECHANICAL ANCHORS - SLEEVE ANCHOR</b>			
DFM1210240	HS10x75 Hex Nut Sleeve Anchor-Znc Pltd	50	
DFM1210360	HS12x100 Hex Nut Sleeve Anchor-Znc Pltd	25	
DFM1210420	FHS8x70 FixedHead Sleeve Anchor-Znc Pltd	50	
DFM1210480	FHS10x80 FixedHead Sleeve Anchor-ZncPltd	50	
DFM1210540	FHS12x65 FixedHead Sleeve Anchor-ZncPltd	25	
DFM1210570	FHS12x80 FixedHead Sleeve Anchor-ZncPltd	25	
DFM1210600	TW6x55 Tie Wire Hanger	100	
<b>MECHANICAL ANCHOR - SCREW ANCHOR</b>			
DFM1410050	BLUETIP-BT6x50 Hex Hd Screw Bolt-ZncPlt	100	
DFM1410070	BLUETIP-BT6x60 Hex Hd Screw Bolt-ZncPlt	100	
DFM1410090	BLUETIP-BT6x80 Hex Hd Screw Bolt-ZncPlt	50	
DFM1410110	BLUETIP-BT6x100 Hex Hd Screw Bolt-ZncPlt	100	
DFM1410130	BLUETIP-BT6x120 Hex Hd Screw Bolt-ZncPlt	100	
DFM1410150	BLUETIP-BT6x140 Hex Hd Screw Bolt-ZncPlt	50	
DFM1410180	BLUETIP-BT8x50 Hex Hd Screw Bolt-ZncPlt	50	
DFM1410210	BLUETIP-BT8x75 Hex Hd Screw Bolt-ZncPlt	50	
DFM1410240	BLUETIP-BT8x100 Hex Hd Screw Bolt-ZncPlt	50	
DFM1410280	BLUETIP-BT10x60 Hex Hd ScrewBolt-ZnPlt	50	
DFM1410320	BLUETIP-BT10x75 Hex Hd ScrewBolt-ZnPlt	50	
DFM1410360	BLUETIP-BT10x100 Hex Hd ScrewBolt-ZnPlt	50	
DFM1410400	BLUETIP-BT10x110 Hex Hd ScrewBolt-ZnPlt	25	
DFM1410430	BLUETIP-BT10x120 Hex Hd ScrewBolt-ZnPlt	25	
DFM1410450	BLUETIP-BT10x140 Hex Hd ScrewBolt-ZnPlt	25	
DFM1410480	BLUETIP-BT10x160 Hex Hd ScrewBolt-ZnPlt	20	
DFM1410510	BLUETIP-BT10x200 Hex Hd ScrewBolt-ZnPlt	20	
DFM1410540	BLUETIP-BT10x240 Hex Hd ScrewBolt-ZnPlt	50	
DFM1410580	BLUETIP-BT10x280 Hex Hd ScrewBolt-ZnPlt	50	
DFM1410620	BLUETIP-BT10x320 Hex Hd ScrewBolt-ZnPlt	50	
DFM1410650	BLUETIP-BT12x75 Hex Hd ScrewBolt-ZnPlt	25	
DFM1410680	BLUETIP-BT12x100 Hex Hd ScrewBolt-ZnPlt	25	
DFM1410710	BLUETIP-BT12x150 Hex Hd ScrewBolt-ZnPlt	25	
DFM1410740	BLUETIP-BT12x200 Hex Hd ScrewBolt-ZnPlt	20	
DFM1410770	BLUETIP-BT16x100 Hex Hd ScrewBolt-ZnPlt	20	
DFM1410800	BLUETIP-BT16x130 Hex Hd ScrewBolt-ZnPlt	10	
DFM1410830	BLUETIP-BT16x150 Hex Hd ScrewBolt-ZnPlt	10	
DFM1410860	BLUETIP-BT16x200 Hex Hd ScrewBolt-ZnPlt	10	
DFM1410890	BLUETIP-BT16x240 Hex Hd ScrewBolt-ZnPlt	20	
<b>MECHANICAL ANCHOR - DROP-IN</b>			
DFM2110500	DM-PRO M6 DropIn Anchor-Zinc Plated	100	
DFM2110550	DM-PRO M8 DropIn Anchor-Zinc Plated	100	
DFM2110600	DM-PRO M10 DropIn Anchor-Zinc Plated	100	
DFM2110650	DM-PRO M12 DropIn Anchor-Zinc Plated	100	
DFM2110700	DM-PRO M16 DropIn Anchor-Zinc Plated	25	
DFM2110750	DM-PRO M20 DropIn Anchor-Zinc Plated	25	
DFM2110000	DM-LIP-PRO M6 Lipped DropIn Anch'r-ZncPlt	100	
DFM2110100	DM-LIP-PRO M8 Lipped DropIn Anch'r-ZncPlt	100	
DFM2110150	DM-LIP-PRO M10 Lipped DropIn Anch'r-ZnPlt	100	
DFM2110200	DM-LIP-PRO M12 Lipped DropIn Anch'r-ZnPlt	100	

Model No.	Description	Box Qty	Image
DFM2110300	DM-LIP-PRO M16 Lipped DropIn Anchr-ZnPlt	25	
DFM2110250	DM-LIP-PRO M20 Lipped DropIn Anchr-ZnPlt	25	
DFM2100010	DM-PRO M6 Drop In Setting Tool	1	
DFM2100060	DM-PRO M8 Drop In Setting Tool	1	
DFM2100110	DM-PRO M10 Drop In Setting Tool	1	
DFM2100160	DM-PRO M12 Drop In Setting Tool	1	
DFM2100210	DM-PRO M16 Drop In Setting Tool	1	
DFM2100260	DM-PRO M20 Drop In Setting Tool	1	
<b>MECHANICAL ANCHOR - SHIELD ANCHOR</b>			
DFM2450040	SA16-M10x60 Shield Anchor-Shield Only	50	
DFM2450060	SA20-M12x75 Shield Anchor-Shield Only	25	
DFM2450080	SA25-M16x115 Shield Anchor-Shield Only	10	
DFM2450180	SAP14-M8x90 Shield Anchor w/ProjBolt	50	
DFM2450240	SAP16-M10x90 Shield Anchor w/ProjBolt	50	
DFM2450320	SAP20-M12x100 Shield Anchor w/ProjBolt	25	
<b>MECHANICAL ANCHORS - HIGH LOAD SPIKES, SCREWS &amp; CLIPS</b>			
DFM3210000	BSC-NHS6/10x35 Nylon Hammer Screw	100	
DFM3210050	BSC-NHS6/35x60 Nylon Hammer Screw	100	
DFM3210100	BSC-NHS8/45x80 Nylon Hammer Screw	100	
DFM3210150	BSC-NHS8/60x100 Nylon Hammer Screw	100	
DFM3530000	KT-PRO CSK10x100 Univ Frame Fixing	100	
DFM3530050	KT-PRO CSK10x120 Univ Frame Fixing	100	
DFM3530100	KT-PRO CSK10x140 Univ Frame Fixing	100	
DFM3530300	KT-PRO HEX 10x100 Façade Plug	100	
DFM3530350	KT-PRO HEX10x120 Façade Plug	100	
DFM3530400	KT-PRO HEX10x140 Façade Plug	100	
DFM3420000	NHS-PRO 5x27 Nylon Hammer Screw	100	
DFM3420100	NHS-PRO 6x40 Nylon Hammer Screw	100	
DFM3420150	NHS-PRO 6x55 Nylon Hammer Screw	50	
DFM3420250	NHS-PRO 6x80 Nylon Hammer Screw	50	
DFM3420300	NHS-PRO 8x60 Nylon Hammer Screw	50	
DFM3420350	NHS-PRO 8x80 Nylon Hammer Screw	50	
DFM3420400	NHS-PRO 8x100 Nylon Hammer Screw	50	
DFM3420450	NHS-PRO 8x120 Nylon Hammer Screw	50	
DFM3420500	NHS-PRO 8x135 Nylon Hammer Screw	50	
DFM3310100	PBZ-PRO 6x5/35 Steel Wedge Nail	100	
DFM3310150	PBZ-PRO 6x35/65 Steel Wedge Nail	100	
DFM3440000	NP 5 x 25 - Nylon Plug	100	
DFM3440050	NP 6 x 30 - Nylon Plug	100	
DFM3440150	NP 8 x 40 - Nylon Plug	100	
DFM3440200	NP 10 x 50 - Nylon Plug	50	
DFM3440250	NP 12 x 60 - Nylon Plug	25	
DFM3440300	NP 14 x 80 - Nylon Plug	20	
DFM3460000	PX 6 x 35 - Universal Plug	100	
DFM3460050	PX 8 x 50 - Universal Plug	100	



# DEWALT®

FASTENERS ENGINEERED BY POWERS®

## BLUE-TIP SCREWBOLT™

### MECHANICAL ANCHOR





## Safety Equipment



- Head Protection
- Foot Protection
- Fall Protection
- Eyewear
- Hand Protection
- Respiratory
- Protective Clothing
- Spill Control
- Gas Detection
- Safety Storage Cabinets



Model No.	Item Code	Description	Standard	Color	Image
<b>WORK BOOTS</b>					
Cutter	60086-126	Low Cut Trainer Work Boot, Synthetic PU and Mesh	EN345-SB-P	Black	
Anchor	50085-126	Mid Ankle Trainer Work Boot, Synthetic PU and Mesh	EN345-S1-P	Black	
Compressor	50052-128	Suede Work Boot Nubuck Leather	EN345-S1-P	Gun Smoke	
Logic	50037-127	Suede Work Boot Classic Taupesuede	EN345-S1-P	Classic	
Plane	50053-137	Suede Work Boot Classic Taupesuede/Nubuck	EN345-S1-P	Classic	
Kypton	50099-130	Lightweight trainer with non metallic midsole	EN345-SB	Black	
Apprentice	60011-101	6 in Work Boot Nubuck and Full Grain Leather	EN345-SB	Black	
Apprentice	60011-103	6 in Work Boot Nubuck and Full Grain Leather	EN345-SB	Honey	
Apprentice	60011-104	6 in Work Boot Nubuck and Full Grain Leather	EN345-SB	Brown	
Explorer	50027-103	6 in Heavy Duty Worn Boot Goodyear welted	EN345-SB	Honey	
Radial	50078-142	5in Pull On Work Boot Crzayhorse Leather	EN345-SB-P	Tan	
Rigger	50030-121	10 in Rig Boot Full Grain Leather	EN345-SB-P	Tan	

Model No.	Item Code	Description	Standard	Color	Image
Nickel	50093-132	Waterproof Safety Boot Water resistant leather with dry bootie construction	EN345-S3WR	Black	
<b>GLASSES</b>					
Contractor Pro	DPG52-1D	Lightweight wraparound safety glasses	EN166	Clear	
Contractor Pro	DPG52-2D	Lightweight wraparound safety glasses	EN166	Smoke	
Radius	DPG51-1D	Stylish Safety Glasses	EN166	Clear	
Radius	DPG51-2D	Stylish Safety Glasses	EN166	Smoke	
Dominator	DPG94-1D	Dual Mold Safety Glasses	EN166	Clear	
Dominator	DPG94-2D	Dual Mold Safety Glasses	EN166	Smoke	
Concealer	DPG82-11	Safety Goggles with Anti-Fog Coating	EN166	Clear	
Concealer	DPG82-21	Safety Goggles with Anti-Fog Coating	EN166	Smoke	
<b>GLOVES</b>					
ToughTack	DPG260L	High Performance Work Gloves	EN388		
Driver 2	DPG31L	Premium Driver Gloves	EN388		
Secure Fit	DPG217L	High Performance Work Gloves	EN388		

Model No.	Item Code	Description	Standard	Color	Image
Rapid Fit	DPG218L	Padded Palm Work Gloves	EN388		
ToughTanned	DPG220L	Premium Leather Performance Palm Glove	EN388		
ToughTanned	DPG250L	Vibration Absorption Leather Glove	EN388		



**WE BUILD IN TECHNOLOGY,  
SO YOU WORK IN COMFORT.**

Model No.	Description	Image
<b>HEAD PROTECTION</b>		
<b>Safety Glasses</b>		
BRAVA Clear, Smoke, Yellow, 2FF, 2LM	<b>Polycarbonate Spectacles</b> Soft flat spatula type arms, Integrated polycarbonate nose piece, Easy to use with safety helmet and ear defenders	
KILIMANDJARO Clear, Smoke	<b>Polycarbonate Spectacles</b> Adjustable and tilting nylon arms, Side protection	
PITON Clear	<b>Clear Polycarbonate Spectacles</b> Direct side ventilation, Side protection, Arms hole for neck cord	
VULCANO2 Clear, Smoke	<b>Polycarbonate Spectacles</b> Adjustable and tilting nylon arms, Side protection, Spatula tips, Integrated PVC nose piece, Side protection	
FUJI2 Clear, Gradient	<b>Polycarbonate Twin-Lens Spectacles</b> Clear (Grey/Black) / Progressive (Orange/Black), Twin material arms, Soft tips, Soft PVC nose piece, Side protection	
PACAYA Clear, Smoke	<b>Polycarbonate Spectacles Integrated nose piece</b> Clear (Blue/Grey) / Smoke (Black/Grey), Tilting nylon arms, Side protection, Removable foam for shock and dust protection	
<b>Safety Goggles</b>		
MURIA1	<b>Clear Polycarbonate goggles</b> Direct Ventilation Flexible PVC frame, Textile elastic strap, Grey	
GALERAS	<b>Clear Polycarbonate Goggles, Indirect Ventilation</b> Flexible PVC and nylon frame, Wide screen with non-reflecting effect, Wide elastic strap, Grey	
TOBA2 T5	Welding Goggles	
<b>Safety Visors</b>		
VISOR HOLDER	<b>Faceshield Holder</b> suitable for QUARTZ, ZIRCON and BASEBALL DIAMOND safety helmets	
BALBI2	<b>Faceshield with front protection + VISORPC</b> Clear Polycarbonate Visor with Plastic Edge, 39x20cm, Yellow/Black	

Model No.	Description	Image
VISORPC	<b>Kit of 2 Clear Polycarbonate Visors</b> With Plastic Edge Universal Fixing, 39x20cm	
VISORG	<b>Kit of 2 Gauze Visors</b> With Plastic Edge, Universal Fixing, 39x20cm	
<b>Safety Helmets</b>		
BASEBALL DIAMOND V	<b>Abs Safety Helmet</b> Innovative Baseball Cap shape to improve the vertical vision, Tested for front back wearing, Foam sweat band, Orange/Blue/Yellow/White/Red/Green	
HARNESS V	<b>Bag of 10 Spare Harnesses</b> for Baseball Diamond V Safety Helmet, Textile lining, foam sweat band, adjustment with button	
QUARTZ IV	<b>Ventilated UV-Resistant high density polypropylene safety helmet</b> , Foam sweat band, Ratchet Adjustment, Blue/Yellow/Orange/White/Green/Red	
QUARTZ III	<b>UV-Resistant high density polypropylene safety helmet</b> Foam sweat band, Manual Adjustment, White/Red/Yellow/Orange/Blue/Green	
ZIRCON I	<b>UV-Resistant high density polyethylene safety helmet</b> Low density polyethylene harness with 8 fixing points, Sweat band, Manual Adjustment, Orange/Grey/Green/Blue/Red/Yellow/White	
<b>Bump Caps</b>		
AIR COLTAN	<b>Impact-resistant baseball style bump cap</b> Highly ventilated polyester/cotton with mesh fabric Light Grey/Dark Grey, Navy Blue/Black, Beige/Dark Grey	
COLTAN SHORT PEAK	<b>Impact-resistant baseball style bump cap</b> Polyurethane-coated polyamide, Short peak for indoor activities, Navy Blue	
COLTAN	<b>Impact-resistant baseball style bump cap</b> Polyurethane-coated polyamide, Long peak for outdoor activities, Black/Red, Navy Blue/Royal Blue, Orange/Grey/Black	
<b>Accessories</b>		
DYNAMIC JUGALPHA	<b>Bag of 10 Chin Straps, 4 Fixing Points for work in height</b> Self-breaking system, Suitable for QUARTZ, ZIRCON and BASEBALL DIAMOND safety helmets, Grey	
JUGALPHA	<b>Bag of 10 Chin Straps, Self Breaking System</b> Suitable for QUARTZ, ZIRCON, and BASEBALL DIAMOND safety helmets, Grey	

Model No.	Description	Image
MENTALPHA	<b>Bag of 10 Elastic Chin Straps With Chin Protector</b> Self-breaking system, Suitable for QUARTZ, ZIRCON, and BASEBALL DIAMOND safety helmets, Grey	
BASALPHA	<b>Bag of 10 foam sweat bands</b> for QUARTZ, ZIRCON and BASEBALL DIAMOND safety helmets, Black	
<b>Welding Helmets</b>		
BARRIER	Helmet For Electric Arc Welding	
CASOUD2	Helmet for all types of welding	
<b>Ear Defenders</b>		
SPA3	<b>Ear Defender With Polystyrene (PS) and synthetic foam cups</b> ABS headband, adjustable in height, Low pressure pads, Blue	
SEPANG2	<b>Ear Defender With Abs And Synthetic Foam Cups</b> Polycarbonate headband, adjustable in height, padded and flexible, Orange	
SUZUKA2	<b>Ear Defender For Safety Helmet, Adjustable</b> High flexibility ABS arm and cups, Cups padded with synthetic foam, Suitable for QUARTZ, ZIRCON and BASEBALL DIAMOND safety helmets, Black	
SILVERSTONE2	<b>Ear Defenders specific neck wearing</b> Metal arch and ABS Cups, padded of synthetic foam, Easy to use with all safety helmets and bum caps, Silver	
PIT-STOP	<b>Foldable Electronice Ear Defenders with ABS cups</b> mat finishing, Pads filled with synthetic foam, Adjustable, ON/ofF and volume switch button on each cup, 2 omni directional microphones outside, Red/Black	
<b>Ear Plugs</b>		
CONIC200	<b>Dispenser Box of 200 Pairs Disposable Polyurethane Earplugs</b> Individual Plastic Bag of 2 Earplugs, Yellow	
CONICCO200	<b>Dispenser Box of 200 Pairs Disposable Polyurethane Earplugs</b> with Plastic Cord, Individual Plastic Bag of 2 Earplugs, Yellow	
CONICDIS	<b>Dispenser for earplugs</b> including a refill of 500 pairs of CONIC500 earplugs	

Model No.	Description	Image
CONIC500	Box of 500 Pairs Disposable Polyurethane Earplugs, Yellow	
CONICFIR06	Box of 6 Pairs of Reusable Thermoplastic Earplugs With Nylon Cord, Navy Blue/Blue	
<b>Respiratory Masks</b>		
M6200 JUPITER	Thermo-Plastic Half-Mask, Elastic Straps, Blue	
FILTRE M6000 A2	Kit of 2 A2 Filtering Cartridges for M6200-JUPITER half-mask, Brown	
<b>Disposable Masks</b>		
M1100	<b>Box of 20 Non Woven Synthetic Fibre Disposable Mask FFP1</b> Moulded Mask, Nose Clip for Adjustment, Foam Edge Under Nose Clip, White	
M1100V	<b>Box of 10 Non Woven Synthetic Fibre Disposable Mask FFP1</b> Moulded Mask, Nose Clip for Adjustment, Foam Edge Under Nose Clip, High Performance Exhalation Valve, White	
M1200	<b>Box of 20 Non Woven Synthetic Fibre Disposable Mask FFP2</b> Moulded Mask, Nose Clip for Adjustment, Foam edge under nose clip, White	
M1200V	<b>Box of 10 Non Woven Synthetic Fibre Disposable Mask FFP2</b> Moulded Mask, Nose Clip for Adjustment, Foam edge under nose clip, High Performance Exhalation Valve, White	
M1300V	<b>Box of 5 Non Woven Synthetic Fibre Disposable Mask FFP3</b> Wide Adjustable Straps, Moulded Mask, Nose Clip for Adjustment, Whole-around Ultra-soft Face Joint Ring, High Performance Exhalation Valve, White	
<b>HAND PROTECTION</b>		
<b>Fabric Supported Coated Gloves</b>		
VENICUT50	<b>Knitted Glove</b> with Cowhide on Palm and Fingertips Gauge 10, Grey/Yellow	
VENICUT52	<b>Knitted Glove</b> with Latex Coating, Cowhide on Palm and Fingertips Gauge 10, Grey/Yellow	

Model No.	Description	Image
VENICUT42GR	<b>Knitted Glove</b> with Polyurethane Coating on Palm and Fingertips, Gauge 13, Grey	
VENICUT41	<b>Knitted Glove</b> with Nitrile Coating on Palm and Fingertips, Gauge 13, Grey/Black	
VE702P	<b>Polyester Knitted Glove</b> with Polyurethane Coating on Palm and Fingertips, White	
VE702PG	<b>Polyester Knitted Glove</b> with Polyurethane Coating on Palm and Fingertips, Grey	
VE702	<b>Polyamide Knitted Glove</b> with Polyurethane Coating on Palm and Fingertips, Silicone Free, White	
VE730OR	<b>50% Cotton 50% Polyester Knitted Glove</b> with Rough Latex Coating on Palm and Fingertips, Yellow/Orange	
VE713	<b>Polyamide Knitted Glove</b> with Double Nitrile Coating on Palm, Fingers and Half Back, Black	
VE712GR	<b>Polyester Knitted Glove</b> with Nitrile Coating on Palm and Fingertips, Black/Grey	
<b>PVC and Latex Gloves</b>		
PVCC400	<b>Chemical PVC Dipped Glove</b> 40cm Length, 1.30mm Thickness, PVC on Cotton Jersey Lining, Red	
PVC7335	<b>PVC on Cotton Jersey Lining Glove</b> 35cm Length, 0.90mm Thickness, Red	
VENITACTYL 1371 (V1371)	Box of 100 Disposable Powdered Vinyl Gloves for Food, Natural	
<b>Latex and Synthetic Gloves</b>		
V1400B100	Box of 100 Disposable Gloves Powder-Free Nitrile, Suitable for Food Industry, Blue	

Model No.	Description	Image
V1310	Box of 100 Disposable Gloves Powdered Latex, Suitable for Food Industry, Natural	
VE802VE	Dipped Gloves Nitrile with Cotton Flocklining, 33cm Length, 0.40mm Thickness, Silicone Free, Green	
VE509	Dipped Gloves Neoprene with Cotton Flocklining, 30cm Length, 0.75mm Thickness, Sizes 6.5 to 10.5, Black	
<b>Nitrile Gloves</b>		
NI150	Dipped Glove Nitrile on Cotton Jersey Lining, Knitted Wrist, Ventilated Back, White/Blue	
NI015	Dipped Glove Light Nitrile on Cotton Jersey Lining, Knitted Wrist, Ventilated Back, White/Yellow	
<b>Cotton Gloves</b>		
KPG10	100% Cotton Lining, Cut & Heat Resistant Gloves, Ambidextrous Washable, Yellow	
<b>Leather Gloves</b>		
FBN49	<b>Leather Gloves With Binding At Cuff</b> Cowhide Full Grain Leather, American Assembly, Grey	
DC103	<b>Cowhide Split Leather Glove</b> Canvas Back with Leather Reinforcement, Reinforced Canvas Cuff, Beige	
DS202RP	<b>Cowhide Split Leather Glove</b> with Cotton Canvas Lining, Reinforcement on Palm, Thumb and Index, Grey/Blue	
CA615K	<b>High Quality Heat Resistant Split Leather Glove</b> Cuff with Canvas Lining, With Kevlar sewn, 35cm Length, Red	
CA515R	<b>Heat Resistant Cowhide Split Leather Glove</b> Hand with Cotton Fleece Lining, Cuff with Canvas Lining, 35cm Length, Red	

Model No.	Description	Image
<b>Best Price Range</b>		
TP169	65% Polyester 35% Cotton Glove, PVC Dots on Palm, White	
<b>DISPOSABLE WORKWEAR</b>		
DT117	<b>Overall with Elasticated hood</b> Non Woven Deltatek®5000 (50% Polypropylene, 50% Polyethylene), Fastening with zip under flap (top and bottom opening), Elasticated Waist and Ankles, Knitted Wrist, White	
DT115	<b>Non Woven Overall</b> With Elasticated Hood 50% Polypropylene, 50% Polyethylene, Fastening with Zip Under Flap, Elasticated Waist, Ankles, Cuffs and Round Head, White	
DT215	<b>Non Woven Overall</b> With Elasticated Hood 100% Polypropylene, Fastening with Zip Under Flap, Elasticated Waist, Ankles, Cuffs and Round Head, White	
BLOUSPO	<b>Coat, Non Woven Polypropylene</b> Fastening with 4 Press Studs, Shirt Collar, Made-up Sleeves, 2 Patched Low Pockets, White	
PO106	<b>Overall with Elasticated Hood, Non Woven Polypropylene</b> Fastening With Zip, Elasticated Waist, Ankles and Cuffs, White	
SURCHPE	<b>Pair of Visitor Overshoes</b> Polyethylene, Elasticated Ankle, Box of 50 pairs, Blue	
PO110	<b>Round Mobcap, Non Woven Polypropylene</b> Elasticated Border, 53cm Diameter, Dispenser Box of 100 pieces, White, Blue	
<b>BODY PROTECTION</b>		
<b>Outside Wear</b>		
MILTON	<b>Parka, Waterproof Seams</b> Fastening with Zip Under Velcro Storm Flap, Removable Wadded Hood, Adjustable Bottom of Garment with Elastic Drawstring, 5 pockets, Black	
DUNCAN	<b>Parka, Waterproof Seams</b> Fastening with Zip Under Velcro Storm Flap, Removable Hood, Underarm Ventilation with Eyelets, Adjustable Bottom of Garment with Elastic Drawstring, 5 Pockets, Navy Blue, Grey	
<b>High Visibility Range</b>		
EASYVIEW	<b>Rain Warm Parka, Waterproof Seams, Fixed Hood</b> Fastening with Zip Under Velcro Storm Flap, Class 3, 4 pockets, Fluo Yellow/Navvy Blue, Fluo Orange/Navy Blue	

Model No.	Description	Image
GILP2	<b>Polyester Weave, Vest</b> Fastening with Velcro Band, Class 2, Fluo Orange, Fluo Yellow	
GILP4	<b>Vest, Fastening with Velcro Band</b> High Visibility, Class 2, Silver, Shoulder Belt Assembly	
<b>Protective Aprons</b>		
TBALPV	<b>Apron, 100% PVC</b> Adjustment Buckle on the Neck, 120cm x 90cm, 0.30mm Thickness, White	
EN304	<b>Rain Jacket and Trousers</b> PVC Coated Polyester Support, Double Side Coating, Sealed Seams, Green, Yellow	
<b>Mach Corporate Workwear</b>		
MCVES	<b>Jacket, Adjustable Bottom of Garment with Press Studs Flap</b> 6 pockets, With Badge Holder, Navy Blue//Black, Beige/Dark Grey, Light Grey/Dark Grey	
MCPAN	Trousers Kneepad Pockets, Elasticated Waist on Both Sides, Preformed Knees, 9 pockets, Beige/Dark Grey, Navy Blue/Black, Light Grey/Dark Grey	
MCCHE	<b>Over-Shirt Zip Under Tab, Long Sleeves</b> Fastening with Zip Under Velcro Flap, 3 pockets, Navy Blue/Black, Beige/Dark Grey, Light Grey/Dark Grey	
M2COM	<b>Overalls, Zip Fastening Under Bias, Elasticated Waist</b> Wrists with Press Studs Fastening, 9 pockets including 1 on the sleeve, Black/Grey, Navy Blue/Royal Blue, Grey/Orange	
M2GIL	<b>Vest Front Zip Fastening</b> 13 pockets, Large Rear Pocket, Beige/Green	
<b>Flame Retardant Maico Range</b>		
MAICO HV	<b>Overall With Reflecting Bands</b> High Collar, Half Elasticated Wrists, Raglan Sleeves, 7 pockets including 1 ruler pocket, 2 hand slits, Red, Blue, Orange	
MAICO	<b>Overalls, High Collar, Raglan Sleeves</b> Half Elasticated Wrists, 7 pockets including 1 ruler pocket, 2 hand slits, Navy Blue	



## Access & Material Handling



**YOUNGMAN**  
INNOVATIVE WORK AT HEIGHT SOLUTIONS

**Eoslift**

**Zamil**



- Aluminum Ladders
- Aluminum Scaffold Towers
- Fiberglass Ladders
- Fiberglass Scaffold Towers
- Warehouse Ladders
- Drum Pickers
- Pallet Trucks
- Work Platform
- Work Benches
- Carts & Trolleys



# Teleguard

The ultimate telescopic platform ladder.

Now available in 3 models:

- 4-6 rung (working height of up to 3.628m)
- 5-8 rung (working height of up to 4.21m) - NEW
- 7-9 rung (working height of up to 4.448m)

- » Duty Rating 110kg/Maximum Static Load 150kg
- » Use in flat slab mode or on stairways
- » Simple height adjustment rung by rung
- » Good sized work platform - 610 x 444mm
- » Double guardrail and positive locking gate
- » Deep and draining tool tray
- » Robust aluminium chequer plate toeboard
- » Deck lock clip - auto lock
- » Tough wheels for easy movement around site
- » Rugged rubber stabiliser overboots
- » Spring loaded stowage catch
- » Ladder section alignment bars
- » Easy to transport
- » Excellent stabilisation derived from 4 easy to deploy adjustable stabilisers



[youngmangroup.com](http://youngmangroup.com)

**YOUNGMAN**  
INNOVATIVE WORK AT HEIGHT SOLUTIONS

Model No.	Description	Capacity	Image
<b>MATERIAL HANDLING EQUIPMENT</b>			
DBA25	<b>HD Pallet Truck 2.5 Ton</b> Fork Size:540x1150mm Min.Height:85mm	2500 kg	
DBA30	<b>HD Pallet Truck 3.0 Ton</b> Fork Size:540x1150mm Min.Height:85mm	3000 kg	
SLP15	<b>Scissor Lift Pallet Truck</b> Single-piston Rod Structure, High Strength, More Stable Lifting, 800mm Max Fork Height	1500 kg	
DP25	<b>Drum Picker</b> Special Claw, Easier moving with two big size rollers and one caster wheel 280mm Lifting Height	250 kg	
HSF35	<b>Drum Picker</b> Designed based on general stacker structure, with 3D moving function, 1425mm Lifting Height	350 kg	
HSA1516	Hand Stacker Fork size:330-740x1150mm Fork Height 1600mm,	1500 kg	
TA50	Scissor Lift Table Truck Table Height 1m, Solid Structure, Easy Moving and Operating, Stable Lifting, Heavy Capacity, and High Security, Nylon Guide Wheel, 118 kg Weight	500 kg	
TA100	<b>Hand Table Truck</b> Table Height 960mm, Stable Lifting, Heavy Capacity, and High Security, Nylon Guide Wheel, 137 kg Weight	1000 kg	

Model No.	Description	Capacity	Image
TAD80	<b>Hand Table Truck</b> Table Height 1400mm, Nylon Guide Wheel, Explosion Proof, Two Brakes	800 kg	
DBJ10	HD Shop Crane Foldable 1 Ton	1000 kg	
DBJ20	HD Shop Crane Foldable 2 Ton	2000 kg	
DBJ30	HD Shop Crane Foldable 3 Ton	3000 kg	
DAG1100	<b>Aerial Work Platform Single Mast</b> Max Platform Height 10m, High Strength Aluminum Alloy Mast, Available in AC or DC Power, Suitable for Single Person, Overall Height 2150mm Working height 11700mm / 11.7m	125 kg	
DAG2120	<b>Aerial Work Platform Double Mast</b> Max Platform Height 12m, High Strength Aluminum Alloy Mast, Available in AC or DC Power, Suitable for 1-2 Persons Working height 12000 / 12m	200 kg	

# **Eoslift**

*/ Steer / Your / Life /*




Model No.	Size	Load Capacity	Image
<b>FIBERGLASS STEP LADDERS - GREEN</b>			
5904	4ft / 1.20m	225lbs	
5906	6ft / 1.80m	225lbs	
5908	8ft / 2.40m	225lbs	
<b>FIBERGLASS STEP LADDERS - BLUE</b>			
6002	2ft / 0.60m	250lbs	
6004	4ft / 1.20m	250lbs	
6006	6ft / 1.80m	250lbs	
6008	8ft / 2.40m	250lbs	
<b>FIBERGLASS STEP LADDERS - ORANGE</b>			
6204	4ft / 1.20m	300lbs	
6206	6ft / 1.80m	300lbs	
6208	8ft / 2.40m	300lbs	
6210	10ft / 3.0m	300lbs	
6212	12ft / 3.60m	300lbs	
<b>H.DUTY FIBERGLASS STEP LADDERS - ORANGE</b>			
7406	6ft / 1.80m	375lbs	
7408	8ft / 2.40m	375lbs	
7412	12ft / 3.60m	375lbs	
<b>FIBERGLASS EXTENSION LADDER</b>			
D6216-2	16ft / 4.80m	300lbs	
D6220-2	20ft / 6.00m	300lbs	
D6224-2	24ft / 7.20m	300lbs	
D6232-2	32ft / 9.60m	300lbs	
<b>ALUMINUM STEP LADDER</b>			
150B	2ft / 0.60m	300lbs	

Model No.	Description	Open Height	Image
<b>TRADE 200 SINGLE SECTION ALUMINUM LADDERS</b>			
570102	Single Section Alu Ladder 3.0m - 10 Step	3.0m	
570103	Single Section Alu Ladder 3.6m - 12 Step	3.6m	
570104	Single Section Alu Ladder 4.2m - 14 Step	4.2m	
570107	Single Section Alu Ladder 6.0m - 20 Step	6.0m	
<b>TRADE 200 2 SECTION EXTENSION ALUMINUM LADDERS</b>			
570112	2 Section Ext Alu Ladder 3.0-5.0m	5.1m	
570113	2 Section Ext Alu Ladder 3.6-6.2m	6.2m	
570114	2 Section Ext Alu Ladder 4.2-7.4m	7.4m	
570115	2 Section Ext Alu Ladder 4.8-8.6m	8.6m	
570116	2 Section Ext Alu Ladder 5.4-9.8m	9.8m	
<b>TRADE 200 3 SECTION EXTENSION ALUMINUM LADDERS</b>			
570122	3 Section Ext Alu Ladder 3.0-7.4m	7.4m	
570123	3 Section Ext Alu Ladder 3.6-9.2m	9.2m	
570124	3 Section Ext Alu Ladder 4.2-11.0m	11m	
<b>COMBI 100 3 SECTION COMBINATION LADDERS</b>			
341381	<b>Combination 3-Section Ladder 2.50m</b> 8 Rungs per section / Extended Length: 5.4m / Safe Working Height: 5.58m Quick & simple to adapt / Multi Mode Purpose Combination Ladder	3.7m	
342381	<b>Combination 3-Section Ladder 3.0m</b> 10 Rungs per section / Extended length: 7.14m / Safe Working Height: 7.2m / Quick & simple to adapt / Multi Mode Purpose Combination Ladder	4.87m	
<b>TELESCOPIC PLATFORM LADDER</b>			
316515	<b>Teleguard 4-6 Rung Tele Plat Ladder 2.10m</b> Treads: 4/6 / Platform Height: 1.08/1.63m / Overall Height: 2.10m / Closed Length 2.40m	3.08-3.63m	
317515	<b>Teleguard 7-9 Rung Tele Plat Ladder 2.92m</b> Treads: 7/9 / Platform Height: 1.90/2.48m / Overall Height: 2.92m / Closed Length 3.25m	3.9-4.5m	
<b>SPECIAL LADDERS</b>			
302330	<b>Transforma Multipurpose Ladder 1.4m</b> Extension ladder – 8 different heights / Extending step ladder – 4 different heights / Stairway ladder – 5 different heights / Weight 17.5kg		
306340	<b>2 Sec. Deluxe Loft Ladder 14 Tread</b> Aluminum / Floor to Floor Height: 2310 to 3250 mm / Loft Opening Max Depth: 127 mm / Min Loft Opening Size Required: 686 x 508 mm / Tread Dimensions: 330 x 74 mm	3.25m	

Model No.	Description	Open Height	Image
<b>MOBILE SAFETY LADDERS</b>			
578403 / RL353	Mobile Step Ladder W/ Hrail 3 Step	0.75m	
578404 / RL354	Mobile Step Ladder W/ Hrail 4 Step	1.0m	
RL356	Mobile Step Ladder W/ Hrail 6 Step	1.5m	
RL358	Mobile Step Ladder W/ Hrail 8 Step	2.0m	
RL3512	Mobile Step Ladder W/ Hrail 12 Step	3.0m	
RL3514	Mobile Step Ladder W/ Hrail 14 Step	3.5m	
<b>MINIMAX ACCESS TOWERS - 1.8m x 0.7m</b>			
370518 / 377518	<b>Base Pack 2.9m</b> Cap:200Kg / Platform Height:0.60m / Safe Working Height 2.60m	2.9m	
372518	<b>Guardrail Pack 3.7m</b> Minimax Guard Rail Systems are used to extend the base pack height to 3.7m working height		
371518 / 341518	<b>Extension Pack 2M</b> This pack can be fitted to the minimax base unit 370518 and brings the max working height up to 5.7 metres.		
317514	<b>Small Stabiliser 1 Pc</b> Recommended when using the 370518 base with the 371518 extension pack		
318514	<b>Medium Stabiliser 1 Pc</b> adds stability to Youngman Minimax scaffold towers starting from 5.8m up to 7.8m working heights		



**YOUNGMAN**  
INNOVATIVE WORK AT HEIGHT SOLUTIONS

Model No.	Height (ft)	Height (m)	Image
<b>DUAL PURPOSE STEP LADDER - Load Capacity 250lbs</b>			
DPL/5	5	1.5	
DPL/6	6	1.8	
DPL/7	7	2.1	
DPL/8	8	2.4	
DPL/9	9	2.7	
DPL/10	10	3.0	
DPL/12	12	3.6	
DPL/14	14	4.2	
DPL/17	17	5.2	
<b>SQUARE RUNG STRAIGHT LADDER - Load Capacity 250lbs</b>			
SSL/11	10	3.0	
SSL/14	12	4.0	
SSL/16	14	4.5	
SSL/18	16	5.0	
SSL/21	20	6.0	
<b>SQUARE RUNG EXTENSION LADDER - Load Capacity 250lbs</b>			
SDL/11	17	5.1	
SDL/14	20	6.0	
SDL/16	21	6.3	
SDL/18	24	7.4	
SDL/21	27	8.3	
<b>C-SECTION STRAIGHT LADDER - Load Capacity 250lbs</b>			
CSL/9	8	2.4	
CSL/11	10	3.0	
CSL/14	12	3.6	
CSL/16	14	4.2	
CSL/18	16	4.8	
CSL/23	20	6.0	
<b>DOUBLE SECTION EXTENSION LADDER - Load Capacity 250lbs</b>			
CDL/9	8-14	2.4-4.3	
CDL/11	10-18	3.0-5.5	
CDL/14	12-22	3.6-6.7	
CDL/16	14-26	4.2-7.9	
CDL/18	16-30	4.8-9.1	
CDL/23	20-38	6.0-11.6	
<b>MULTI-PURPOSE STEP LADDER</b>			
MPL/12	12	3.6	
MPL/16	16	4.8	
<b>LIGHT DUTY STEP LADDER</b>			
LSL/4	4	1.0	
LSL/5	5	1.2	
LSL/6	6	1.5	
LSL/7	7	1.7	
LSL/8	8	2.0	



## Workshop Equipment



**RIDGID**

 **Miller**

 **DEWALT**

 **scheppach**


 **m7**  
MIGHTY SEVEN<sup>®</sup>

 **ENERPAC**

- Pneumatic Air Tools
- Welding Equipment
- Air Compressors
- Lubricating Equipment
- Pipe Threading /Grooving Equipment
- Wood Working Machinery
- Pressure Washers



Model No.	Description	Image
RSM-50	<b>Hydraulic Cylinder, Steel, 5 Ton, 0.25 In Stroke</b> Single Acting, Flat, Oil Capacity 0.25 Cu.-In,	
RSM-100	<b>Hydraulic Cylinder, Steel, 10 Ton, 0.44 In Stroke</b> Single Acting, Flat, Oil Capacity 0.98 Cu.-In,	
RSM-200	<b>Hydraulic Cylinder, Steel, 20 Ton, 0.44 In Stroke</b> Single Acting, Flat, Oil Capacity 1.94 Cu.-In,	
RSM-300	<b>Hydraulic Cylinder, Steel, 30 Ton, 0.50 In Stroke</b> Single Acting, Flat, Oil Capacity 3.25 Cu.-In,	
RSM-500	<b>Hydraulic Cylinder, Steel, 50 Ton, 0.63 In Stroke</b> Single Acting, Flat, Oil Capacity 6.01 Cu.-In,	
RC-50	<b>Hydraulic Cylinder, Steel, 5 Ton, 0.63 In Stroke</b> Single Acting, General Purpose, Oil Capacity 0.62 Cu.-In, Number of Threads 2, Bolt Circle Dia. 1, Thread Size 1/4-20, Includes Saddle, Female Coupler and Dust Cap	
RC-55	<b>Hydraulic Cylinder, Steel, 5 Ton, 5.00 In Stroke</b> Single Acting, General Purpose, Oil Capacity 4.97 Cu.-In, Number of Threads 2, Collar Thread 1 1/2-16, Thread Size 1/4-20, Includes Saddle, Female Coupler and Dust Cap	
RC-102	<b>Hydraulic Cylinder, Steel, 10 Ton, 2.13 In Stroke</b> Single Acting, General Purpose, Oil Capacity 4.75 Cu.-In, Number of Threads 2, Collar Thread 2 1/4-14, Thread Size 5/16-18, Includes Saddle, Female Coupler and Dust Cap	
RC-106	<b>Hydraulic Cylinder, Steel, 10 Ton, 6.13 In Stroke</b> Single Acting, General Purpose, Oil Capacity 13.70 Cu.-In, Number of Threads 2, Collar Thread 2 1/4-14, Thread Size 5/16-18, Includes Saddle, Female Coupler and Dust Cap	
RC-154	<b>Hydraulic Cylinder, Steel, 15 Ton, 4.00 In Stroke</b> Single Acting, General Purpose, Oil Capacity 12.57 Cu.-In, Number of Threads 2, Collar Thread 2 3/4-16, Thread Size 3/8-16, Includes Saddle, Female Coupler and Dust Cap	
RC-156	<b>Hydraulic Cylinder, Steel, 15 Ton, 6.00 In Stroke</b> Single Acting, General Purpose, Oil Capacity 18.85 Cu.-In, Number of Threads 2, Collar Thread 2 3/4-16, Thread Size 3/8-16, Includes Saddle, Female Coupler and Dust Cap	
RC-256	<b>Hydraulic Cylinder, Steel, 25 Ton, 6.25 In Stroke</b> Single Acting, General Purpose, Oil Capacity 32.23 Cu.-In, Number of Threads 2, Collar Thread 3 5/16-12, Thread Size 1/2-13, Includes Saddle, Female Coupler and Dust Cap	
RC-506	<b>Hydraulic Cylinder, Steel, 50 Ton, 6.25 In Stroke</b> Single Acting, General Purpose, Oil Capacity 69.03 Cu.-In, Number of Threads 2, Collar Thread 5-12, Thread Size 1/2-13, Includes Saddle, Female Coupler and Dust Cap	
RCS-101	<b>Hydraulic Cylinder, Steel, 10 Ton, 1.50 In Stroke</b> Single Acting, Low Height, Oil Capacity 3.35 Cu.-In	
RCS-201	<b>Hydraulic Cylinder, Steel, 20 Ton, 1.75 In Stroke</b> Single Acting, Low Height, Oil Capacity 7.75 Cu.-In,	
RCS-302	<b>Hydraulic Cylinder, Steel, 30 Ton, 2.44 In Stroke</b> Single Acting, Low Height, Oil Capacity 15.82 Cu.-In,	

Model No.	Description	Image
RCS-502	<b>Hydraulic Cylinder, Steel, 50 Ton, 2.38 In Stroke</b> Single Acting, Low Height, Oil Capacity 22.85 Cu.-In,	
RCS-1002	<b>Hydraulic Cylinder, Steel, 100 Ton, 2.25 In Stroke</b> Single Acting, Low Height, Oil Capacity 44.18 Cu.-In, Steel Handle,	
S3000	<b>Hydraulic Torque Wrench, 1 In Drive</b> Socket Size Range 3/4 to 3-7/8 In, Max Pressure 10,000 PSI	
S11000	<b>Hydraulic Torque Wrench, 1 1/2 In Drive</b> Socket Size Range 1-7/16 to 4-5/8 In, Max Pressure 10,000 PSI,	
FSH14	<b>Hydraulic Industrial Spreader</b> 14 Tons, Oil Capacity 4.75 Cu In, For Narrow Space Flange Spreading	
P-39	<b>Hydraulic Hand Pump</b> 1 Speed, Fiberglass Handle Material, Length 23-1/32 In, Width 5-1/4 In, Height 4-11/16 In	
P-392	<b>Hydraulic Hand Pump</b> Speed Two, Length 21 In, Height 7 In, Width 4 3/4 In	
P-80	<b>Hydraulic Hand Pump</b> Speed Two, Length 22 In, Height 6 7/8 In, Width 5 3/4 In	
XA12G	<b>Air Powered Pump, 10K PSI, Gauge</b> Air Inlet NPT 1/4 In Female, Oil Capacity 122 Cu.-In, Foot Operated Treadle, Length 13.82 In	
HC7203	<b>Hydraulic Hose Assembly</b> High Pressure, Thermoplastic, L-3Ft	
HC7206	<b>Hydraulic Hose Assembly</b> High Pressure, Thermoplastic, L-6Ft, Max Operating PSI 10,000	
GP-10S	<b>Pressure Gauge, Dry, 4 In, 0 to 10,000 Psi</b> Connection Size 1/2 In NPT, Includes Safety Blowout Disc and Pressure Equalizing Membrane	
GA-2	<b>Gauge Adapter, FNPT Fitting 3/8 Inch</b> MNPT Fitting 3/8In, Gauge Port FNPT 1/2In, Length 6.10In	
CR400	<b>Hydraulic Female Coupler, Quick Connect, 3/8In Pipe Size NPT</b> Max Pressure 10,000 PSI, Features Female, Includes Dust Cap	
C604	<b>Hydraulic Coupler Set, Quick Connect</b> 3/8 In Pipe Size NPT, Max Pressure 10,000 PSI, Includes	
CH604	<b>Hydraulic Male Coupler, Quick Connect</b> 3/8 In Pipe Size NPT, Max Pressure 10,000 PSI,	

COMPLETE AIR  
TOOL SOLUTIONS



## AIR IMPACT WRENCH



THE RIGHT TOOL FOR  
A JOB WELL DONE

[www.mighty-seven.com](http://www.mighty-seven.com)  
e-mail:[info@mighty-seven.com](mailto:info@mighty-seven.com)

MIGHTY SEVEN INTERNATIONAL CO., LTD.



VEHICLE SERVICE



INDUSTRY



BOAT



MOTORCYCLE




HARVESTING MACHINE

Model No.	Description	Image
<b>AIR IMPACT WRENCH</b>		
NC-3111	<b>3/8in Drive, Equipped with Pin Clutch Impact mechanism</b> 1/2in Bolt Capacity, 160 FT-LB Max Torque, 9000 RPM, 6-7/16in Overall Length	
NC-3210	<b>3/8in Drive, Equipped with Twin Hammer Impact mechanism</b> 1/2in Bolt Capacity, 350 FT-LB Max Torque, 10000 RPM, 5-5/8in Overall Length	
NC-4258	<b>1/2in Drive, Equipped with Twin Hammer Impact mechanism</b> 5/8in Bolt Capacity, 400 FT-LB Max Torque, 7000 RPM, 7-1/4in Overall Length	
NC-4210	<b>1/2in Drive, Equipped with Twin Hammer Impact mechanism</b> 5/8in Bolt Capacity, 400 FT-LB Max Torque, 10000 RPM, 5-5/8in Overall Length	
NC-4610	<b>1/2in Drive, Equipped with Twin Hammer Impact mechanism</b> 5/8in Bolt Capacity, 450 FT-LB Max Torque, 9000 RPM, 4-9/16in Overall Length	
NC-4216	<b>1/2in Drive, Equipped with Twin Hammer Impact mechanism</b> Light weight composite main housing, 5/8in Bolt Capacity, 650 FT-LB Max Torque, 9000 RPM, 7-3/4in Overall Length	
NC-4236	<b>1/2in Drive, Equipped with Twin Hammer Impact mechanism</b> 1in Bolt Capacity, 1000 FT-LB Max Torque, 7500 RPM, 6-45/64in Overall Length	
NC-0415M4	<b>1/2in Drive Impact Wrench &amp; Socket set, 15pcs</b> 1/2" Air Impact Wrench(NC-4213), 10pcs Impact Sockets, Extension bar 5in long, Allen key 4mm, Mini oiler 1/4in female x 1/4in male, Air hose connector 1/4in	
NC-6113	<b>3/4in Drive, Equipped with Pin Clutch Impact mechanism</b> 1in Bolt Capacity, 850 FT-LB Max Torque, 4500 RPM, 10in Overall Length	
NC-6210	<b>3/4in Drive, Equipped with Twin Hammer impact mechanism</b> 3/4in Bolt Capacity, 750 FT-LB Max Torque, 7500 RPM, 6-45/64in Overall Length	
NC-6216	<b>3/4in Drive, New Twin Hammer impact mechanism</b> 1-1/16in Bolt Capacity, 1200 FT-LB Max Torque, 6000 RPM, 9-1/4in Overall Length	
NC-8321	<b>1in Drive, Equipped with Pin-less impact mechanism</b> 1-3/8in Bolt Capacity, 1800 FT-LB Max Torque, 4000 RPM, 15in Overall Length	

Model No.	Description	Image
NC-8341	<b>1in Drive, Equipped with Pin-less impact mechanism</b> 1-3/8in Bolt Capacity, 1800 FT-LB Max Torque, 4000 RPM, 20in Overall Length, with 8in extended anvil	
NC-8219	<b>1in Drive, Equipped with New twin hammer mechanism</b> 1-7/16in Bolt Capacity, 1800 FT-LBS Max Torque, 4000 RPM, 12-13/32in Overall Length	
NC-8226	<b>1in Drive, Twin Hammer Type 1-7/16in Bolt Capacity</b> 1800 FT-LB Max Torque, 5000 RPM, 19-3/16in Overall Length, With 6in extended anvil	
NC-9223	<b>1-1/2in Drive, NewTwin Hammer mechanism</b> 4 pieces parts mechanism, 2in Bolt Capacity, 4746 FT-LB Max Torque, 3000 RPM, 17-3/4in Overall Length	
<b>AIR RATCHET WRENCH</b>		
NE-321	<b>3/8in Drive, 35 FT-LB Max Torque</b> 160 RPM, 10-3/8in Overall Length	
NE-421	<b>1/2in Drive, 35 FT-LB Max Torque</b> 160 RPM, 10-3/8in Overall Length	
<b>AIR DIE GRINDER</b>		
QA-111B	<b>0.3 hp Motor, 25000 RPM, 10 CFM Air Consumption</b> 6in Overall Length, 0.84 lbs (0.38kg) Net Weight	
QA-313B	<b>0.3 hp Motor, 25000 RPM, 10 CFM Air Consumption</b> 9-1/4in Overall Length, 1.28 lbs (0.58kg) Net Weight	
QA-0215A	<b>Air Die Grinder Set, 15pcs, Air Die Grinder</b> Collet (3mm or 1/8in), Spanner Wrench, Grinder Stone (3mm or 1/8in), Shank Stone (6mm or 1/4in), Plug (adapter)	
<b>AIR ANGLE GRINDER</b>		
QB-154	<b>With safety throttle lever, 4in Pad Dia</b> 3/8in-24 Spindle Size, 11000 RPM, 0.78 Hp Motor, 9in Overall Length	
QB-114	<b>With safety throttle lever, 4in Pad Dia</b> 3/8in-24 Spindle Size, 11000 RPM, 0.78 Hp Motor, 9in Overall Length	
QB-155B	<b>5in Pad Dia, 3/8in-24 Spindle Size</b> 11000 RPM, 0.78 Hp Motor, 9in Overall Length	

Model No.	Description	Image
QB-125	<b>5in Pad Dia, 5/8in-11 Spindle Size</b> 11000 RPM, 0.8 Hp Motor, 9in Overall Length	
QB-117	<b>7in Pad Dia, 7000 RPM, 1.0 Hp Motor</b> 13-1/2in Overall Length	
QB-177	<b>7in Pad Dia, 5/8in-11 Spindle Size</b> 7600 RPM, 1.0 Hp Motor, 11-13/16in Overall Length	
QB-179	<b>9in Pad Dia, 5/8in-11 Spindle Size</b> 6000 RPM, 3.8 Hp Motor, 11in Overall Length	
<b>AIR CUT-OFF TOOL</b>		
QC-213	<b>3in Wheel Size, 20000 RPM</b> 0.9 Hp Motor, 7-7/8in Overall Length, Casted aluminum housing	
QB-913	<b>3in Cut-off Wheel</b> 3"x1/16"x3/8" Arbor Hole(75x1.5x10) for QC-213 QC-253	
<b>AIR SURFACE CLEANING TOOL</b>		
QB-802	<b>Patented removing wheel brings larger wear-off volume</b> 3600 RPM, 0.7 Hp Motor, 7-7/8in Overall Length	
QK-111	<b>Windshield Remover</b> oscillations (per min): 20000, average air consumption (L / min): 170	
<b>AIR SANDERS</b>		
QB-312	<b>3/4in x 19in Belt Size, 16000 RPM</b> 9 CFM Max Air Consumption, 14in Overall Length	
QB-313	<b>1-3/16in x 21-1/4in Belt Size, 13000 RPM</b> 4 CFM Max Air Consumption, 15-3/8in Overall Length, Air Inlet 1/4in	
QB-47602	<b>Air Random Orbital Sander Self Generated Vacuum</b> Disc Dia 6in, HP Motor 0.24	
QB-45P43	Rubber Hose + Vacuum Bag for QB-47602	

Model No.	Description	Image
QB-45P36A	6in Velcro Pad	
<b>AIR SHEAR</b>		
QG-202	<b>Pistol Type, Available to cut sheet aluminum</b> up to 1.5mm, 1.2mm steel and 1.0mm sheet stainless steel, 2600 Strokes per minute (S.P.M), 6.5 CFM Max Air Consumption, 8-1/4in Overall Length	
<b>AIR SAW SET</b>		
QD-291N	<b>Adjustable guard / guide controls depth of cut precisely</b> Air saw tool, 24T Saw Blade, 32T Saw Blade, Allen Key 4mm & 3mm, 1/4in 360deg plug, 5 Pieces file set, Mini oiler 1/4in	
<b>DIGITAL TORQUE TESTER</b>		
ZT-31	Torque Range 0~150kgf-cm	
<b>AIR DRILL</b>		
QE-331	<b>3/8in Air Reversible Drill With Keyless Chuck</b> 10mm Chuck Size, 1800 RPM, 6.5 CFM Air Consumption, 8in Overall Length	
QE-341	<b>1/2in Air Reversible Drill With Keyless Chuck</b> 13mm Chuck Size, 800 RPM, 6.5 CFM Air Consumption, 9in Overall Length	
QE-431	<b>3/8in Air Reversible Drill With Keyless Chuck</b> Air Inlet 1/4in, 10mm Chuck Size, 1800 RPM, 4.0 CFM Air Consumption, 8-29/32in Overall Length	
QE-441	<b>1/2in Air Reversible Drill With Keyless Chuck</b> Air Inlet 1/4in, 13mm Chuck Size, 1100 RPM, 4.0 CFM Air Consumption, 10-53/64in Overall Length	
<b>AIR SCREWDRIVER</b>		
RA-301	<b>Pistol Grip Type, Adjustable Clutch, Screw capacity M4</b> 1/4in Chuck Size, 3.8-10 FT-LB Torque Range, 1800 RPM, 6.0 CFM Air Consumption, 7-1/2in Overall Length	
RA-302	<b>Pistol Grip Type, Adjustable Clutch, Screw capacity M6</b> 1/4in Chuck Size, 3.8-12 FT-LB Torque Range, 800 RPM, 6.0 CFM Air Consumption, 9in Overall Length	
<b>AIR HAMMER</b>		
SC-0217C / SC-0517	Air Hammer Kit 5pcs - Chisel Kits Spring Retainer	1pc - 

Model No.	Description	Image
<b>NEEDLE SCALER</b>		
SN-1288	<b>Wide and complete air tool range, 32mm Stroke Length</b> 5500 Blow per minute (BPM), 3 CFM Max Air Consumption, 11-3/8in Overall Length	
SN-1268	<b>Air Inlet 1/4in, 28mm Stroke Length</b> 4600 Blow per minute (BPM), 15 CFM Max Air Consumption, 18-1/8in Overall Length	
SN-2110	<b>33mm Stroke Length, 3700 Blow per minute (BPM)</b> 15 CFM Max Air Consumption, 13in Overall Length	
SN-1368	<b>27mm Stroke Length, 3400 Blow per minute (BPM)</b> 16 CFM Max Air Consumption, 17in Overall Length	
SN-268	3x180mm 19 Needle Set (SN-1268/SN-2110/SN-1368)	
SN-288	3x125mm 12 Needle Set (SN-1288)	
<b>AIR HYDRAULIC RIVETER</b>		
PA-301	Comes with 2.4, 3.2, 4.0, 4.8mm nosepieces 16mm Stroke Length, 1.48 CFM, 3.3lbs (1.5kg)	
PA-201	Comes with 2.4, 3.2, 4.0, 4.8, 6.0, 6.4mm nosepieces 14mm Stroke Length, 2.32 CFM, 3.9lbs (1.8kg)	
PA-211	Comes with 2.4, 3.2, 4.0, 4.8, 6.0 and 6.4 mm rivet noses 18mm Stroke Length, 3.85lbs (1.75kg)	
PA-321	Comes with 2.4, 3.2, 4.0 and 4.8 mm rivet noses 22mm Stroke Length, 3.3lbs (1.75kg)	
PA-9048	4.8mm (3/16) Riveter Adaptor for Drills	
<b>AIR NAILER</b>		
SU-C1022J	20 Gauge, 6-22mm Nail Length, 1mm Shank Thickness	
SJ-1650T	16 Gauge, 25-50mm Nail Length, 1.4mm Shank Thickness, 1.6mm Shank Width	

Model No.	Description	Image
<b>AIR GREASE GUN</b>		
SG-400	Single Shot Type, 1/4in Air Inlet, 2.8-8.4mm Stroke Length 10.5 kg f / cm <sup>2</sup> Proof Pressure, 3.2lbs (1.46kg)	
<b>AIR BLOW GUN</b>		
JC-304	4in Nozzle Length, 13.0 CFM Max Air Consumption 150 PSI Max Air Pressure, 0.15lbs (0.07kg)	
JC-310	10in Nozzle Length, 15.0 CFM Max Air Consumption 150 PSI Max Air Pressure, 0.22lbs (0.10kg)	
JC-320	20in Nozzle Length, 13.0 CFM Max Air Consumption 150 PSI Max Air Pressure, 0.31lbs (0.14kg)	
<b>WORKING LIGHT</b>		
SE-1025	Flexible LED light, 5W, 3.6V Li-Ion Rechargeable Battery	
SE-1101	Energy Saving LED Work Lamp, 5W, 4.2V Li-Ion Rechargeable Battery	
<b>FILTER, REGULATOR, LUBRICATOR</b>		
SV-2431	1/2in Air in/outlet, 0-15 kgf/cm <sup>2</sup> Working Pressure 1.0-15 kgf/cm <sup>2</sup> , Pressure Range, 80 L/min Min.Flow for Oil Drip	
SW-13T	Mini Lubricator Set	
SG-101	Lubrication Kit	
<b>AIR HOSE</b>		
SA-315C	10.0mm Hose Inside Dia, 15.0mm Hose Outside Dia 15m Hose Length, Weight 8kg ( <b>SA-3315</b> )	
SD-23215	<b>Polyurethane Recoil</b> Returns automatically to the original position and keeps it out of operator's way during operation, Both ends have male 360deg swivel fittings, Temperature resistance from -20deg C ~ +70deg C	

Model No.	Description	Image
SB-422	Digital Type Inflator, 1/4in Air Inlet, Max Air Pressure 160 PSI/11 bar	
SB-201	Digital Tyre Inflator, Max Air Pressure 160 PSI/11 bar	
SB-501	Tyre Inflator, 3/8in Air Hose, 1/4in Air Inlet, Max Air Pressure 160 PSI/11 bar	
SH-1001	Tool Holder, 26.4lbs (12.0kg) Maximum Load, 16in Overall Length	

**AIR ADAPTOR**

SY-231F	Thread Size 1/4in PT, Thread Type Female, Type USA	
SY-231M	Thread Size 1/4in PT, Thread Type Male, Type USA	
SY-331F	Thread Size 3/8in PT, Thread Type Female, Type USA	
SY-331M	Thread Size 3/8in PT, Thread Type Male, Type USA	
SY-230F	Thread Size 1/4in NPT, Thread Type Female, Type USA	
SY-230M	Thread size 1/4in NPT, Thread Type Male, Type USA	
SY-2001M	360Deg Rotatable Adaptor, Air Inlet 1/4in	
SY-2002M	360Deg Adjustable and Rotatable Adaptor, Air Inlet 1/4in	

**Important Note:** Oiling of the air tool twice a day is recommended to ensure long life for the tool



Model No.	Description	Image
<b>ARC WELDING MACHINE</b>		
Thunderbolt 225 XL	<b>225 Amps, Transformer Type, AC Welder</b> Input Voltage 230, 60 Hz, Overall Height 18 3/4 Inches, Overall Width 12 3/4 Inches, Overall Depth 17 1/2 Inches	
Maxstar 150 S	<b>150 Amps Portable Inverter, Arc Welders</b> Overall Height 9 In, Overall Width 5 1/2 In, Overall Depth 13 1/4 In	
STI 160	<b>160 Amps, Portable Inverter</b> Weight 6.0 kg (13.2 lb), single-phase, 230 VAC, 50/60 Hz. Includes shoulder strap and 3 m (10 ft) power cord	
Blu-Thunder 403	<b>400 Amps, Rectifier Type</b> 400A/36VDCRated Output @ 35% Duty cycle	
Gold Star 602	<b>600 Amps, Heavy Industries, Arc Welders</b> Overall Height 30 In, Overall Width 23 In, Overall Depth 38 In	
<b>TIG WELDING MACHINE</b>		
Maxstar STH	<b>DC Portable Inverter Tig Welding M/N, 150 Amps</b> TIG Welder, Includes Power Source With 10 Ft Mvp Power Cord, Remote Finger Tip Control, Electrode Holder With 13 Ft Of Weld Cable, 10 Ft Work Cable With Clamp And Connectors, Shoulder Strap And Flow Thru Tig Torch Adapter, Plus Protective Carring Case, Wp17 12ft Tig Torch With Adapter And Accessories, And Regulator Flow Gauge With Gas Hose.	
Maxstar 200 SD	<b>TIG/Stick Welder</b> Output Range (Amps) 1 to 200Heavy Industrial Applications	
Syncrowave 200	<b>TIG Welder, AC/DC, Phase 1, Output Range 5-200 Amps</b> Includes Power Source, 8 Ft. Primary Cord, Rfcs-14 Remote Foot Pedal, 12-1/2 Ft Tig Torch, 15 Ft. Work Lead With Clamp, 15 Ft. Lead W/Electrode Holder, Flow Gauge Regulator With Hose And Cable And Foot Pedal Holders	
Syncrowave 250 DX	<b>AC/DC Tig Welding M/N, Phase 1, Output Range 3-310 Amps</b> 250 Amps AC, Includes Running Gear, Water Cooler, 4 Gallons of Coolant, Remote Foot Control, 25 Ft Water Cooled Torch Adapter, 250 Amp Water Cooled Weldcraft WP20 Torch, 2 Dinse Connectors, Work Clamp, 12 Ft Gas Hose, Regulator/Flowmeter, Cable Cover, and Torch Accessory Kit	

Model No.	Description	Image
<b>TABLE SAWS</b>		
Tisa 3.0 1901305905	<b>Circular Table Saw 230V</b> Saw Blade Size 315mm, 2.2KW	
Tisa 3.0 1901305906	<b>Circular Table Saw 400V</b> Saw Blade Size 315mm, 3.0KW	
Precisa 3.0 1901302902	<b>Precision Circular Sawbench</b> 400V/50Hz, 3.20 kW (4.4 hp), Saw Blade Size 280mm, 4100 RPM, 90mm cutting height	
Precisa 4.0 1901303902	<b>Precision Circular Sawbench</b> 400V/50Hz, 3.80 kW (5.2 hp), Saw Blade Size 270mm, 3800 RPM, 87mm cutting height	
53010701	<b>Sliding table carriage for Precisa 4.0</b> Adjustable to 45deg, table size 600x650mm	
Precisa 6.0 1901304904	<b>Precision Circular Sawbench with pre-scoring attachment</b> 400V/50Hz, 4.80 kW (6.5 hp), Saw Blade Size 315mm, 4000 RPM, 110mm cutting height	
54630701	<b>Sliding table carriage for Precisa 6.0</b> adjustable to 45deg, table size 600x650mm	
54630706	Table width extension for Precisa 6.0	
7901700701	Table length extension for Precisa 6.0	
<b>BANDSAWS</b>		
Basato-3 Vario 73190911	Bandsaw with Base, 220-240V/50hz, 0.80kW (1.1 hp)	
Basato-4 73230903	Bandsaw with Base, 220-240V/50hz, 1.5kW (2.04 hp)	
Basa 5.0 1901505902	Bandsaw 380-420V/50Hz, 3.60kW (4.9 hp)	
Basa 7.0 1901506902	Bandsaw 380-420V/50Hz, 3.80kW (5.2 hp)	
<b>PLANER/THICKNESSER</b>		
Plana 3.0 1902202901	<b>Planer / Thicknesser 220-240V/Hz</b> 2.40 kW (3.2 hp), 210x250mm planing width / thicknessing height	

Model No.	Description	Image
Plana 4.0 1902204902	<b>Planer / Thicknesser 400V/50Hz</b> 4.0 kW (5.4 hp), 320mm planing width	
<b>SPINDLE MOULDER</b>		
Molda 3.0 1902102902	<b>Vertical Spindle Moulder</b> 400V/50Hz, 2.8 kW (3.8 hp)	
72310747	<b>Sliding table carriage for Molda 3.0</b> table 600 x 650 mm running on ball bearings, fence rail extensible from 1100 to 2000 mm	
72310745	Universal safety profile cutter head with 6 pair knives	
<b>TURNING</b>		
Lata 5.0 1902301901	<b>Woodturning Lathe</b> 230-240V/50Hz, 0.75 kW (1.0 hp),	
<b>DUST EXTRACTOR</b>		
Woova 3.0 1906302901	<b>Dust and Chip Extractor</b> 220-240V/50Hz, 0.60 kW (0.80 hp), Air capacity 1000 m³/h	
Woova 4.0 1906303901	<b>Dust and Chip Extractor</b> 220-240V/50Hz, 1.04 kW (1.4 hp), Air capacity 2000 m³/h	
<b>BENCH GRINDERS / SANDERS</b>		
SM-150X 88001911	<b>Bench Grinder 6in</b> 220-240V/50Hz, 0.43 kW (BG150), Wheel bore ø12.7 mm, Wheel width 19 mm	
BGS-700 88001935	<b>Grinder Linisher</b> 230V/50Hz, Grinding wheel, and sanding belt with variable fence, Sanding belt length 686mm, width 50mm, Sanding belt grit 80	
<b>RADIAL DRILL PRESS / BENCH DRILLS</b>		
RDM2003FN 88000908	Radial Drill Press 20mm 550W 110V	
RDM2801FN 88000905	Radial Drill Press 28mm 750W 220V	
RDM2801FN 88000909	Radial Drill Press 28mm 750W 110V	
RDM3201FN 88000906	Radial Drill Press 32mm 1100W 220V	
RDM3201FN 88000910	Radial Drill Press 32mm 1100W 400V	




## Contact Us



### Branch Locations:

- Abu Dhabi (Mussaffah):**  
Tel: +971 2 555 7282  
Fax: +971 2 555 7283
- Dubai (Al Quoz):**  
Tel: +971 4 338 2110  
Fax: +971 4 338 2119
- Dubai (Deira):**  
Tel: +971 4 222 4648  
Fax: +971 4 222 5825
- Sharjah:**  
Tel: +971 6 539 8080  
Fax: +971 6 539 7973



E-mail: sales@aabtools.com  
[www.aabtools.com](http://www.aabtools.com)



**AABTools**  
INDUSTRIAL SUPPLIES®

**Ali Asger & Brothers LLC.**

PO Box 1284 Dubai UAE  
Corporate Office (Al Quoz)  
E-mail: sales@aabtools.com  
www.aabtools.com

Abu Dhabi (Mussaffah):  
Tel: +971 2 555 7282  
Fax: +971 2 555 7283

Dubai (Al Quoz):  
Tel: +971 4 338 2110  
Fax: +971 4 338 2119

Dubai (Deira):  
Tel: +971 4 222 4648  
Fax: +971 4 222 5825

Sharjah:  
Tel: +971 6 539 8080  
Fax: +971 6 539 7973

**TOOLBOOK**